
W3Schools_clone project

Nature Portfolio Template



index

- 1. Template 레이아웃 구조 분석
- 2. 레이아웃 영역 정의(HTML 태그 구조)
- 3. 구현결과
- 4. 구현상세설명(HTML,CSS코드)
- 5. 소요시간 및 소감

1. Template 레이아웃 구조 분석




PORTFOLIO


Template by W3.CSS

- ## PORTFOLIO
- ABOUT
- CONTACT
- **1 1 0 0 9 y** in

- 네비게이션 바: 전체화면 좌측에 세로로 위치
- Img, text, 아이콘

2. Template 레이아웃 구조 분석








- Section1
 제목, filter버튼
 img+text카드형태 리스트
- Section2 img, text
- Section3 box중첩하여 skill퍼센트 표시

3. Template 레이아웃 구조 분석







- Section4 리스트묶음 3
- Section5 contact수단 3개 박스표시 form태그 1개
- Footer

•Section1 : text

•Section2: text + (img+text)리스트

Section3: text

레이아웃 영역정의(HTML태그구조)

body

Div#container

```
Nav – div#nav_wrap – img
- ul - li - h1
- li - h3
- li - i
- li - i
- li - i
- li - div#sns – i*6
```

Main>section#portfolio_list_wrap

- h1
- div#filter span,button*4
- div#portfolio_list ul*6 li a -img
 - div#portfolio_text h1p
- div#pagination ul li*6 > a

body

Div#container

Main> section#about

- div#about_img img*2
- div#about_text h1,p
- div#about_skills h1
 - h2
 - div#skill_bar .phtography div
 - h2
 - div#skill_bar .web div
 - h2
 - div#skill_bar .photoshop div
 - button

Main>section#charge

- h1
- di.option ul>li*7
- div.option #option_pro ul>li*7
- div.option ul>li*7

body

Div#container

Main>section#contact

- h1
- div#contact_ways -div*3>i+div
- form label+input
 - label+input
 - label+input
 - button

Footer> section#footer_text

- h1
- p
- p


Footer> section#footer_posts

-ul - li*2>a>img+div>h1+h2

Footer> section#tags

- h1
- span*14

구현결과



구현상세: nav

```
text-decoration: none;
  -color: □black;
   -background: - #F1F1F1
#container{
   -margin: -auto;
 -width: 20%;
  - height: 100%;
   -background: - white
   position: absolute;
   -top:0;
   ·left: 0;
nav #nav_wrap{
  -padding: -20px -0 -0 -10px;
nav #nav_wrap>img{
   width: 120px;
   ·border-radius: 5px;
   padding-bottom: 20px;
nav #nav_wrap ul{
  ·line-height: 40px;
nav #nav_wrap ul li:nth-child(3){
 color: #009688;
nav #nav_wrap ul li h1{
 --- font-weight: bold;
  - font-size: 20px;
nav #nav_wrap ul li h3{
 ···color: - gray;
nav #nav_wrap ul·li·i{
  -padding-right: 5px;
nav.#nav_wrap.ul.li.#sns{
   ·letter-spacing: -- 2px;
```

구현상세: main> section#portfolio_list_wrap

```
<section id="portfolio_list_wrap">
·····<h1>My Portfolio</h1>
······<div-id="filter">
</pre
.....<div-id="portfolio_list">
<div id="portfolio_text">
   Praesent tincidunt sed tellus ut rutrum. Sed vitae justo condi
<img src="./res/p2.jpg" alt="">
<div id="portfolio_text">
   <h1>Lorem Ipsum</h1>
<img src="./res/p3.jpg" alt="">
<h1>Lorem Ipsum</h1>
 Praesent tincidunt sed tellus ut rutrum. Sed vitae justo condi
```

```
·····<img·src="./res/nature.jpg"-alt="">
   -----<div id="portfolio_text">
    <h1>Lorem Ipsum</h1>
   Praesent tincidunt sed tellus ut rutrum. Sed vitae just
-----
<div id="portfolio text">
Praesent tincidunt sed tellus ut rutrum. Sed vitae just
  -----
<img·src="./res/lights.jpg" alt="">
  <div id="portfolio_text">
  Praesent tincidunt sed tellus ut rutrum. Sed vitae just
<div id="pagination">
.....<\li><a href="">></a>
```

구현상세: main> section#portfolio_list_wrap

```
- margin-left: 20%;
    width: 80%;
    box-sizing: border-box;
 padding: 50px 20px;
main section#portfolio_list_wrap{
  padding-top: 20px;
main · section#portfolio_list_wrap>h1{
   font-size: 50px;
 --- font-weight: bold;
  - padding-bottom: 50px;
main section#portfolio_list_wrap #filter{
    border-bottom: 7px solid darkgray;
 padding-bottom: 20px;
 --- font-size: 20px;
main section#portfolio_list_wrap #filter button{
 --- font-size: 20px;
   -border: -none;

    background-color: white;

    padding: 10px 10px;
main section#portfolio_list_wrap #filter button:hover{
   background-color: darkgray;
main section#portfolio_list_wrap #filter i{
 ... padding-right: 15px;
main section#portfolio_list_wrap #filter button:nth-child(2){
   background-color: | black;
    color: white
main-section#portfolio_list_wrap-#filter-button:nth-child(2):hover{
    -background-color: darkgray;
   color: | black:
main section#portfolio_list_wrap #portfolio_list::after{
   content: '';
  - display: block;
  · clear: both;
    float: none;
```

```
main section#portfolio_list_wrap #portfolio_list::after{
   clear: both;
   float: none;
 main section#portfolio_list_wrap #portfolio_list li{
   height: 400px;
   background: White
   float: left;
   margin-right: 12px;
   -margin-top: 20px;
main section#portfolio_list_wrap #portfolio_list li img{
   height: 60%;
main-section#portfolio_list_wrap-#portfolio_list-li-h1{
   font-size: 25px;
   padding: 10px 0;
main-section#portfolio_list_wrap-#portfolio_list-li-#portfolio_text{
   width: 100%;
   height: 40%;
   font-size: 18px;
   padding: 0 10px;
main-section#portfolio_list_wrap-#pagination-ul{
   -padding: 50px 0px;
   text-align: center;
   -font-size: 20px;
main section#portfolio_list_wrap #pagination li{
   display: inline-block;
main-section#portfolio_list_wrap-#pagination-li-a{
   -padding: 13px - 20px;
main-section#portfolio list wrap-#pagination-li:nth-child(2)-a{
   background-color: | black;
   color: | white;
main-section#portfolio_list_wrap-#pagination-li-a:hover{
   background-color: Dblack;
   color: White;
main section#portfolio_list_wrap #pagination li:nth-child(2) a:hover{
   background-color: darkgray;
   color: | black;
```

구현상세: main> section#about

```
section id="about">
 -<div-id="about img">
   ····<img·src="./res/avatar_g.jpg"·alt="">
     <img src="./res/me2.jpg" alt="">
 -<div-id="about text">
   ----<h1>About Me</h1>
   Just me, myself and I, exploring the universe of unknownment. I have a h
 -<div-id="about skills">
   ··· <h1>Technical Skills</h1>
   ···<h2>Photography</h2>
   ····<div-class="skill bar"-id="photography">
    -----<div>95%</div>
 ·····<h2>Web Design</h2>
 ·····<div·class="skill bar"·id="web">
   ·····<div>85%</div>
·····<h2>Photoshop</h2>
.....<div class="skill bar" id="photoshop">
-----<div>80%</div>
  ----<button><i-class="fa-light-fa-down-to-line"></i>Download Resume</button>
```

```
main section#about #about_img{
text-align: center;
main section#about #about_img img{
  width: 455px;
main-section#about-#about text{
   -padding: 30px 0;
main section#about #about_text h1{
font-size: 20px;
font-weight: bold;
   -margin-bottom: 10px;
main-section#about-#about text-p{
 font-size: 15px;
   line-height: 20px;
main section#about #about_skills h1{
   font-size: 20px;
   padding-bottom: 10px;
main section#about #about_skills h2{
font-size: 15px;
 -- padding-bottom: 10px;
main section#about #about_skills button{
font-size: 15px;
····background-color: gray;
border: none;
--- color: white;
 - padding: 10px 5px;
 - margin-top: 10px;
main-section#about-#about_skills-button:hover{
   -background-color: - darkgray;
```

```
main section#about .skill_bar{
----width: 100%;
----height: 30px;
background:  darkgray;
main section#about .skill_bar>div{
--- line-height: 30px;
text-indent: 10px;
main section#about #photography div{
width: 95%;
height: 30px;
··· background: □gray;
main section#about #web div{
----width: 85%;
--- height: 30px;
··· background: □gray;
main section#about #photoshop div{
--- width: 80%;
----height: 30px;
····background: 

gray;
```

구현상세: main> section#charge

```
<section id="charge">
           <h1>How mush I charge</h1>
 <div class="option">
Alion Ali
  ····· Web Design

 -----<div>$-10</div>
 -----<div>per month</div>
-----
----<div-class="option" · id="option pro">
---- li>Web Design
  Photography
 1GB Storage
 -----<div>$ 10</div>
 <div>per month</div>
····· <div class="option">
······Premium
 -----1GB Storage
 -----Mail Support
-----<div>$ 10</div>
-----<div>per month</div>
 -----<button>Sign Up</button>
```

```
*******ction:charge-*/
main-section#charge-h1{
   font-size: 23px;
   padding-bottom: 10px;
main section#charge .option{
  display: inline-block;
   border: 1px-solid  pgba (185,185,185,0.5)
main section#charge .option li{
  width: 210px;
   border-bottom: 1px solid | rgba (185,185,185,0.5);
  text-align: center;
   font-size: 20px;
  padding: 20px 45px;
   background-color: white;
main section#charge .option ul{
   opacity: 0.5;
main-section#charge .option ul:hover{
   opacity: 1;
main section#charge .option li:first-child{
   line-height: 60px;
  background-color:  gray;
  color: white;
main-section#charge-.option-li:nth-child(6){
  font-size: 30px;
   height: 80px;
main section#charge .option li:last-child{
   background-color: #F1F1F1;
main-section#charge-#option_pro-li:nth-child(1){
   background-color: #009688;
main section#charge .option li button{
   background-color: #009688;
  -border: none;
  padding: 10px 10px;
   color: white;
main-section#charge-.option-li-button:hover{
   background-color: | gray;
```

구현상세: main> section#contact

```
<<section-id="contact">
<h1>Contact Me</h1>
-----<div-id="contact ways">
<div>email@email.com</div>
<div>Chicago.US</div>
<i-class="fa-light fa-phone"></i></i>
·····<form-action="">
<input type="email">
```

```
main section#contact{
 --- background-color: ■#9E9E9E;
main section#contact h1{
font-size: 20px;
--- padding-bottom: 20px;
main section#contact #contact_ways{
··· border-bottom: 0.5px solid White;
---- padding-bottom: 30px;
main section#contact #contact_ways>div{
....display: inline-block;
height: 80px;
--- background: □#616161;
text-align: center;
--- color: white;
main-section#contact-#contact_ways>div-i{
--- padding-top: 20px;
main section#contact #contact_ways>div:nth-child(2){
--- background-color: ■#009688;
main section#contact form{
--- padding-top: 30px;
display: flex;
····flex-direction: column;
main section#contact label{
font-size: 18px;
--- padding-bottom: 5px;
--- height: 30px;
--- margin-bottom: 20px;
main section#contact button{
--- width: 30%;
····font-size: 15px;
padding: 10px;
....color: white;
--- background-color: | black;
--- border: none;
main section#contact button:hover{
····background-color: - gray;
```

구현상세 : footer

```
<h1>FOOTER</h1>
···Powered by <a href="">w3.css</a> 
.....<section-id="footer_posts">
·····<h1>BLOG-POSTS</h1>
         ····· <div id="posts text">
         .....<h1>Lorem</h1>
            -----<h2>Sed mattis nunc</h2>
     ----- <a href="">
          <img src="./res/gondol.jpg" alt="">
                  </div id="posts_text">
             .....<h1>Ipaum</h1>

<section id="tags">
······<h1>POPULAR-TAGS</h1>

·····<span>London</span>
     --<span>IKEA</span>
      <<span>NORWAY</span>
     -<span>DIY</span>
     <<span>ideas</span>
·····<span>Family</span>
·····<span>News</span>
···<span>Shopping</span>
 <span>Sports</span>
·····<span>Games</span>
   ····<span>Powered by <a href="">w3.css</a></span>
```

```
-margin-left: 20%;
   width: 80%;
footer section{
   -box-sizing: -border-box;
   width: 30%;
   padding: 50px 20px;
   display: inline-block;
   vertical-align: top;
   color: White;
footer -> div:first-child{
   -background-color: □#616161;
footer -> - div: Last-child{
   -background-color: - black:
footer section h1{
   font-size: 20px;
   padding-bottom: 20px;
footer-section#footer text-p{
   -padding-bottom: 20px;
footer section#footer_text a{
 --- color: white;
   text-decoration: underline;
footer section#footer posts li:first-child{
   -padding-bottom: 10px;
   -border-bottom: 1px solid white;
   -padding-left: 5px:
footer section#footer_posts li:last-child{
   -padding-top: 10px;
   -padding-left: 5px;
footer · section#footer_posts · img{
   width: 50px;
footer section#footer_posts a{
   -color: white;
```

```
footer section#footer_posts li:hover{
--- background-color: darkgray;
footer_section#footer_posts_div{
   display: inline-block;
   padding-left: 10px;
footer section#tags span{
--- background-color: darkgray;
--- color: Dblack;
line-height: 30px;
padding: 0 5px;
footer section#tags span:nth-child(2){
   background-color:  black;
   ·color: white;
footer>div:last-child{
height: 80px;
····color: white;
   text-align: center;
line-height: 80px;
footer>div:last-child a{
····color: __white;
text-decoration: underline;
```

소요시간: 6시간 (20:00~22:00, 15:00~19:00)

소감

- 폰트어썸에서 가져와 사용한 아이콘 일부에 깨짐 현상이 발생했으나 아직 해결하지 못했습니다. 외부에서 아이콘, 이미지, 멀티미디어 등을 불러와 사용할 때 문제가 발생할 수 있음을 인지하 되었습니다.
- css 작성코드가 길어지니 나름 구조화 하여 나누어 작업한다고 해도 작업시간이 길어지고, 스타일 적용이 누락된 부분이 자주 발견되었습니다.