Basics

Linear superposition of eigenstates:

$$|\psi, t\rangle = \sum_{i} c_i(t) |u_i\rangle$$

$$\Psi(\vec{r},t) = \sum_{i} c_i(t) u_i(\vec{r})$$

Probability of getting result:

$$P(A_i) = |c_i(t)|^2$$

Identity operator in a basis, i:

$$\hat{I} = \sum_{i} |i\rangle \left\langle i | \right.$$

Expectation value of observable:

$$\langle \hat{A} \rangle = \langle \psi, t | \hat{A} | \psi, t \rangle$$

Uncertainty relations:

$$\Delta \hat{A}_t \equiv (\langle \hat{A}^2 \rangle - \langle \hat{A} \rangle^2)^{\frac{1}{2}}$$

$$\Delta \hat{A}_t \Delta \hat{B}_t \ge \frac{1}{2} |\langle [\hat{A}, \hat{B}] \rangle|$$

Schrödinger equation:

$$\hat{H}\psi = i\hbar \frac{\partial}{\partial t}\psi$$

 $Braket \leftrightarrow Function\ notation$

$$\langle \psi | \phi \rangle = \int \psi^* \phi \, \, \mathrm{d}x$$

Angular Momentum & Spin

Angular Momentum Operators:

$$\hat{L^2} \left| l,m \right\rangle = l(l+1) \hbar^2 \left| l,m \right\rangle$$

$$\hat{L}_{z}^{2}|l,m\rangle = m\hbar |l,m\rangle$$

Sphorical Polars

Quantum Numbers

$$\begin{split} l &= 0, 1, 2, 3...n \\ m_l &= l, l-1, ..., -l \\ m_l \text{ degeneracy} &= (2l+1) \\ s &= 0, \frac{1}{2}, 1, \frac{3}{2}, ... \\ m_s &= s, s-1, ..., -s \\ m_s \text{ degeneracy} &= (2s+1) \\ j &= l+s, l+s-1, ..., |l-s+1|, |l-s| \end{split}$$

Total angular momentum:

$$\hat{\underline{J}} \equiv \hat{\underline{L}} + \hat{\underline{S}}$$

Matrix Elements:

$$\langle s, m' | \hat{S}_z | s, m \rangle = m\hbar \delta_{m', m \pm 1}$$
$$\langle s, m' | \hat{S}_{\pm} | s, m \rangle = \sqrt{s(s+1) - m(m \pm 1)} \hbar \delta_{m', m \pm 1}$$

Perturbation Theory

$$E_n^{(1)} = \langle n^{(0)} | \hat{H}' | n^{(0)} \rangle \equiv H'_{nn}$$

$$|n^{(1)}\rangle = \sum_{k \neq n} \frac{H'_{kn}}{(E_n^{(0)} - E_k^{(0)})} |k^{(0)}\rangle$$

$$E_n^{(2)} = \sum_{m \neq n} \frac{|H'_{mn}|^2}{(E_n^{(0)} - E_m^{(0)})}$$