## METABOLIC COMPASS

A Mobile Health Platform for Understanding the Impact of Circadian Behaviors on Metabolic Syndrome, and Obesity

Jeanne Clark, Dept. of Medicine (GIM)
Tom Woolf, Dept. of Physiology
Yanif Ahmad, Dept. of Computer Science
<a href="https://metaboliccompass.com">https://metaboliccompass.com</a>









# Age-adjusted Prevalence of Obesity and Diagnosed Diabetes Among US Adults

#### Obesity (BMI ≥30 kg/m²)




#### **Diabetes**









## Global Prevalence of Obesity in Adult Females



# Chronic Disease is often a job of Managing Risk







Adults with overweight and obesity: Aged 20+


NOTES: BMI is body mass index. Overweight but not obese ( $25 \le BMI < 30$ ); Grade 1 obesity ( $30 \le BMI < 35$ ); Grade 2 obesity ( $35 \le BMI < 40$ ); Grade 3 obesity ( $BMI \ge 40$ ). SOURCE: CDC/NCHS, *Health*, *United States*, *2015*, Figure 9 and Table 58. Data from the National Health and Nutrition Examination Survey (NHANES).

# and care is moving from Episodic to Continuous






## Technology is likely to be an important player: Digital Therapeutics



### A Hopkins Connected Success Story:

# Diabetes Prevention Program





Omada Health, Noom, and others

(https://nccd.cdc.gov/DDT\_DPRP/City.aspx?STATE=OTH&CITY=OTH)

Diabetes Prevention Program Research Group. N Engl J Med 2002;346:393-403.

# Metabolic Syndrome

Cholesterol" <1.0 mmol/L High Blood Triglycerides >1.5 mmol/L

Waist >~38" Men >~35" Women METABOLIC SYNDROME (3 or more of the 5 factors)

Blood Pressure Elevated >135/85 mmHg


High Blood Sugar >5.6 mmol/L

How many people have it then? It's not too common, right?

How does > 30% of the US population strike you?

(Obesity)
Stroke
Atheroschlorosis


Coronory Heart
Gout Disease
Type 2
Fatty Liver Diabetes
Disease
Alzheimers
Arthritis
Asthma




20% of the "Fat" are "Fit"


40% of the "lean" are unhealthy


# Circadian Rhythms & Time-Restricted Feeding







# Circadian Rhythms & Time-Restricted Feeding






## Results from Mouse Studies







Satchin Panda: Salk






Log in

**METABOLIC COMPASS** 

Register






# Circadian Behavior Patterns



#### **Mobile Health Frameworks**








Google Fit, ResearchStack

#### Electronic consent

HealthKit: ~70 physiological datatypes, no cloud storage/compute

Google Fit: ~40 physiological datatypes, no HIPAA-compliant cloud






# Access to Food 8 hours per Day Time-restricted

## Circadian Behavior Patterns

- Less of the day spent eating
- Greater time interval between last meal and sleep
- Having the largest meal at midday, rather than after dark
- Eating fewer sugars and carbs late in the day
- Heart-rate timing for a sustained peak value





## Circadian Behavior Patterns



#### Behavioral Variables

Circadian activity timings
Engagement: collection rates, sessions
Adherence: on circadian plans and goals



Physiological Variables

Weight, heart rate variability, blood pressure, nutrition, etc.

Recruiting now: Large population observational study



## Circadian Behavior Patterns





**Circadian activity timings** 

**Engagement: collection rates, sessions** 

Adherence: on circadian plans and goals

Physiological Variables

Weight, heart rate variability, blood pressure, nutrition, etc.

Feedback

Just-in-time Feedback
Notifications
Self-established Goals
Group & cohort Messaging

Recruiting now: Large population observational study

Lifestyle modification and behavior change

# Metabolic Compass Architecture



(Open source: <a href="https://github.com/yanif/circator">https://github.com/yanif/circator</a>)

# Metabolic Compass Architecture



(Open source: <a href="https://github.com/yanif/circator">https://github.com/yanif/circator</a>)


# Open Data Delivery

Data access agreement prohibits any attempt to reidentify datasets



#### Snapshots

- Compressed, anonymized behaviors and measures
- Sampling facilities



## Streaming

- Real-time dissemination of anonymized behaviors and measures
- Delay and replay facilities

# Data Synchronization and Extraction Services

elay-tolerant, orderaware client libraries

Server

Data and units standardization

Append-only in-memory arena for high-throughput writes

Robust multidevice data replication

Write boundary

Extensible in-database extraction for conflict-free time series

Dedup

Impute


Structured data boundary

Sparse time series schema, grouped by physiological relevance, partitioned by user ids

Incremental views for population statistics

### **Data Security & Privacy**

- Anonymized, encrypted-at-rest, HIPAA compliant
- In-flight separation of PII, and physiological & behavior data




## **Just-in-Time Metabolic Feedback**

Towards the right behavior at the right time

Sequence prediction goal:

Learn the distribution of future circadian patterns from users' health and behavioral history

Prediction techniques:
Recurrent neural
nets/LSTMs
Extended Kalman filter
Markovian models



Stochastic optimization goal:

Optimize over all possible future circadian patterns

Objective design, factoring in:


Adherence, to drive "sticky" behavior change

Assimilation, to drive messaging that "sinks in"

Acquisition, via reminders

# **Analytics Data Model**

 Viewed as a regression problem (e.g., a general linear model) Circadian behavior features: 288 columns, behavior states for 5-minute windows throughout the day



Target measures


Physiology and nutrition features, e.g., heart rate, energy expenditure for 5-minute windows, weight history, sugar, salt, etc

**Parameters** 

# **Analytics Workflow**

## Workflow Design Challenges:

- Model granularity
  - User-specific
  - Subpopulation
- Subpopulation identification
  - Top-down
  - Bottom-up
- Self-reporting validation
- Adaptation and feedback
- Scalable inference








# Circadian Planning

Challenge: from notifications to modeling behavior vectors



#### Optimization desiderata:

- Regularization term
- Adherence/compliance likelihood term
- Constraints to reject undesirable behavior solutions
- Yield multiple solutions for user consideration



#### Current status:

- Beta test (TestFlight), seeking 2000 iOS users
- Developing a "champions"-network

#### Phase 1 (general population):

- Apple App Store release
- Android / Google Play Release

#### Phase 2 (early-adopters):

- Quantified-Self communities
- Ketogenic diet communities

#### Phase 3 (clinical):

- In-clinic flyers
- PaTH network
- AHA Strategically Focused Research Network on Obesity



7:12 PM

●●●○○ T-Mobile Wi-Fi 🖘

Log in

Register

# Contribute Today!

https://metaboliccompass.com

## METABOLIC COMPASS

A RESEARCHKIT APP FOR TRACKING AND UNDERSTANDING YOUR METABOLIC HEALTH.

Thank you!



LEARN MORE

