


AR Data Analysis


Generated: 1/24/2026, 1:20:40 PM

Artifacts: 2534


Device Model




Focal Length




Max Aperture




Timezone (UTC Offset)




Time of Day (Hour)




AR Data Capture Rate




Artifacts with Dropped Frames




Artifacts with Dropped Frames Over Time




Average Dropped Frame Percentage Over Time





Scan Efficiency




Movement Speed




Phone Tilt Profile




Scans with Fast Tilts (>5 °/s)




Maximum Tilt Speed




Fast Tilt Timing During Scan




Phone Roll Profile




Scans with Fast Rolls (>5 °/s)





Maximum Roll Speed




Fast Roll Timing During Scan




Phone Pan Profile




Scans with Fast Pans (>5 °/s)




Maximum Pan Speed




Fast Pan Timing During Scan



Scans with Full 360° Rotation




Partial Rotation Coverage




Spherical Coverage

Spherical Coverage (multi-view)






Stats Avg Coverage: 88.8% of sphere Max dwell in bin: 10.44 s Avg dwell per bin: 5.260 s

Aggregated Spherical Coverage (6 ft radius; 2.5° resolution)






Less time More time

Ambient Intensity






Color Temperature






ISO Speed




Brightness Value

Average



Minimum



Maximum

