

TRUE METRIX Glucose Reading Report

Generated 2026-08-10 03:57 UTC · 9 reading(s)
Patient: Alice Smith
Email: alice@example.com
Meter: Trividia-BLU-12345678 (TRUE METRIX AIR)
Notes: Type 1, uses Humalog
Glucose summary: min 1.05 mmol/L · max 33.36 mmol/L · avg 8.60 mmol/L · 1 high, 1 low reading(s)

Sliding Scale (Reference)

Glucose Range (mg/dL)	Dose (units)	Note
≤70	0	Below range -- treat hypoglycemia first, do not dose
71-150	0	-
151-200	2	-
201-250	4	-
251-300	6	-
≥301	8	Above range -- call doctor

Date/Time	Glucose (mmol/L)	Flag	Dose (units)	Note
10/06/2026 07:15:00	5.11	-	0	
10/06/2026 12:30:00	8.05	-	0	
10/06/2026 18:45:00	5.99	-	0	
11/06/2026 07:10:00	4.88	-	0	
11/06/2026 13:00:00	33.36	HIGH	8	Above range -- call doctor
11/06/2026 19:20:00	6.22	-	0	
12/06/2026 07:05:00	1.05	LOW	0	Below range -- treat hypoglycemia first, do not dose
12/06/2026 12:50:00	7.21	-	0	
12/06/2026 18:30:00	5.49	-	0	