**GROUP MEMBERS:-UWE Precieuse(L3SOD B)**

                        - DUSENGIMANA Bonnette(L3SOD B)

Exercise no 1 A: Create a repo in Github account

Exercise no 1 B.Clone a repo in git bash

```
Administrator@Bonnette MINGW64 ~ (master)
$ git clone https://github.com/bonettedusengimana/precieuse-bonnette-repo.git
Cloning into 'precieuse-bonnette-repo'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
Receiving objects: 100% (3/3), done.

Administrator@Bonnette MINGW64 ~ (master)
$ |
```

EXERCISE 2


```
Administrator@Bonette MINGW64 ~/uwe (master)
$ git branch
* master

Administrator@Bonette MINGW64 ~/uwe (master)
$ git branch exercise

Administrator@Bonette MINGW64 ~/uwe (master)
$ git checkout master
Already on 'master'

Administrator@Bonette MINGW64 ~/uwe (master)
$ git checkout exercise
Switched to branch 'exercise'

Administrator@Bonette MINGW64 ~/uwe (exercise)
$ git branch
* exercise
  master

Administrator@Bonette MINGW64 ~/uwe (exercise)
$ git checkout -b precy
Switched to a new branch 'precy'

Administrator@Bonette MINGW64 ~/uwe (precy)
$ git branch -m exercise activity

Administrator@Bonette MINGW64 ~/uwe (precy)
$ git branch -a
  activity
  master
* precy

Administrator@Bonette MINGW64 ~/uwe
$ git branch
  activity
  master
* precy

Administrator@Bonette MINGW64 ~/uwe (precy)
$ git checkout master
Switched to branch 'master'

Administrator@Bonette MINGW64 ~/uwe (master)
$ git branch book

Administrator@Bonette MINGW64 ~/uwe (master)
$ |
```

EXERCISE 3. A

```
Administrator@Bonette MINGW64 ~/uwe (master)
$ git version
git version 2.43.0.windows.1

Administrator@Bonette MINGW64 ~/uwe (master)
$ git config --global user.name"bonettedusengimana"

Administrator@Bonette MINGW64 ~/uwe (master)
$ git config --global user.email"bonettedusengimana@gmail.com"

Administrator@Bonette MINGW64 ~/uwe (master)
$ git show
commit 239127c22f5368e0a127ee729focec885f83d8f8 (HEAD -> master, precy, book, activity)
Author: unknown <bonettedusengimana@gmail.com>
Date:   Mon Apr 22 07:57:07 2024 -0700

    commit

diff --git a/uwe.html b/uwe.html
new file mode 100644
index 0000000..e69de29

Administrator@Bonette MINGW64 ~/uwe (master)
$ git init bonne
Initialized empty Git repository in C:/Users/Administrator/uwe/bonne/.git/

Administrator@Bonette MINGW64 ~/uwe (master)
$ cd bonne

Administrator@Bonette MINGW64 ~/uwe/bonne (master)
$ touch bonne.html

Administrator@Bonette MINGW64 ~/uwe/bonne (master)
$ git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        bonne.html

nothing added to commit but untracked files present (use "git add" to track)

Administrator@Bonette MINGW64 ~/uwe/bonne (master)
$ git add bonne.html

Administrator@Bonette MINGW64 ~/uwe/bonne (master)
```

Exercise no 3 B

```
Administrator@Bonette MINGW64 ~/uwe/bonne (master)
$ git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   bonne.html


Administrator@Bonette MINGW64 ~/uwe/bonne (master)
$ git commit -m"first commit"
[master (root-commit) c857357] first commit
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 bonne.html

Administrator@Bonette MINGW64 ~/uwe/bonne (master)
$ git remote add group https://github.com/bonettedusengimana/precieuse-bonnette-repo.git

Administrator@Bonette MINGW64 ~/uwe/bonne (master)
$ git push -u group master
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 216 bytes | 216.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
remote:
remote: Create a pull request for 'master' on GitHub by visiting:
remote:      https://github.com/bonettedusengimana/precieuse-bonnette-repo/pull/new/master
remote:
To https://github.com/bonettedusengimana/precieuse-bonnette-repo.git
 * [new branch]      master -> master
branch 'master' set up to track 'group/master'.
```

Exercise no 3 C

```
Administrator@Bonette MINGW64 ~/uwe (master)
$ git clone https://github.com/bonettedusengimana/precieuse-bonnette-repo.git
Cloning into 'precieuse-bonnette-repo'...
remote: Enumerating objects: 6, done.
remote: Counting objects: 100% (6/6), done.
remote: Compressing objects: 100% (3/3), done.
remote: Total 6 (delta 0), reused 3 (delta 0), pack-reused 0
Receiving objects: 100% (6/6), done.

Administrator@Bonette MINGW64 ~/uwe (master)
$ pwd
/c/Users/Administrator/uwe

Administrator@Bonette MINGW64 ~/uwe (master)
$ cd--
bash: cd--: command not found

Administrator@Bonette MINGW64 ~/uwe (master)
$ cd --

Administrator@Bonette MINGW64 ~ (master)
$ cd uwe

Administrator@Bonette MINGW64 ~/uwe (master)
$ touch bonne.html

Administrator@Bonette MINGW64 ~/uwe (master)
$ git status
On branch master
Untracked files:
  (use "git add <file>..." to include in what will be committed)
        bonne.html
        bonne/
        precieuse-bonnette-repo/

nothing added to commit but untracked files present (use "git add" to track)

Administrator@Bonette MINGW64 ~/uwe (master)
$ git add bonne.html

Administrator@Bonette MINGW64 ~/uwe (master)
$ git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   bonne.html

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        bonne/
        precieuse-bonnette-repo/
```

Exercise no 3 D

```
Administrator@Bonette MINGW64 ~/uwe (master)
$ git commit -m"first commit"
[master 9d70427] first commit
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 bonne.html

Administrator@Bonette MINGW64 ~/uwe (master)
$ git remote add group https://github.com/bonettedusengimana/precieuse-bonnette-repo.git
```

Exercise 3 E

```
Administrator@Bonette MINGW64 ~ (master)
$ cd precieuse-bonnette-repo

Administrator@Bonette MINGW64 ~/precieuse-bonnette-repo (main)
$ touch index.html

Administrator@Bonette MINGW64 ~/precieuse-bonnette-repo (main)
$ git commit -m'b'
On branch main
Your branch is up to date with 'origin/main'.

untracked files:
  (use "git add <file>..." to include in what will be committed)
        index.html

nothing added to commit but untracked files present (use "git add" to track)

Administrator@Bonette MINGW64 ~/precieuse-bonnette-repo (main)
$ git remote add precieuse-bonnette-repo https://github.com/bonettedusengimana/precieuse-bonnette-repo.git

Administrator@Bonette MINGW64 ~/precieuse-bonnette-repo (main)
$ git push -u precieuse-bonnette-repo main
Everything up-to-date
branch 'main' set up to track 'precieuse-bonnette-repo/main'.

Administrator@Bonette MINGW64 ~/precieuse-bonnette-repo (main)
$ git pull
From https://github.com/bonettedusengimana/precieuse-bonnette-repo
 * [new branch]      master     -> precieuse-bonnette-repo/master
Already up to date.

Administrator@Bonette MINGW64 ~/precieuse-bonnette-repo (main)
$ git status
On branch main
Your branch is up to date with 'precieuse-bonnette-repo/main'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        index.html

nothing added to commit but untracked files present (use "git add" to track)

Administrator@Bonette MINGW64 ~/precieuse-bonnette-repo (main)
$
```