Play the row that matters

Large active controls. A compact preview keeps the other row in sight.



ROW 1 ACTIVE



ROW 2 ACTIVE


SELECT switches the active row.

K1-K4 always edit the highlighted row. ALGO selects the track.

Top: current preset and track. * means the sound differs from its saved preset. In a Pair: partner preset, current morph share and bar. 1C/2C reports the active core mode.

Build your own HOME

Keep the parameters you perform with - across up to 32 rows per track.



1 Touch the source

Open its normal page and turn the parameter you want.

2 Add it to HOME

Hold GLO and tap HOME. The parameter is added to the next free cell; existing duplicates are selected.

3 Arrange the cells

Hold HOME for the menu, then HOME > EDIT CELLS. K1 row, K2 cell, K3 action, K4 target track.

4 Apply or return

OCT+ performs the action; OCT- returns to HOME. UNDO reverses the last HOME edit.

K4 retargets immediately. Other structural actions need OCT+. SOURCE returns to the original parameter page.
Preset changes keep your HOME layout.

Pair two sounds, then morph

A Pair shares note gestures while both engines retain their own sound.



1. ## Prepare the two tracks

   Choose a sound on each track. Stop transport, release notes and let track tails finish.

2. ## Open PAIR with ENV

   Cycle the ENV pages to PAIR. K1 chooses the partner; K2 turns the Pair on. The partner takes A's voice mode.

3. ## Play and morph

   K3 moves between A and B. K4 enables optional MOTION. Either member can play the Pair.

4. ## Put morph on HOME

   Turn MORPH, then hold GLO and tap HOME. Both member HOME pages can control the same morph.

One Pair at a time. SPREAD must be off; fixed voice reservations and non-pitched key-map engines are excluded. A refusal states the reason on PAIR.

One macro, several movements

Four macros per track. Each has four routes on that same track.



1 **Open MACRO with ENV**

Turn the desired macro, then press OCT+ to open its map.

2 **Assign the routes**

K1 selects the macro, K2 the slot, K3 the parameter, K4 the amount (-64 to +63).

3 **Start with two targets**

Example: MAC 1 > FILT +32; slot 2 > REV +16. OCT- returns to the four macro controls.

4 **Perform from zero**

Macro value 0 is neutral. Turn it up to add bounded offsets. NONE or amount 0 disables a route.

A macro is not cross-track modulation. Original pages show base values. HOME can address other tracks separately. MIDI Learn follows the selected macro control.

Save the performance, not just a sound

A-D projects keep sounds, HOME layouts, macros, events and the active Pair together.

SAVE > PROJECT > A-D

All four sounds + HOME + macros + events + Pair

The complete performance

USB BACKUP / .hpm

Keep user banks alongside it.

1 Save a complete project

Use SAVE > PROJECT > A-D. A sound preset alone is not a full performance project.

2 Finish a live save

During PLAY, saving takes a RAM snapshot. STOP lets the pending save commit to flash.

3 Keep an external backup

Use the matching installer's complete backup or tools/caravel_backup.py. Keep user banks with the performance.

4 Transfer with HPM1

The USB tool exports/imports WORK or A-D as .hpm. Full loading restores the panel and stops transport.

Older firmware cannot restore the new HOME/Macro/Pair layer. New backups retain user-preset slot references; old missing preset names cannot be reconstructed.

More headroom, deliberate muting

Second core is optional. It does not increase the shared voice budget.



1 Enable the worker

Hold HOME for the menu. SYSTEM > 2ND CORE > ON (BETA). Allow settings to save, then restart.

2 Check the running mode

HOME shows 2C only when the worker is active. OFF also needs a restart. Compare the same musical scene.

3 Mute held notes cleanly

Track Mute now ramps already sounding LATCH voices down. Held voices may resume on unmute; global FX tails decay.

4 Keep the test scope clear

D3 passed the maintainer's hardware test. The 0.5.0-labelled build still needs its final install/version check.

No universal CPU percentage is promised. CPU GUARD is not included. At high load, reduce voices/effects or use the tested second core; there is no new automatic track-admission rule.