Status	Finished
Started	Saturday, 17 October 2026, 12:40 PM
Completed	Saturday, 17 October 2026, 12:47 PM
Duration	6 mins 23 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

f.seek(5,1) means

a. move the file pointer to beginning of the file

b. moves the file pointer to the end of a file

c. move the file pointer five characters behind from the current position

d. move the file pointer five characters ahead from the current position ✓

The correct answer is:
move the file pointer five characters ahead from the current position

Question **2**

Correct

Mark 1.00 out of 1.00

What is the difference between r+ and w+ modes in file handling?

a. r+ is for read and append, w+ is for read and write

b. r+ is for binary read and write, w+ is for text read and write

c. r+ is for read and write without truncating, w+ is for read and write with truncating ✓

d. r+ is for read and write, w+ is for append only

The correct answer is: r+ is for read and write without truncating, w+ is for read and write with truncating

Question **3**

Correct

Mark 1.00 out of 1.00

Which method can be used to read all lines of a file into a list?

a. readlist()
b. readlines() ✓
c. readline()
d. read()

The correct answer is: readlines()

Question **4**

Correct

Mark 1.00 out of 1.00

What will be the output of the following code if the file "example.txt" contains "Python Programming"?

```
f = open("example.txt", "r")
print(f.read(6))
f.close()
```

a. Python ✓
b. Program
c. Python Programming
d. An error is raised

The correct answer is: Python

Question **5**

Correct

Mark 1.00 out of 1.00

What does the following code do?

```
f = open("data.txt", "a")
f.write("Adding new data\n")
f.close()
```

a. Raises an error because the file is opened in append mode
b. Overwrites the file with "Adding new data"
c. Opens the file in read mode
d. Appends "Adding new data" to the end of the file ✓

The correct answer is: Appends "Adding new data" to the end of the file

Question **6**

Correct

Mark 1.00 out of 1.00

Which of the following methods is used to read a single line from a file?

a. readlines()
b. readline(size)
c. read()
d. readline() ✓

The correct answer is: readline()

Question **7**

Correct

Mark 1.00 out of 1.00

What does the encoding parameter in the open() function specify?

a. The buffer size
b. The encoding format of the file ✓
c. The mode of the file
d. The size of the file

The correct answer is: The encoding format of the file

Question **8**

Correct

Mark 1.00 out of 1.00

How do you check if a file is closed in Python?

a. file.is_closed()
b. file.closed ✓
c. file.isclosed()
d. file.closed()

The correct answer is: file.closed

Question **9**

Correct

Mark 1.00 out of 1.00

Which method is used to read a specific number of characters from a file?

a. readchar()
b. readlines()
c. readline()
d. read(size) ✓

The correct answer is: read(size)

Question **10**

Correct

Mark 1.00 out of 1.00

What is the output of the following code?

```
f = open("test.txt", "w")
f.write("Hello, world!")
f.close()
f = open("test.txt", "r")
print(f.read())
f.close()
```

a. Hello
b. Hello, world! ✓
c. An error is raised
d. world

The correct answer is: Hello, world!

Question **11**

Correct

Mark 1.00 out of 1.00

Select the correct method to write a list of lines to a file

a. writelist(list)
b. None of the mentioned
c. write(list)
d. writelines(list) ✓

The correct answer is: writelines(list)

Question **12**

Correct

Mark 1.00 out of 1.00

What does the buffering parameter in the open() function control?

a. The access mode of the file
b. The file's read/write position
c. The buffer size for the file operations ✓
d. The encoding of the file

The correct answer is: The buffer size for the file operations

Question **13**

Correct

Mark 1.00 out of 1.00

Select the correct output of the following code

```
fp.seek(5, 1)
```

a. • Move file pointer five characters ahead from the current position. ✓

b. Move file pointer five characters ahead from the beginning

c. • Move file pointer five characters behind from the current position.

d. • Move file pointer five characters behind ahead from the end of a file.

The correct answer is:

- Move file pointer five characters ahead from the current position.

Question **14**

Correct

Mark 1.00 out of 1.00

To open a file a.txt for reading, we use _____

a. infile = open(file, “a.txt”, “r”)

b. infile = open(“a.txt”, “r”) ✓

c. infile = open(file = “a.txt”, “r”)

d. infile = open(file = “a.txt”, “r”)

The correct answer is:
infile = open(“a.txt”, “r”)

Question **15**

Correct

Mark 1.00 out of 1.00

Which method is used to get the current file position?

a. locate()

b. tell() ✓

c. current()

d. position()

The correct answer is: tell()