Status	Finished
Started	Saturday, 17 October 2026, 9:43 PM
Completed	Saturday, 17 October 2026, 9:53 PM
Duration	10 mins 7 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Which of the following Python code will create a set?

(i) set1=set((0,9,0))
(ii) set1=set([0,2,9])
(iii) set1={}

a. iii

b. i,ii ✓

c. ii

d. All of the above

Question **2**

Correct

Mark 1.00 out of 1.00

What will be the output of below Python code?

```
tupl=("python","programming","Computer")
print(tupl[-3:0])
```

a. () ✓

b. Computer

c. Error

d. (Computer)

Question **3**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
set1={2,5,3}

set2={3,1}

set3={}

set3=set1&set2

print(set3)
```

a. {2,5,1}

b. {3} ✓

c. {2,5,3,1}

d. {}

Question **4**

Correct

Mark 1.00 out of 1.00

```
What is the output of the following code?
```

```
aTuple = (10, 20, 30, 40, 50, 60, 70, 80)
print(aTuple[2:5], aTuple[:4], aTuple[3:])
```

a. (10, 20, 30, 40) (40, 50, 60, 70, 80)

b. (30, 40, 50)(40, 50, 60, 70, 80)

c. (30, 40, 50) (10, 20, 30, 40)

d. (30, 40, 50) (10, 20, 30, 40) (40, 50, 60, 70, 80) ✓

Question **5**

Correct

Mark 1.00 out of 1.00

What is the output of the following union operation

```
set1 = {10, 20, 30, 40}
set2 = {50, 20, "10", 60}

set3 = set1.union(set2)
print(set3)
```

a. {40, 10, 50, 20, 60, 30}

b. SynatxError: Different types cannot be used with sets

c. {40, 10, '10', 50, 20, 60, 30} ✓

d. {40, '10', 50, 20, 60, 30}

Question **6**

Correct

Mark 1.00 out of 1.00

What is the output of the following code

```
aSet = {1, 'rec', ('cse', 'ece'), True}
print(aSet)
```

a. {'rec', True, ('cse', 'ece')}

b. {'rec', 1, ('cse', 'ece'),True}

c. Error

d. {'rec', 1, ('cse', 'ece')} ✓

Question **7**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

```
t = (11, 3)
x = 3 * t
print(x)
```

a. (11, 3, 11, 3, 11, 3) ✓

b. (11,3)(11,3)(11,3)

c. (11,3,11,11,3,11,11,11,3)

d. [11,11,11,3,3,3]

Question **8**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
set1={0,0,9}

print(set1)
```

a. {0,0,9}

b. {0,9} ✓

c. {9}

d. It will throw an error as there are two 0 while creating the set.

Question **9**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

```
>>>t = (1, 2, 4, 3, 8, 9)
>>>[t[i] for i in range(0, len(t), 2)]
```

a. [1, 2, 4, 3, 8, 9]

b. [2, 3, 9]

c. (1, 4, 8)

d. [1, 4, 8] ✓

Question **10**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
list1=[1,3,4,2]

x=list1.pop(2)

print(set([x]))
```

a. {1,3,4}

b. {1,3,2}

c. {2}

d. {4} ✓

Question **11**

Correct

Mark 1.00 out of 1.00

Select all the correct options to remove “ECE” from the set.

```
sampleSet = {"ECE", "R&A", "MCT"}
```

a. sampleSet.delete("ECE")

b. del.sampleSet("ECE")

c. sampleSet.discard("ECE") ✓

d. remove.sampleSet("ECE")

Question **12**

Correct

Mark 1.00 out of 1.00

What is printed when the following code is run?

```
tup = ('30', '3', '2', '8')
print(sorted(tup,reverse = True))
```

a. ['2', '3', '8', '30']

b. ['2', '3', '30', '8']

c. ['8', '30', '3', '2'] ✓

d. ['30', '8', '3', '2']

Question **13**

Correct

Mark 1.00 out of 1.00

What will be printed when the following code executes?

```
a = ("Python Programming")
```

```
print type(a)
```

```
```

a. <class 'tuple'>

b. <class 'int'>

c. str

d. <class 'str'> ✓

Question **14**

Correct

Mark 1.00 out of 1.00

A python tuple can be created without using any parentheses. (True/False)

a. True ✓

b. False

Question **15**

Correct

Mark 1.00 out of 1.00

What is the output of the following

```
set1 = {10, 20, 30, 40, 50}
set2 = {60, 70, 10, 30, 40, 80, 20, 50}

print(set1.issubset(set2))
print(set2.issuperset(set1))
```

a. True
False

b. False
True

c. True ✓
True

d. False
False