


BooBubble

End-to-End Installation Walkthrough

A visual guide from first click to a running community.



Two installation modes are auto-detected: **Cloud** (Lovable Cloud, database auto-provisioned) and **Self-Hosted** (your own server + Supabase). Estimated time: 5–15 minutes.

Overview — The 7 Steps


Step	What happens
1. Welcome	Intro + mode detection (Cloud vs Self-Hosted)
2. License	Envato purchase code or Offline key
3. Requirements	Pre-install + System Health (DB, Storage, Realtime, SMTP)
4. Database	Auto-skipped in Cloud mode; configured in Self-Hosted
5. Admin Account	Email, password strength, optional 2FA
6. Branding	Site name, logo, favicon, theme
7. Finish	Lock installer, redirect to dashboard

Before you begin

Requirement	Notes
Node 20+ / Bun 1.1+	Self-hosted only — Cloud runs in your browser.
Valid license	Envato purchase code or offline key (BOOB-XXXX-XXXX-XXXX-XXXX).
Admin email	Used to sign in after install.
Supabase project	URL + anon key + service-role key (self-hosted).
SMTP (optional)	Resend, SendGrid, Postmark, Mailgun.


Open the installer at **/installer** on your deployment. It locks automatically when installation completes. To re-run, a super-admin can use **Admin** → **System** → **Reset Installer Lock**.

Step 1 — Welcome



- Auto-detects Cloud vs Self-Hosted via `detectInstallMode()`.
- Cloud installs skip the database step entirely.
- Click **Get Started** to begin.

Step 2 — License Verification



Envato purchase code


UUID format: xxxxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxxxx. Found in your Envato downloads page.

Offline key

Format: B00B-XXXX-XXXX-XXXX-XXXX. Issued for self-hosted enterprise buyers.

Validation runs locally first, then is verified server-side via the `complete_installation` RPC. A green **Verified** badge confirms success.

Step 3 — Requirements & System Health Check



Pre-install compatibility

Environment variables present • pg_cron extension enabled • Required scheduled jobs registered.

System Health Check

Component	What is verified
Database	Connection + RPC reachability
Storage	Buckets 'avatars' and 'feed-media' exist
Realtime	WebSocket subscription succeeds
SMTP	Sends a verification email (click 'Send test')

A failing check shows a red X with a fix-it hint. Resolve before proceeding.

Step 4 — Database / Supabase Configuration

Cloud mode: automatically skipped — the database is provisioned and keys are injected.

Self-hosted mode: paste your Supabase credentials:

```
SUPABASE_URL=https://<ref>.supabase.co  
SUPABASE_PUBLISHABLE_KEY=<anon>  
SUPABASE_SERVICE_ROLE_KEY=<service-role>
```

Then run migrations from your shell:

```
bunx supabase db push
```

The installer verifies the schema version before letting you proceed.

Step 5 — Admin Account Setup

AcmeStack

Setup Progress

1 Admin Account

2 System Configuration

3 Database Setup

4 Application Settings

5 Review & Install

Need help?

[View documentation ↗](#)

Admin Account

Create the primary administrator account for your installation.

Email

admin@acmestack.com

Username

admin

Password

••••••••••

Strong

Two-Factor Authentication (2FA)

Add an extra layer of security to your account.

Back

Continue →

Field	Rules
Email	Valid email, becomes the login.
Username	3–24 chars, alphanumeric + underscore.
Password	Minimum 12 chars. Live strength meter shows Weak → Strong.
2FA	Optional but strongly recommended for production.

Under the hood the installer calls `bootstrap_first_admin()` which creates the auth user, inserts a `super_admin` row in `public.user_roles`, and marks the installer as initialized.


Step 6 — Site Branding

Set the basics that show up everywhere:

- **Site name** (used in <title>, emails, OG tags)
- **Tagline**
- **Logo** (light + dark variants — uploaded to feed-media bucket)
- **Favicon**
- **Default theme** (Light / Dark / System)

All values are stored in the `app_settings` table under the `branding` key and can be edited later from **Admin** → **Appearance**.

Step 7 — Finish



Confetti screen with **Go to Dashboard** and **View Site** buttons. A post-install dashboard panel summarises license type & expiry, schema version, seeded data, and quick links.

Installation Logs

```
[10:14:02] INFO License verified (envato)
[10:14:05] INFO pg_cron OK — 4 jobs registered
[10:14:06] INFO Bucket 'avatars' exists
[10:14:07] INFO SMTP test sent to you@example.com
[10:14:18] PASS Admin account created
[10:14:19] DONE Installation complete
```

Day-2 — Where to go next

Task	Location
Reset installer lock	/admin/system → Reset Installer Lock
Backup database/media	/admin/backup
Toggle signup / guest	/admin/signup-access
Voice notes limits	/admin/voice-notes
Calls (LiveKit/Agora)	/admin/calls
Audit logs	/admin/audit-logs

Troubleshooting

Symptom	Fix
/installer redirects to /login	Already installed. Reset from /admin/system.
License invalid	Recheck format (UUID for Envato, BOOB-... for offline).
SMTP test fails	Verify host/port/credentials; check SPF/DKIM.
Realtime ✕	Enable Realtime publication on chat tables.
user_roles permission denied	GRANT SELECT ON public.user_roles TO authenticated;
Admin login fails post-health	Confirm super_admin row in public.user_roles.