WriteBarcode()

(mPDF >= 2.0)

mPDF – Write an EAN-13 (ISBN-13) barcode

Description

> void **writeBarcode** (string *$code* [, int *$showisbn* [, float *$x* [, float *$y* [, float *$size* [, float *$border* [, float *$padding_left* , float *$padding_right* , float *$padding_top* , float *$padding_bottom*]]]]]])

Write an EAN-13 barcode. Useful information about the EAN-13 (ISBN-13) specification can be found at http://www.gs1uk.org/downloads/bar_code/Bar coding getting it right.pdf

> **Note:** This function/method was altered in mPDF 2.2 by capitalising the first letter of the name. As function/method names in PHP have hitherto been case-insensitive, this should not cause any problems, but it is recommended where possible to use the preferred spelling.

Parameters

code

> This parameter specifies the EAN-13 (ISBN-13) code. Accepts 12 or 13 digits (i.e. with or without the check digit) and may optionally contain hyphens e.g. 978-09542-2461-5 or 978095422461

showisbn

> Specif whether to show the EAN-13 (ISBN-13) code **above** the barcode. NB The numbers will always appear below the bars, but the code abive the bars is optional.

> **Values**
> 1 (or any positive value): show the EAN-13 code
> 0 zero: Hide the EAN-13 code
> **BLANK** or omitted: 1

x

> Sets the *x* (horizontal) position for the barcode.
> **BLANK** or omitted uses the current writing position in the document.

y

> Sets the *y* (vertical) position for the barcode.
> **BLANK** or omitted uses the current writing position in the document.

size

> This parameter specifies the size of the barcode relative to the standard. Values between 0.8 and 2.0 (80% to 200%) are accepted.
> **DEFAULT**: 1

border

> This parameter specifies whether or not to show a border around the barcode.

Values
1 or **TRUE** (or any positive value) will set a border
0 or **FALSE** or **BLANK** will omit the border
DEFAULT: "0" i.e. No border

padding_left
padding_right
padding_top
padding_bottom

Sets the padding around the barcode.
All values should be specified as **LENGTH** in millimetres
BLANK or omitted uses the default values.

DEFAULT Values
padding_left 1
padding_right 1
padding_top 2
padding_bottom 2

Changelog

Version	Description
2.0	The function was added.

Examples

Example #1

```php
<?php

$mpdf=new mPDF();
$mpdf->writeBarcode('978-1234-567-890');
$mpdf->Output();

?>
```

Printed on Wed 05 Aug 2015 12:18:00 GMT +0100 (DST)