Reference » Codepages & Glyphs

mbstring - Supported codepages

Currently the following character encodings are supported by the mbstring module. Any of those Character encodings can be specified in the encoding parameter of mbstring functions.

- UCS-4, UCS-4BE, UCS-4LE
- UCS-2, UCS-2BE, UCS-2LE
- UTF-32, UTF-32BE, UTF-32LE
- UTF-16, UTF-16BE, UTF-16LE
- UTF-7, UTF7-IMAP,
- UTF-8
- ASCII
- EUC-JP
- SJIS
- eucJP-win, SJIS-win
- ISO-2022-JP
- JIS
- ISO-8859-1, ISO-8859-2, ISO-8859-3, ISO-8859-4, ISO-8859-5, ISO-8859-6, ISO-8859-7, ISO-8859-8, ISO-8859-9, ISO-8859-10, ISO-8859-13, ISO-8859-14, ISO-8859-15
- byte2be, byte2le
- byte4be, byte4le
- BASE64
- HTML-ENTITIES
- 7bit
- 8bit
- EUC-CN
- CP936
- HZ
- EUC-TW
- CP950
- BIG-5
- EUC-KR
- UHC (CP949)
- ISO-2022-KR
- Windows-1251 (CP1251)
- Windows-1252 (CP1252)
- CP866 (IBM866)
- KOI8-R

For the module to be enabled, php must have been compiled with *--enable-mbstring* See http://uk.php.net/manual/en/ref.mbstring.php

Printed on Wed 05 Aug 2015 12:35:40 GMT +0100 (DST)

2015-08-05