



## Customer Net Price Hose Fittings

- ▷ Pricing effective 04/01/2021 and subject to change at PCI discretion. Pricing does not include delivery charges.
- ▷ Billing or Shipping Errors must be reported within 10 days.
- ▷ Special Orders are non-cancellable and not returnable. Special Orders will be noted on order confirmations.
- ▷ Payment terms: 30 days net.
- ▷ PCI Inc. reserves the right to correct any typographical or clerical errors in prices or specifications.
- ▷ For additional pricing and options, please contact us at below:

Phone | (440) 349-4020


Email | [sales@pressurecomponents.com](mailto:sales@pressurecomponents.com)

## How to Build and Order Part Number

HF-	Size 1	Connection 1 -	Joint Angle -	Size 2	Connection 2 -	Material -	O-Ring
	12	MSAE	0°	12	MSAE	1	A
	16	MNPT		16	MNPT		8
	20	FSAE	45°	20	FSAE		B
	24	FNPT		24	FNPT		0
	32	FS3	90°	32	FS3		
	40	F3		40	F3		
	48	F3M		48	F3M		
	64	BA		64	BA		
		BW			BW		

### Ordering Example: HF-24F3-90-24MSAE-1A

Fitting, 1-1/2" SAE 4-Bolt Flange C.61 x 90° x 1-1/2" Male SAE Threaded Swivel, ZnNi Plated Steel w/ NBR O-ring



Size Code	
-12	3/4"
-16	1"
-20	1-1/4"
-24	1-1/2"
-32	2"
-40	2-1/2"
-48	3"
-64	4"

Material Code	
1	Steel, ZnNi Plated
A	NBR (BUNA)
8	FPM (Viton)
B	EPDM
0	No O-Ring

Connection Code	
MSAE	Male SAE Thread
MNPT	Male NPT Thread
FSAE	Female SAE Thread
FNPT	Female NPT Thread
FS3	Split Flange Head, C.61
F3	Flanged, C.61 Tapped Holes, UNC
F3M	Flanged, C.61 Tapped Holes, Metric
BA	Barb
BW	Butt Weld End



### Hose Barb to Male SAE Thread (Fixed)

- Low Pressure Hose Fitting Connection x SAE UN Thread
- Up to 150 PSI rating
- Supplied with o-ring
- Standard ZnNi Plating:

Part Number	Size	(lbs)	Net Price (USD)
HF12BA0012MSAE1A	3/4"	0.37	\$22.20
HF16BA0016MSAE1A	1"	0.51	\$23.40
HF20BA0020MSAE1A	1-1/4"	0.71	\$25.20
HF24BA0024MSAE1A	1-1/2"	0.90	\$28.20
HF32BA0032MSAE1A	2"	1.46	\$37.80
HF40BA0040MSAE1A	2-1/2"	2.03	\$43.20
HF48BA0048MSAE1A	3"	2.91	\$50.40
HF64BA0064MSAE1A	4"	4.57	\$63.00



### Hose Barb to Male SAE Thread (Swivel) x 45°

- Low Pressure Hose Fitting Connection x SAE UN Thread
- Up to 150 PSI rating
- Supplied with o-ring
- Standard ZnNi Plating:

Part Number	Size	(lbs)	Net Price (USD)
HF12BA4512MSAE1A	3/4"	0.58	\$39.25
HF16BA4516MSAE1A	1"	0.80	\$44.35
HF20BA4520MSAE1A	1-1/4"	1.21	\$54.95
HF24BA4524MSAE1A	1-1/2"	1.61	\$58.95
HF32BA4532MSAE1A	2"	2.85	\$77.45
HF40BA4540MSAE1A	2-1/2"	4.23	\$92.60
HF48BA4548MSAE1A	3"	6.08	\$106.70
HF64BA4564MSAE1A	4"	9.99	\$148.70



### Hose Barb to Male SAE Thread (Swivel) x 90°

- Low Pressure Hose Fitting Connection x SAE UN Thread
- Up to 150 PSI rating
- Supplied with o-ring
- Standard ZnNi Plating:

Part Number	Size	(lbs)	Net Price (USD)
HF12BA9012MSAE1A	3/4"	0.67	\$42.00
HF16BA9016MSAE1A	1"	0.98	\$47.40
HF20BA9020MSAE1A	1-1/4"	1.51	\$58.80
HF24BA9024MSAE1A	1-1/2"	2.02	\$63.00
HF32BA9032MSAE1A	2"	3.58	\$82.80
HF40BA9040MSAE1A	2-1/2"	5.65	\$99.00
HF48BA9048MSAE1A	3"	8.36	\$114.00
HF64BA9064MSAE1A	4"	14.29	\$159.00



### Hose Barb to Split Head C.61

- Low Pressure Hose Fitting Connection x SAE C.61 Split Head (ISO6162-1)
- Up to 150 PSI rating
- Supplied with o-ring
- Standard ZnNi Plating:

Part Number	Size	(lbs)	Net Price (USD)
HF12BA0012FS31A	3/4"	0.40	\$18.00
HF16BA0016FS31A	1"	0.58	\$21.00
HF20BA0020FS31A	1-1/4"	0.77	\$25.80
HF24BA0024FS31A	1-1/2"	0.81	\$31.20
HF32BA0032FS31A	2"	1.39	\$36.00
HF40BA0040FS31A	2-1/2"	2.17	\$51.00
HF48BA0048FS31A	3"	3.41	\$60.00
HF64BA0064FS31A	4"	4.75	\$72.00



### Hose Barb to Split Head C.61 x 45°

- Low Pressure Hose Fitting Connection x SAE C.61 Split Head (ISO6162-1)
- Up to 150 PSI rating
- Supplied with o-ring
- Standard ZnNi Plating:


Part Number	Size	(lbs)	Net Price (USD)
HF12BA4512FS31A	3/4"	0.48	\$22.45
HF16BA4516FS31A	1"	0.73	\$26.95
HF20BA4520FS31A	1-1/4"	1.04	\$33.66
HF24BA4524FS31A	1-1/2"	1.45	\$39.27
HF32BA4532FS31A	2"	2.07	\$44.90
HF40BA4540FS31A	2-1/2"	3.52	\$61.75
HF48BA4548FS31A	3"	5.57	\$75.75
HF64BA4564FS31A	4"	8.88	\$113.32



### Hose Barb to Split Head C.61 x 90°

- Low Pressure Hose Fitting Connection x SAE C.61 Split Head (ISO6162-1)
- Up to 150 PSI rating
- Supplied with o-ring
- Standard ZnNi Plating:

Part Number	Size	(lbs)	Net Price (USD)
HF12BA9012FS31A	3/4"	0.57	\$24.00
HF16BA9016FS31A	1"	0.91	\$28.80
HF20BA9020FS31A	1-1/4"	1.34	\$36.00
HF24BA9024FS31A	1-1/2"	1.87	\$42.00
HF32BA9032FS31A	2"	2.80	\$48.00
HF40BA9040FS31A	2-1/2"	4.94	\$66.00
HF48BA9048FS31A	3"	7.85	\$81.00
HF64BA9064FS31A	4"	13.17	\$121.25



### Split Head C.61 to Male SAE Thread

- Low Pressure SAE C.61 Split Head (ISO6162-1) x SAE UN Thread
- Up to 600 PSI rating
- Supplied with o-rings
- Standard ZnNi Plating:

Part Number	Size	(lbs)	Net Price (USD)
HF12FS30012MSAE1A	3/4"	0.62	\$19.80
HF16FS30016MSAE1A	1"	0.78	\$24.00
HF20FS30020MSAE1A	1-1/4"	1.12	\$28.80
HF24FS30024MSAE1A	1-1/2"	1.39	\$33.00
HF32FS30032MSAE1A	2"	2.02	\$36.00
HF40FS30040MSAE1A	2-1/2"	2.51	\$44.45
HF48FS30048MSAE1A	3"	3.72	\$53.40
HF64FS30064MSAE1A	4"	4.79	\$64.80



### Split Head C.61 to Male SAE Thread (Swivel) x 45°

- Low Pressure SAE C.61 Split Head (ISO6162-1) x SAE UN Thread (Swivel)
- Up to 600 PSI rating
- Supplied with o-rings
- Standard ZnNi Plating:

Part Number	Size	(lbs)	Net Price (USD)
HF12FS34512MSAE1A	3/4"	0.77	\$44.90
HF16FS34516MSAE1A	1"	1.06	\$50.50
HF20FS34520MSAE1A	1-1/4"	1.56	\$61.75
HF24FS34524MSAE1A	1-1/2"	2.09	\$67.35
HF32FS34532MSAE1A	2"	3.45	\$86.95
HF40FS34540MSAE1A	2-1/2"	4.96	\$109.40
HF48FS34548MSAE1A	3"	7.22	\$126.20
HF64FS34564MSAE1A	4"	10.23	\$162.70



### Split Head C.61 to Male SAE Thread (Swivel) x 90°

- Low Pressure SAE C.61 Split Head (ISO6162-1) x SAE UN Thread (Swivel)
- Up to 600 PSI rating
- Supplied with o-rings
- Standard ZnNi Plating:

Part Number	Size	(lbs)	Net Price (USD)
HF12FS39012MSAE1A	3/4"	0.85	\$48.00
HF16FS39016MSAE1A	1"	1.24	\$54.00
HF20FS39020MSAE1A	1-1/4"	1.86	\$66.00
HF24FS39024MSAE1A	1-1/2"	2.50	\$72.00
HF32FS39032MSAE1A	2"	4.18	\$93.00
HF40FS39040MSAE1A	2-1/2"	6.38	\$117.00
HF48FS39048MSAE1A	3"	9.49	\$135.00
HF64FS39064MSAE1A	4"	14.52	\$174.00



#### Flanged C.61 to Male SAE Thread (Swivel)

- Low Pressure Flanged SAE C.61 (ISO6162-1) x SAE UN Thread (Swivel)
- Up to 600 PSI rating
- Supplied with o-ring
- Standard ZnNi Plating:


Part Number	Size	(lbs)	Net Price (USD)
HF12F30012MSAE1A	3/4"	1.18	\$45.00
HF16F30016MSAE1A	1"	1.41	\$49.20
HF20F30020MSAE1A	1-1/4"	2.21	\$57.00
HF24F30024MSAE1A	1-1/2"	3.16	\$61.80
HF32F30032MSAE1A	2"	4.14	\$90.00
HF40F30040MSAE1A	2-1/2"	5.74	\$108.00
HF48F30048MSAE1A	3"	8.20	\$117.00
HF64F30064MSAE1A	4"	10.22	\$138.00



#### Flanged C.61 to Male SAE Thread (Swivel) x 45°

- Low Pressure Flanged SAE C.61 (ISO6162-1) x SAE UN Thread (Swivel)
- Up to 600 PSI rating
- Supplied with o-ring
- Standard ZnNi Plating:

Part Number	Size	(lbs)	Net Price (USD)
HF12F34512MSAE1A	3/4"	1.26	\$47.70
HF16F34516MSAE1A	1"	1.57	\$53.30
HF20F34520MSAE1A	1-1/4"	2.47	\$64.50
HF24F34524MSAE1A	1-1/2"	3.54	\$70.20
HF32F34532MSAE1A	2"	5.08	\$100.98
HF40F34540MSAE1A	2-1/2"	7.07	\$117.80
HF48F34548MSAE1A	3"	10.35	\$134.65
HF64F34564MSAE1A	4"	14.34	\$179.50




#### Flanged C.61 to Male SAE Thread (Swivel) x 90°

- Low Pressure Flanged SAE C.61 (ISO6162-1) x SAE UN Thread (Swivel)
- Up to 600 PSI rating
- Supplied with o-ring
- Standard ZnNi Plating:

Part Number	Size	(lbs)	Net Price (USD)
HF12F39012MSAE1A	3/4"	1.35	\$51.00
HF16F39016MSAE1A	1"	1.74	\$57.00
HF20F39020MSAE1A	1-1/4"	2.77	\$69.00
HF24F39024MSAE1A	1-1/2"	3.96	\$75.00
HF32F39032MSAE1A	2"	5.82	\$108.00
HF40F39040MSAE1A	2-1/2"	8.50	\$126.00
HF48F39048MSAE1A	3"	12.63	\$144.00
HF64F39064MSAE1A	4"	18.63	\$192.00





#### Tank Adapter (Female NPT) to Male SAE Thread (Swivel)

- Low Pressure Tank Adapter (NPT) x SAE UN Thread (Swivel)
- Up to 600 PSI rating
- Supplied with o-ring. (Can be welded to tank resevoir pilot)
- Standard ZnNi Plating:

Part Number	Size	(lbs)	Net Price (USD)
HF12FNPT0012MSAE1A	3/4"	0.59	\$42.00
HF16FNPT0016MSAE1A	1"	0.74	\$45.00
HF20FNPT0020MSAE1A	1-1/4"	1.13	\$54.00
HF24FNPT0024MSAE1A	1-1/2"	1.39	\$57.00
HF32FNPT0032MSAE1A	2"	2.44	\$72.00
HF40FNPT0040MSAE1A	2-1/2"	3.63	\$96.00
HF48FNPT0048MSAE1A	3"	5.03	\$108.00
HF64FNPT0064MSAE1A	4"	6.46	\$123.00



#### Male SAE Thread (Swivel) to Piloted Female NPT x 45°

- Low Pressure Tank Adapter (NPT) x SAE UN Thread (Swivel)
- Up to 600 PSI rating
- Supplied with o-ring. (Can be welded to tank resevoir pilot)
- Standard ZnNi Plating:

Part Number	Size	(lbs)	Net Price (USD)
HF12FNPT4512MSAE1A	3/4"	0.67	\$43.75
HF16FNPT4516MSAE1A	1"	0.89	\$47.70
HF20FNPT4520MSAE1A	1-1/4"	1.39	\$58.90
HF24FNPT4524MSAE1A	1-1/2"	1.77	\$61.70
HF32FNPT4532MSAE1A	2"	3.10	\$86.40
HF40FNPT4540MSAE1A	2-1/2"	4.95	\$112.25
HF48FNPT4548MSAE1A	3"	7.17	\$126.25
HF64FNPT4564MSAE1A	4"	10.56	\$162.70



#### Male SAE Thread (Swivel) to Piloted Female NPT x 90°

- Low Pressure Tank Adapter (NPT) x SAE UN Thread (Swivel)
- Up to 600 PSI rating
- Supplied with o-ring. (Can be welded to tank resevoir pilot)
- Standard ZnNi Plating:

Part Number	Size	(lbs)	Net Price (USD)
HF12FNPT9012MSAE1A	3/4"	0.76	\$46.80
HF16FNPT9016MSAE1A	1"	1.07	\$51.00
HF20FNPT9020MSAE1A	1-1/4"	1.68	\$63.00
HF24FNPT9024MSAE1A	1-1/2"	2.18	\$66.00
HF32FNPT9032MSAE1A	2"	3.83	\$92.40
HF40FNPT9040MSAE1A	2-1/2"	6.38	\$120.00
HF48FNPT9048MSAE1A	3"	9.46	\$135.00
HF64FNPT9064MSAE1A	4"	14.86	\$174.00



### Hose Barb to Butt Weld x 45°

- Low Pressure Hose Fitting Connection x Butt Weld End
- Up to 150 PSI rating


Part Number	Size	(lbs)	Net Price (USD)
HF12BA4512BW10	3/4"	0.19	\$11.25
HF16BA4516BW10	1"	0.31	\$12.90
HF20BA4520BW10	1-1/4"	0.48	\$16.85
HF24BA4524BW10	1-1/2"	0.68	\$20.76
HF32BA4532BW10	2"	1.07	\$26.93
HF40BA4540BW10	2-1/2"	2.06	\$33.65
HF48BA4548BW10	3"	3.29	\$42.10
HF64BA4564BW10	4"	6.37	\$72.95



### Hose Barb to Butt Weld x 90°

- Low Pressure Hose Fitting Connection x Butt Weld End
- Up to 150 PSI rating

Part Number	Size	(lbs)	Net Price (USD)
HF12BA9012BW10	3/4"	0.28	\$12.00
HF16BA9016BW10	1"	0.49	\$13.95
HF20BA9020BW10	1-1/4"	0.77	\$18.00
HF24BA9024BW10	1-1/2"	1.09	\$22.25
HF32BA9032BW10	2"	1.80	\$28.80
HF40BA9040BW10	2-1/2"	3.48	\$36.00
HF48BA9048BW10	3"	5.57	\$45.00
HF64BA9064BW10	4"	10.66	\$78.00



### Male SAE Thread (Swivel) to Male SAE Thread (Swivel)

- Low Pressure SAE UN Thread (Swivel) x SAE UN Thread (Swivel)
- Up to 600 PSI rating
- Supplied with o-rings.
- Standard ZnNi Plating:

Part Number	Size	(lbs)	Net Price (USD)
HF12MSAE0012MSAE1A	3/4"	0.78	\$57.00
HF16MSAE0016MSAE1A	1"	0.98	\$63.00
HF20MSAE0020MSAE1A	1-1/4"	1.46	\$75.00
HF24MSAE0024MSAE1A	1-1/2"	1.85	\$78.00
HF32MSAE0032MSAE1A	2"	3.55	\$102.00
HF40MSAE0040MSAE1A	2-1/2"	4.32	\$120.00
HF48MSAE0048MSAE1A	3"	5.55	\$135.00
HF64MSAE0064MSAE1A	4"	7.22	\$150.00





### Male SAE Thread (Swivel) to Male SAE Thread (Swivel) x 90°

- Low Pressure SAE UN Thread (Swivel) x SAE UN Thread (Swivel)
- Up to 600 PSI rating
- Supplied with o-rings.
- Standard ZnNi Plating:

Part Number	Size	(lbs)	Net Price (USD)
HF12MSAE9012MSAE1A	3/4"	0.95	\$63.00
HF16MSAE9016MSAE1A	1"	1.30	\$72.00
HF20MSAE9020MSAE1A	1-1/4"	2.02	\$84.00
HF24MSAE9024MSAE1A	1-1/2"	2.65	\$90.00
HF32MSAE9032MSAE1A	2"	4.95	\$120.00
HF40MSAE9040MSAE1A	2-1/2"	7.08	\$144.00
HF48MSAE9048MSAE1A	3"	11.79	\$165.00
HF64MSAE9064MSAE1A	4"	15.61	\$201.00

