
DEPARTMENT OF COMPUTER SCIENCE & ENGINEERING THE UNIVERSITY OF TEXAS AT ARLINGTON

ARCHITECTURAL DESIGN SPECIFICATION CSE 4316: SENIOR DESIGN I FALL 2017



TEAM TASSIUM MASTER CHEF

ANTHONY TATOWICZ
JESSE DANIEL MITCHELL
TODD BREWER
LINH VU

Team Tassium - Fall 2017 page 1 of 13

REVISION HISTORY

Revision	Date	Author(s)	Description
0.1	12.04.2017	LV, JDM	First draft

Team Tassium - Fall 2017 page 2 of 13

CONTENTS

1	Introduction	5
2	System Overview 2.1 Network 2.2 Vision and Logic 2.3 Mount 2.4 UR5	
3	Subsystem Definitions & Data Flow	7
4	X Layer Subsystems 4.1 Subsystem 1	8 8 9 9
5	5.1 Subsystem 1 5.2 Subsystem 2	
6	Z Layer Subsystems 6.1 Subsystem 1 6.2 Subsystem 2 6.3 Subsystem 3	

Team Tassium - Fall 2017 page 3 of 13

LIST OF FIGURES

1	A simple architectural layer diagram	6
2	A simple data flow diagram	7
3	Example subsystem description diagram	8
4	Example subsystem description diagram	10
5	Example subsystem description diagram	12
List	OF TABLES	
2	Subsystem interfaces	9
3	Subsystem interfaces	11
4	Subsystem interfaces	13

Team Tassium - Fall 2017 page 4 of 13

1 Introduction

Your introduction should describe your product concept in sufficient detail that the architectural design will be easy to follow. The introduction may include information used in the first sections of your SRS for this purpose. At a minimum, ensure that the product concept, scope and key requirements are described.

Team Tassium - Fall 2017 page 5 of 13

2 System Overview

This section should describe the overall structure of your software system. Think of it as the strategy for how you will build the system. An architectural "layer" is the top-level logical view, or an abstraction, of your design. Layers should be composed of related elements of similar capabilities, and should be highly independent of other layers, but should have very clearly defined interfaces and interactions with other layers. Each layer should be identified individually and should be unique as to its function and purpose within the system. This section should also contain the high-level block diagram of the layers, as shown in the example below, as well as detailed descriptions of the functions of each layer.




Figure 1: A simple architectural layer diagram

2.1 Network

This layer contains the router that will allow a connection to the UR5.

2.2 VISION AND LOGIC

This layer contains the camera, raspberry pi that will be use to communicate with the UR5.

2.3 MOUNT

This layer contains the mount that will fit the tool into the mount by controlling the magnet.

2.4 UR5

This layer contains the UR5 robot arm, the polyscope(interface), and the control box.

Team Tassium - Fall 2017 page 6 of 13

3 Subsystem Definitions & Data Flow

This section breaks down your layer abstraction to another level of detail. Here you grapically represent the logical subsystems that compose each layer and show the interactions/interfaces between those subsystems. A subsystem can be thought of as a programming unit that implements one of the major functions of the layer. It, therefore, has data elements that serve as source/sinks for other subsystems. The logical data elements that flow between subsystems need to be explicitly defined at this point, beginning with a data flow-like diagram based on the block diagram.




Figure 2: A simple data flow diagram

Team Tassium - Fall 2017 page 7 of 13

4 X LAYER SUBSYSTEMS

In this section, the layer is described in some detail in terms of its specific subsystems. Describe each of the layers and its subsystems in a separate chapter/major subsection of this document. The content of each subsystem description should be similar. Include in this section any special considerations and/or trade-offs considered for the approach you have chosen.

4.1 Subsystem 1

This section should be a general description of a particular subsystem for the given layer. For most subsystems, an extract of the architectural block diagram with data flows is useful. This should consist of the subsystem being described and those subsystems with which it communicates.



Figure 3: Example subsystem description diagram

4.1.1 ASSUMPTIONS

Any assumptions made in the definition of the subsystem should be listed and described. Pay particular attention to assumptions concerning interfaces and interactions with other layers.

4.1.2 RESPONSIBILITIES

Each of the responsibilities/features/functions/services of the subsystem as identified in the architectural summary must be expanded to more detailed responsibilities. These responsibilities form the basis for the identification of the finer-grained responsibilities of the layer's internal subsystems. Clearly describe what each subsystem does.

4.1.3 Subsystem Interfaces

Each of the inputs and outputs for the subsystem are defined here. Create a table with an entry for each labelled interface that connects to this subsystem. For each entry, describe any incoming and outgoing

Team Tassium - Fall 2017 page 8 of 13

data elements will pass through this interface.

Table 2: Subsystem interfaces

ID	Description	Inputs	Outputs
#xx	Description of the interface/bus	input 1 input 2	output 1
#xx	Description of the interface/bus	N/A	output 1

4.2 Subsystem 2

Repeat for each subsystem

4.3 Subsystem 3

Repeat for each subsystem

Team Tassium - Fall 2017 page 9 of 13

5 Y LAYER SUBSYSTEMS

In this section, the layer is described in some detail in terms of its specific subsystems. Describe each of the layers and its subsystems in a separate chapter/major subsection of this document. The content of each subsystem description should be similar. Include in this section any special considerations and/or trade-offs considered for the approach you have chosen.

5.1 Subsystem 1

This section should be a general description of a particular subsystem for the given layer. For most subsystems, an extract of the architectural block diagram with data flows is useful. This should consist of the subsystem being described and those subsystems with which it communicates.



Figure 4: Example subsystem description diagram

5.1.1 Assumptions

Any assumptions made in the definition of the subsystem should be listed and described. Pay particular attention to assumptions concerning interfaces and interactions with other layers.

5.1.2 RESPONSIBILITIES

Each of the responsibilities/features/functions/services of the subsystem as identified in the architectural summary must be expanded to more detailed responsibilities. These responsibilities form the basis for the identification of the finer-grained responsibilities of the layer's internal subsystems. Clearly describe what each subsystem does.

5.1.3 Subsystem Interfaces

Each of the inputs and outputs for the subsystem are defined here. Create a table with an entry for each labelled interface that connects to this subsystem. For each entry, describe any incoming and outgoing

Team Tassium - Fall 2017 page 10 of 13

data elements will pass through this interface.

Table 3: Subsystem interfaces

ID	Description	Inputs	Outputs
#xx	Description of the interface/bus	input 1 input 2	output 1
#xx	Description of the interface/bus	N/A	output 1

5.2 Subsystem 2

Repeat for each subsystem

5.3 Subsystem 3

Repeat for each subsystem

Team Tassium - Fall 2017 page 11 of 13

6 Z LAYER SUBSYSTEMS

In this section, the layer is described in some detail in terms of its specific subsystems. Describe each of the layers and its subsystems in a separate chapter/major subsection of this document. The content of each subsystem description should be similar. Include in this section any special considerations and/or trade-offs considered for the approach you have chosen.

6.1 Subsystem 1

This section should be a general description of a particular subsystem for the given layer. For most subsystems, an extract of the architectural block diagram with data flows is useful. This should consist of the subsystem being described and those subsystems with which it communicates.




Figure 5: Example subsystem description diagram

6.1.1 ASSUMPTIONS

Any assumptions made in the definition of the subsystem should be listed and described. Pay particular attention to assumptions concerning interfaces and interactions with other layers.

6.1.2 RESPONSIBILITIES

Each of the responsibilities/features/functions/services of the subsystem as identified in the architectural summary must be expanded to more detailed responsibilities. These responsibilities form the basis for the identification of the finer-grained responsibilities of the layer's internal subsystems. Clearly describe what each subsystem does.

6.1.3 Subsystem Interfaces

Each of the inputs and outputs for the subsystem are defined here. Create a table with an entry for each labelled interface that connects to this subsystem. For each entry, describe any incoming and outgoing

Team Tassium - Fall 2017 page 12 of 13

data elements will pass through this interface.

Table 4: Subsystem interfaces

ID	Description	Inputs	Outputs
#xx	Description of the interface/bus	input 1 input 2	output 1
#xx	Description of the interface/bus	N/A	output 1

6.2 Subsystem 2

Repeat for each subsystem

6.3 Subsystem 3

Repeat for each subsystem

Team Tassium - Fall 2017 page 13 of 13