

CALIMESA FIRE DEPARTMENT
POLICY MANUAL
VOLUME 6

Policy: 600.17 Hazardous Materials

11/2023

Page 1 of 4

The Dispatch Center will dispatch the appropriate Hazardous Materials Assignment Companies to all reported hazardous materials incidents.

FIRST ARRIVING UNIT

The first arriving officer will establish Command and begin a size-up. The first unit must consciously avoid committing itself to a dangerous situation. When approaching slow down or stop to assess any visible activity taking place. Evaluate effects of wind, topography and location of the situation. Route any other responding companies away from any hazards.

Command should consider establishing level II staging whenever possible for other responding units. Staged companies must be in a safe location taking into account wind, spill flow, explosion potential and similar factors in any situation. The dot guidebook, NFPA reference materials, the NIOSH Pocket Guide (NPG), or any other material such as MSDS or shipping papers available to them should be used to establish a safe distance for staging.

SIZE-UP

Command must make a careful size-up before making a commitment. It may be necessary to take immediate action to make a rescue or evacuate an area. This should be attempted only after a risk/benefit analysis is completed. Personnel must take advantage of available personal protective equipment in these situations.

The objective of the size-up is to identify the nature and severity of the immediate problem and to gather sufficient information to formulate a valid action plan. Hazardous materials incidents require a cautious and deliberate size-up.

Avoid premature commitment of companies and personnel to potentially hazardous locations. Proceed with caution in evaluating risks before formulating a plan and keep uncommitted companies at a safe distance. In many cases evaluation by hazardous materials team members before committing is the safest approach.

Identify a hazardous area based on potential danger, taking into account materials involved, time of day, wind and weather conditions, location of the incident and degree of risk to unprotected personnel. Take immediate action to evacuate and/or rescue persons in critical danger, if possible, providing for safety of rescuers first.

CALIMESA FIRE DEPARTMENT
POLICY MANUAL
VOLUME 6

Policy: 600.17 Hazardous Materials

11/2023

Page 2 of 4

The primary objective is to identify the type of materials involved in a situation and the hazards presented before formulating a plan of action. Look for labels, markers, DOT Identification Numbers, NFPA Diamond or shipping papers, etc.

Refer to pre-fire plans and ask personnel at the scene for additional information (plant management, responsible party, truck drivers, fire department specialist). Use reference materials carried on apparatus and have Dispatch contact other sources for assistance in sizing up the problem (state agencies, fire department specialists, manufacturers of materials, etc.).

ACTION PLAN

Based on the initial size-up and any information available Command will formulate an action plan to deal with the situation.

The Action Plan must provide for:

- Safety of all fire personnel
- Evacuation of endangered area if necessary
- Control of situation
- Stabilization of hazardous materials and/or
- Disposal or removal of hazardous material

Most hazardous materials should be maintained in a safe condition for handling and use through confinement in a container or protective system. The emergency is usually related to the material escaping from the protective container or system and creating a hazard on the exterior.

The strategic plan must include a method to control the flow or release, get the hazardous material back into a safe container, neutralize it, allow it to dissipate safely, or coordinate proper disposal.

The specific action plan must identify the method of hazard control and identify the resources necessary to accomplish this goal. It may be necessary to select one method over another due to the unavailability of a particular resource or to adopt a "holding action" to wait for needed equipment or supplies.

Avoid committing personnel and equipment prematurely or "experimenting" with techniques and tactics. Many times it is necessary to evacuate and wait for special equipment or technical help.

As a general policy, the Hazardous Materials Team will respond to any situation where a private

CALIMESA FIRE DEPARTMENT
POLICY MANUAL
VOLUME 6
Policy: 600.17 Hazardous Materials

11/2023

Page 3 of 4

contractor is required to clean-up hazardous materials.

CONTROL OF HAZARDOUS AREA

A hazardous material incident has two initial zones associated with the scene similar to a fire. There are the HOT ZONE and the WARM ZONE.

HOT ZONE

The hot zone is the area in which personnel are potentially in immediate danger from the hazardous condition. This is established by Command and controlled by the Fire Department.

Access to this area will be rigidly controlled and only personnel with proper protective equipment and an assigned activity will enter.

All companies will remain intact in designated staging areas until assigned. Personnel will be assigned to monitor entry and exit of all personnel from the hot zone.

The hot zone should be geographically described to all responding units if possible and identified by yellow fire line tape. A Safety Officer will establish control access to the hot zone and maintain an awareness of which personnel are working in the area.

- Establish a safe perimeter around hazardous area and identify with Hazard Zone tape.
- Request adequate assistance to maintain the perimeter.
- Identify an entrance/exit point and inform Command of its location.
- Coordinate with Safety Officer to identify required level of protection for personnel operating in the Hot Zone.
- Collect/return accountability passports of all companies entering/leaving the controlled area.

Restriction of personnel access into the Hot Zone includes not only Fire Department personnel but also any others who may wish to enter the Hot Zone (Police, press, employees, tow truck drivers, ambulance personnel, etc.). Command is responsible for everyone's safety.

CALIMESA FIRE DEPARTMENT
POLICY MANUAL
VOLUME 6

Policy: 600.17 Hazardous Materials

11/2023

Page 4 of 4

WARM ZONE

The Warm Zone is the larger area surrounding the Hot Zone in which a lesser degree of risk to personnel exists. All civilians would be removed from this area. The limits of this zone will be enforced by the Police Department based on distances and directions established in consultation with Command. The area to be evacuated depends on the nature and amount of the material and type of risk it presents to unprotected personnel (toxic, explosive, etc.).

In some cases it is necessary to completely evacuate a radius around a site for a certain distance (i.e., potential explosion). In other cases it may be advisable to evacuate a path downwind where toxic or flammable vapors may be carried (and control ignition sources in case of flammable vapors).

Reference: Safety Officer, Police Liaison Sector

NOTE: When toxic or irritant vapors are being carried downwind it may be most effective to keep everyone indoors with windows and doors closed to prevent contact with the material instead of evacuating the area. In these cases companies will be assigned to patrol the area assisting citizens in shutting down ventilation systems and evacuating persons with susceptibility to respiratory problems.

In all cases the responsibility for safety of all potentially endangered citizens' rests with Command. Once the Hazardous Materials Sector has been established, Haz Mat personnel will define and establish a hot, warm and cold zone. These zones will remain in effect for the remainder of the incident.

BE AWARE THAT COMMAND IS RESPONSIBLE FOR THE SAFETY OF ALL PERSONNEL INVOLVED IN ANY INCIDENT

CALIMESA FIRE DEPARTMENT

POLICY MANUAL

VOLUME 6

Policy: 600.18 After Action Review

12/2023

Page 1 of 4

SCOPE:

This policy will relate to the After-Action Review (AAR) process utilized for post-incident analysis.

PURPOSE:

To identify the responsibilities of all members in ensuring a comprehensive AAR process is maintained and utilized within our system.

SAFETY:

AAR has a direct impact on firefighter safety.

PROCEDURE:

After Action Review (AAR) is a tool for assessing what happened during an activity and whether any lessons from it would help in the future.

As the number of fires, we respond to continues to decline, even as our demand for service increases, and while that is certainly a positive trend, fewer fires lead to less actual firefighting experience for our personnel.

Conducting routine after-action reviews is one way to bridge the experience gap.

The goal of AAR is to compile and catalog problems encountered and successful actions taken and then draw from the lessons learned to improve plans and procedures, evaluate the effectiveness of training, and ensure firefighters are correctly applying the skills they have learned.

The following are examples of the inherent value of AAR and what it can accomplish:

- Provide our personnel with a clear indication of the impact our actions had on the general outcome of an incident.
- Analyze and compare how different applied strategies and tactics affect the outcome of incidents.
- Identify trends and patterns in errors during emergency operations so that immediate action can be taken to prevent them from reoccurring.
- Identify positive outcomes that reflect proper attention to procedures, good decision-making, and leadership skills.

CALIMESA FIRE DEPARTMENT
POLICY MANUAL
VOLUME 6

Policy: 600.18 After Action Review

12/2023

Page 2 of 4

- Serve as a catalyst for revising flawed tactical plans and Standard Operating Procedures (SOPs).
- Help identify the need for additional or remedial training for personnel.
- Serve as technical reference material to be cataloged for retrieval and examination during any similar future incidents.
- Disseminate critical lessons learned during an incident to personnel throughout the fire department(s).
- Identify fire prevention and code enforcement deficiencies.
- Identify environmental and operational challenges that contribute to civilian and firefighter injuries and fatalities.

Informal AAR –

Informal AAR shall occur at the company level after every incident. The goal of informal AAR is to drive the overall improvement of fire department operations, identify training needs, and help build resiliency in our personnel. Informal AAR is simple, quick, and immediately responsive to the situation and the people involved. Whenever possible, informal AAR should be conducted shortly after the completion of the incident with the personnel involved. It should be in a location away from the media and the public. It is the Company Officer's responsibility to ensure informal AAR is conducted and journal any lessons learned. Informal AAR will be conducted by seeking to answer the following five key questions:

1. What was our mission/intention?
2. What went well?
3. What could have gone better?
4. What might we have done differently?
5. Who needs to know?

Formal AAR (Critique) –

The formal critique is a detailed review and analysis of any complex or tactically challenging incident. The formal critique is used to reconstruct an incident to determine if we had an appropriate tactical plan and procedures and if they were followed, as well as how effective they were in mitigating the incident. Every aspect of the incident is carefully reviewed and analyzed to determine what went well, what could be improved, and why. The results of such an analysis

CALIMESA FIRE DEPARTMENT
POLICY MANUAL
VOLUME 6

Policy: 600.18 After Action Review

12/2023

Page 3 of 4

can suggest changes to our plans and procedures that may be necessary. A formal critique shall be held for the following incident types:

- All working structure fires.
- Any fire (regardless of severity or complexity) in a high-risk building; or in a building where fire protection features influenced event outcomes.
- All hazardous material incidents that exceed the level of “Still Hazmat”.
- All technical rescues.
- Any multiple patient or mass-casualty incidents.
- Any other incident type as deemed appropriate by the shift commander (BC).

The shift commander (BC) is responsible for scheduling the formal critique.

The formal critique should be limited to relevant personnel (those directly involved in the incident) and scheduled as soon as possible and practical after the incident (if possible, within a few days of the original incident; any longer delay and personnel may forget important details concerning the incident). Relevant personnel shall be notified of the date, time, and place where the critique is to be conducted.

Invitations to the critique should be extended to any other public safety agencies involved in the incident. In some cases, it may not be possible for agencies to send everyone involved in the incident to the critique. In this case, at least the agencies’ personnel who served in key positions during operations should attend.

If possible, the critique meeting should be held at a central location to reduce travel distances, and to permit as many people as possible to attend. The facility should be large enough to accommodate everyone comfortably and have the necessary audiovisual equipment and other necessities on hand.

The meeting should last long enough to accomplish its intended goal, but not beyond a reasonable point. Two to three hours of focused discussion and review, with a short break in the middle, should generate a lot of good information.

Once a determination has been made to critique an incident, a critique officer shall be identified. This will typically be the shift commander (BC) or his/her designee.

The critique officer plays a critical role in the critique process and his/her selection should not be taken lightly. The critique officer is responsible for the overall preparation and coordination of

CALIMESA FIRE DEPARTMENT
POLICY MANUAL
VOLUME 6

Policy: 600.18 After Action Review

12/2023

Page 4 of 4

the critique and ensuring that the information and equipment necessary to conduct the critique is assembled in a timely manner. Emotions can run high during a critique, and things can get out of hand if control is not maintained. The critique officer should maintain firm control over the exercise by establishing and conveying the ground rules, and by encouraging personnel to participate openly in the process.

Following the critique, the critique officer shall complete an informational summary report for general distribution to all department personnel. All findings listed in the summary report shall be reviewed by department leadership to evaluate the need for operational changes.

In certain instances, and in addition to the dissemination of the informational summary report, it may be determined that the findings of the critique should be distributed/shared by additional means. Such means may include video interviews of relevant personnel or presentations/briefings conducted by the critique officer.

CALIMESA FIRE DEPARTMENT

POLICY MANUAL

VOLUME 6

Policy: 600.19.05 Post Incident Review

11/2023

Page 1 of 1

This guideline provides instruction when conducting Post-Incident Reviews. Fire companies are usually involved with several incidents each shift after which they could participate in a post incident review. Participants will benefit most when a post incident review is conducted at the incident scene. Information will be fresh in everyone's mind and the scene may help to reinforce learning. The Deputy Fire Chief or Captain can conduct a review after any incident (form# 408.09).

Several areas will be identified for discussion in each review.

- Response Times
- RIC Response
- Safety
- Firefighting
- Rescue
- Property Conservation
- Loss Control
- Other Customer Service Issues

The purpose of the safety component of this review is to emphasize firefighter safety by reinforcing safety behaviors, assess the current level of safety (measure how we're doing), and identify areas where safety improvement can be made.

The focus of the review should be on the overall operation, firefighter safety and survival and customer service. Reinforce all safety behaviors. In doing so remember that individual successes should not outweigh the safety of the overall operation or crews.

The Post Incident Review should be concluded on a positive note. Single company reviews that are conducted by Captains after an incident or training exercise can be used to chart a company's improvement. In areas such as safety, the review may assist in focusing on areas a company may need to improve. Included in this guideline are check sheets to be used as tools in evaluating operational safety.

CALIMESA FIRE DEPARTMENT

POLICY MANUAL

VOLUME 6

Policy: 600.19.05 Post Incident Review

12/2023

Page 1 of 4

Definition

Post Incident Review (PIR) is the reconstruction of an incident to assess the chain of events that took place, the methods used to control the incident, and how the actions of emergency personnel contributed to the eventual outcome.

Purpose

The main purpose of the PIA is to reinforce personnel actions and departmental procedures that are efficient and to encourage insight into how department effectiveness can be improved. To provide a means of objectively analyzing fire department operations in a post emergency environment via a continuing review and development process to identify other needs such as equipment needs, staffing deficiencies and areas of training. The information collected may be useful for justifying funding in future budgeting processes.

Benefits

- Provides a comprehensive analytical record of an incident from which to evaluate departmental procedures.
- Assessment of response times and company response areas under actual conditions
- Assessment of the effects of additional equipment/manpower request and Mutual Aid effectiveness
- Assessment of tools and equipment
- Assessment of safety practices and related procedures
- Assessment of training needs for department personnel
- Assessment of the department's working relationship with outside agencies and other Community departments

Responsibility

Line Officers are responsible for initiating routine or semi-formal reviews following any incident, which prompts questions from personnel and/or situations that may provide a valuable training opportunity.

The Incident Commander is responsible for initiation of the formal review process following every major incident or when directed to do so by the Fire Chief.

CALIMESA FIRE DEPARTMENT
POLICY MANUAL
VOLUME 6
Policy: 600.19.05 Post Incident Review

12/2023

Page 2 of 4

The Fire Chief is responsible for either serving as review chairperson or delegating another officer or qualified members to serve in that capacity at all formal reviews.

Process

Informal Reviews – Involves a discussion of the events that transpired during an emergency incident.

- This review can be utilized at the company level after any type of alarm to which the involved companies may have responded.
- Personnel of the involved companies may simply meet in quarters and informally discuss the various aspects of the incident.
- A Line Officer should serve as the leader of the informal review.
- Training suggestions relating to the incident should be brought up during the discussion.
- The review's emphasis must be on overall operational improvement and should not be designed to embarrass anyone.
- All fire incidents should have the Incident Review Form completed prior to the review process.

Formal Review – Designed to impact all CMSFD personnel and intended to be utilized as a method of detailed analysis of major emergency operations. The Incident Review form shall be completed and utilized for this purpose. The type of incidents which require completion of the Incident Review Form and a formal review include but are not limited to:

- Any incident where an unusual event occurs such as an explosion, collapse, etc.
- A building fire in which rooms are severely damaged by fire, or where unusual extinguishing problems existed.
- Any fire resulting in a fatality.
- Any fire resulting in injury to firefighters is serious enough to necessitate treatment at a medical facility.
- A unique rescue or fire situation that necessitated the use of tactics not normally applied.
- At the discretion of the Fire Chief or the Training Officer

CALIMESA FIRE DEPARTMENT
POLICY MANUAL
VOLUME 6
Policy: 600.19.05 Post Incident Review

12/2023

Page 3 of 4

The primary purpose of the post-incident review process is to identify deficiencies in the incident action plan and to determine necessary actions to correct the deficiencies. The post incident review is also intended to identify which response procedures, equipment, and techniques were effective and which were not effective and a determination of the reason(s) why the situation occurred.

The Post Incident Review checklist should include:

- Name and typical duties of personnel being debriefed.
- Date, time, and location of members during the incident
- Actions taken during incident.
- Extenuating circumstances
- Positive aspects the response
- Aspects identified for improvement.
- Specific recommendations for improvement

NOTE: The following form can be used as a template for a formal Post Incident Review at the discretion of the Fire Chief. All this information may not relate to all incidents, and additional data can be added based on the circumstances of the response situation.

Post Incident Review Form

First-In/Situation Report: Include a brief description of the situation encountered by the first unit(s) arriving on the scene. The type of units and staffing on units should be listed.

Strategy: List the Incident Command strategies chosen. Incident Commanders should describe his/her basic plan to address the priorities of the incident at the time he/she became the Incident Commander.

Tactical Considerations:

Obstacles Presented (Real or Potential):

Recommendations: List any recommendations for correction or reduction of these obstacles.

CALIMESA FIRE DEPARTMENT

POLICY MANUAL

VOLUME 6

Policy: 600.19.05 Post Incident Review

12/2023

Page 4 of 4

Evaluate tactics versus results, not only at the IC level but also at the Company level. This helps reinforce procedures and tactics that were successful so they may be applied to similar situations in the future.

Incident Command Organization (CREATE CHART) Draw lines of authority and responsibility.

Identify the Span of Control. This allows for a more formal review of the IC process to identify the positive aspects and correct deficiencies at the company level.

Outcome of the Incident: List the extent of damage and casualties. Also, include damage to fire equipment and emergency personnel casualties, injuries, etc.

Summary of issues that require attention: This summary should be written by the highest-ranking Officer at the Incident and should address issues that need attention via training, SOG review, or administrative directive.

CALIMESA FIRE DEPARTMENT

POLICY MANUAL

VOLUME 6

Policy: 600.20 Natural Gas Emergencies

11/2023

Page 1 of 3

Fire Department units may encounter natural gas in a variety of situations and incident types each presenting a different set of hazards and problems. The following guidelines present an approach that will be applicable in the majority of situations but do not replace good judgment and experience in dealing with any particular incident. The guidelines should be used whenever situations are encountered that do not clearly indicate that a different approach is required to more safely resolve the hazard.

Natural gas is much lighter than air and will usually dissipate rapidly in the outside environment. Inside buildings however it tends to pocket particularly in attics and dead air spaces. The flammable limits are approximately 4% to 15% in air. Natural gas itself is nontoxic however it displaces oxygen and can result in asphyxiation if in a confined space. Flammable gas ranges can only be determined by a combustible gas instrument.

Burning natural gas should not normally be extinguished since this would change the situation from a visible to invisible hazard with explosive potential. Fires should be controlled by stopping the flow.

INCIDENTS AT THAT AN EXPLOSION HAS OCCURRED

Units arriving at the scene of a structural explosion must consider natural gas as a possible cause. Explosions have occurred in structures which were not served by natural gas. Underground leaks may permit gas to travel considerable distances before entering a structure through the foundation, around pipes or through void spaces. In these circumstances the cause of the explosion may be difficult to determine.

1. Until it can be determined that the area is safe from the danger of further explosions evacuate all civilians and keep the number of Fire Department and/or other emergency personnel (i.e., gas company personnel) in the area to the minimum number necessary to stabilize the situation. Take a pessimistic point of view.
2. Do not rely on gas odor. Use combustible gas indicators to check all suspected areas. Gas company personnel have combustible gas indicators for this purpose.
3. Check areas systematically using combustible gas indicators. Start outside of the area of the explosion and move into the area until readings indicate detectable concentration. Map the readings for the affected area.
4. If a gas concentration is encountered inside, adjacent to, or underneath any building, secure all possible sources of ignition in the affected area. Cut electricity from outside the affected area to avoid arcing. Ventilate buildings where gas is found with explosion proof equipment only.

CALIMESA FIRE DEPARTMENT

POLICY MANUAL

VOLUME 6

Policy: 600.20 Natural Gas Emergencies

11/2023

Page 2 of 3

5. The use of ground probes is essential to evaluate potential underground leaks. When gas company personnel are on the scene ground probe readings and locations must be coordinated. Time, location, and concentration should be recorded for each probe; subsequent readings should be taken from same holes when possible.
6. Command shall provide for effective interaction between gas company personnel and the Fire Department. Gas company personnel are responsible for locating and eliminating leaks in the gas system. As industry specialists they can provide Command with valuable assistance in the effective handling of these incidents. In most cases a company officer with a portable radio will be required to supervise during on-site operations.
7. Command must ensure the safety and stability of the structure.

INCIDENTS INVOLVING A REPORTED GAS LEAK- NO FIRE OR EXPLOSION

Calls for "odor of gas," "gas leak," "broken gas line" and similar situations may range from minor to potentially major incidents. All of these should be approached as potentially dangerous situations.

With gas company personnel on the scene of an incident it shall be standard procedure for the first Fire Department unit to provide effective interaction between agencies. Gas company personnel shall be responsible for locating and eliminating leak sources. Gas company personnel shall obtain a sufficient number of gas concentration readings using their combustible gas indicators for Command to evaluate the hazard and take appropriate action.

In all cases Fire Department units shall take whatever actions are necessary to provide for life and property safety.

The Hazardous Materials Plan and/or Emergency Response Guidebook should be used as a basic guide for these incidents. A minimum number of personnel should be allowed to enter the area to size-up the situation while any additional units' stage in a location out of the potentially dangerous zone.

1. Evacuate any civilians in the area of escaping gas.
2. Attempt to locate the source of the gas and any shutoff devices available.
3. Gas leak situations within a building where the source of the leak is unknown or uncontrolled, the gas supply shall be shut off at the meter. Command shall ensure the meter is red-tagged and locked off until repairs are completed. This is most easily accomplished with the cooperation of the gas supplier at the scene.
4. If there is any indication of gas accumulating within a building evacuate civilians from the structure and control ignition sources. Check for explosive concentrations with a combustible gas indicator if there is any suspicion of accumulation within a structure. Shut off electrical power from an outside breaker. Ventilate using explosion proof blowers to pressurize if necessary.

CALIMESA FIRE DEPARTMENT

POLICY MANUAL

VOLUME 6

Policy: 600.20 Natural Gas Emergencies

11/2023

Page 3 of 3

5. If gas company personnel must excavate to shut off a leak provide stand-by protection with a charged 1½ inch line and two firefighters in full protective equipment and SCBA.

PERSONNEL SAFETY

All personnel working in the vicinity of a known or suspected gas leak shall wear full protective clothing with SCBA's. Personnel working in a suspected ignitable atmosphere (i.e., attempting to shut off a gas line) shall be breathing air from SCBA and shall be covered by a manned protective hose line. The number of exposed personnel will be kept to an absolute minimum at all times.

A Hot Zone shall be established and maintained around any suspected gas leak and "fire line" tape should be used to identify the Hot Zone when necessary. An Incident Commander shall be established for personnel control and accountability and where necessary a Safety Officer should be established

CALIMESA FIRE DEPARTMENT

GUIDELINE MANUAL

VOLUME 6

Policy: 600.21 Flammable Liquid Incidents

11/2023

Page 1 of 3

The purpose of this Guideline is to describe standard operating guidelines for response to incidents involving flammable liquids. The four primary areas of concern are extinguishment of flammable liquid fires, spills without fire, disposal and firefighter safety. Flammable liquids present particular problems for fire protection, health, safety, and environmental protection. The frequency of encounters with flammable liquids makes them a particular concern for the fire department. The main operational problems with flammable liquids are fire extinguishment, ignition prevention and disposal of spills. All three of these may be involved in the same incident.

EXTINGUISHMENT

The preferred agent for flammable liquid firefighting is AFFF/Class B Foam (Aqueous Film Forming Foam).

Attack on any flammable liquid fire should be made with Class B Foam when available. The use of alcohol resistant class B foam is also required when dealing with any polar (water soluble) flammable liquid. The class B foam should be applied at the percentages specified by the foam concentrate manufacturer.

The extinguishing action of Class B Foam is based on its ability to rapidly cover the flammable liquid surface with a film. This film prevents the escape of flammable vapors but may have difficulty sealing against hot metal surfaces. The application of Class B Foam should be gentle to avoid breaking the seal and agitating the liquid below.

Dry Class A compressed air foam (CAFS @1%) can be used to extinguish a small flammable liquid fire i.e. a car with leaking fuel tank. It must be understood that while CAFS can be used as an extinguishing agent, Class A foam has NO ability to suppress vapors and reignition is an extreme possibility. If extinguishment with CAFS is being performed during a rescue continuous application of new foam is required as long as crews are in the hazard zone.

Fires involving a large area of burning flammable liquids may exceed the ability of one hand line to extinguish. It may be more important for Command to wait until there is enough Class B foam on site to initiate a coordinated attack. One 95 GPM class B foam line is needed for every 600 square feet of spill area. The initial fire attack will require 187 gallons of concentrate when used at 3% and 374 gallons of concentrate when used at 6%. Water master streams should be used to cool and protect exposures during the interim.

CALIMESA FIRE DEPARTMENT

GUIDELINE MANUAL

VOLUME 6

Policy: 600.21 Flammable Liquid Incidents

11/2023

Page 2 of 3

SPILLS

Flammable liquid spills include spills without fire and any remaining fuel after a fire has been extinguished. In both of these cases the liquid must be protected to prevent ignition until it can be picked up or removed. All personnel working around spills must wear full protective clothing to afford protection in case of possible ignition. SCBA must be used in vapor areas. Vapor areas can only be found through the use of combustible gas indicators carried by all Special Operations Response Team units. A Hazardous Materials Response Team company should be dispatched to test the atmosphere if there is a potential question about the flammability.

1. Do not permit the flammable liquid to run-off into storm drains, sewers, or drainage systems. Dam the run-off and cover drains and sewers pending disposal. Consider the use of plastic dike, charged hose lines, black plastic, or dirt to prevent the further spread of spilled material if it can be done safely.
2. Control ignition sources in the area of the spill. Extinguish pilot lights, flares, open flames, etc. Prohibit smoking. Position vehicles to prevent contact of vapor with running engines or exhaust. Disconnect electrical power from a remote location to prevent arc-caused ignition.
3. Cover spills with class B foam to seal vapors. The application will need to be repeated regularly, as the seal will break down in 10 to 15 minutes. One 95 GPM class B foam line is needed for every 600 square feet of spill area. The initial application will require 43 gallons of concentrate when used at 3% and 86 gallons of concentrate when used at 6%. Haz-Mat crews will need to check for escaping vapors with a combustible gas indicator to judge when the seal is breaking down.

DISPOSAL

1. Large quantity spills should be disposed of by a specialized hazardous materials cleanup contractor. This may require a fuel transfer pump or vacuum truck and personnel familiar with fuel transfer precautions.
2. Smaller spills that cannot be picked up with a tanker must be absorbed if it has not already evaporated.
3. City of Calimesa carries small amounts of absorbent but the most often used and preferred method is using sand delivered by the Public Works/Engineering Department. Larger spills will require a street sweeper or a licensed cleanup contractor to remove the sand depending on the Jurisdiction Having Authority (JHA).

CALIMESA FIRE DEPARTMENT

GUIDELINE MANUAL

VOLUME 6

Policy: 600.21 Flammable Liquid Incidents

11/2023

Page 3 of 3

4. The Spiller must be given the opportunity to clean up his spill if he can do so, while adhering to appropriate regulations. Otherwise a specialized hazardous materials cleanup contractor will be called.

5. Large quantity spills require the response of a unit from the Hazardous Materials Response Team.

SAFETY

As early as possible a hazard zone should be established and marked through the use of fire line tape. This zone should include the spilled material in the area down wind of the spill of sufficient distance to account for reasonable vapor travel. All personnel working in the hazard zone must wear full protective clothing including SCBA with face piece on. Unless absolutely necessary, personnel shall not work in a spill area. When it is necessary to perform a rescue or to control a leak, the spill must be covered with foam and all possible precautions against ignition must be taken. The area shall be monitored with a combustible gas indicator.

FIRE CODE VIOLATIONS

Most flammable liquid incidents involve Fire Code violations. Have the Dispatch Center dispatch the Deputy Fire Chief to investigate this aspect of the incident and take appropriate action.