

Cucumber Report

Feb 5, 2025, 6:02:42 PM

Start : Feb 05, 6:02:35.180 PM

End : Feb 05, 6:02:40.804 PM

Duration : 5.624 s

Features



Scenarios

Steps

PASSED - 1
FAILED - 1
SKIPPED - 0

PASSED - 2
FAILED - 3
SKIPPED - 0


PASSED - 8
FAILED - 3
SKIPPED - 14




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Test Login With Different TestData</u>	5.502 s	2	2	0	0	8	8	0	0
<u>Login feature</u>	0.080 s	3	0	3	0	17	0	3	14

#	Feature Name	Scenario Name
1	<u>Login feature</u>	<u>LoginErrorMessage_TC01</u>
2		<u>SuccessfullLogin</u>
3		<u>SuccessfullLogin</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@regression	2	2	0	0	1	1	0	0



#	Feature Name	T	P	F	S	Duration
1	<u>Test Login With Different TestData</u>	2	2	0	0	5.502 s
2	<u>Login feature</u>	3	0	3	0	0.080 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Test Login With Different TestData</u>	<u>Test Different Login Details</u>	4	4	0	0	4.390 s
2		<u>Test Different Login Details</u>	4	4	0	0	1.079 s
3	<u>Login feature</u>	<u>LoginErrorMessage_TC01</u>	9	0	1	8	0.032 s
4		<u>SuccessfullLogin</u>	4	0	1	3	0.006 s
5		<u>SuccessfullLogin</u>	4	0	1	3	0.000 s

Test Login With Different TestData


PASSED	DURATION - 5.502 s	Scenarios		Steps	
/ 6:02:35.180 PM // 6:02:40.682 PM /		Total - 2		Total - 8	
		Pass - 2		Pass - 8	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Test Different Login Details

PASSED DURATION - 4.390 s		Steps	
/ 6:02:35.186 PM // 6:02:39.576 PM /		Total - 4	
Test Login With Different TestData		Pass - 4	
@regression		Fail - 0	
		Skip - 0	


#	Step / Hook Details	Status	Duration
1	Given I am on the login page	PASSED	0.812 s
2	When I enter "valid.username" and "valid.password"	PASSED	0.991 s
3	And I click on the login button	PASSED	2.544 s
4	Then I should see the message "Login successful"	PASSED	0.025 s

Test Different Login Details



PASSED	DURATION - 1.079 s		Steps	
/ 6:02:39.603 PM // 6:02:40.682 PM /			Total - 4	
Test Login With Different TestData			Pass - 4	
@regression			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given I am on the login page	PASSED	0.169 s
2	When I enter "valid.username" and "wrong.password"	PASSED	0.362 s
3	And I click on the login button	PASSED	0.504 s
4	Then I should see the message "Invalid password"	PASSED	0.036 s

Login feature

FAILED	DURATION - 0.080 s	Scenarios		Steps	
/ 6:02:40.724 PM // 6:02:40.804 PM /		Total - 3		Total - 17	
		Pass - 0		Pass - 0	
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 14	

LoginErrorMessage_TC01

FAILED	DURATION - 0.032 s		Steps	
/ 6:02:40.724 PM // 6:02:40.756 PM /			Total - 9	
Login feature			Pass - 0	
			Fail - 1	
			Skip - 8	

#	Step / Hook Details	Status	Duration
1	Given I open the website in <browser> io.cucumber.core.exception.CucumberException: Step [I open the website in <browser>] is defined with 1 parameters at 'stepdefinitions.LoginSteps.i_open_the_website_in_browser(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: I open the website in <browser> at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84)	FAILED	0.013 s

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:992) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:203) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:154) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:134) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:739) at org.testng.TestRunner.run(TestRunner.java:614) at org.testng.SuiteRunner.runTest(SuiteRunner.java:421) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:413) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:373) at org.testng.SuiteRunner.run(SuiteRunner.java:312) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1274) at org.testng.TestNG.runSuitesLocally(TestNG.java:1208) at org.testng.TestNG.runSuites(TestNG.java:1112) at org.testng.TestNG.run(TestNG.java:1079) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:293) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:91)		
2	Given user launched login Page	SKIPPED	0.001 s
3	Then verify applicationPageOpened	SKIPPED	0.000 s
4	When user entered valid username	SKIPPED	0.001 s
5	Then verify userenteredUsername	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
6	When the password field is empty	SKIPPED	0.000 s
7	Then verifyPasswordFieldIsEmpty	SKIPPED	0.001 s
8	When user clicks login button	SKIPPED	0.000 s
9	Then password error message Is Displayed	SKIPPED	0.000 s

SuccessfullLogin

FAILED		DURATION - 0.006 s			Steps Total - 4 Pass - 0 Fail - 1 Skip - 3			
/ 6:02:40.772 PM // 6:02:40.778 PM /								
Login feature								

#	Step / Hook Details	Status	Duration
1	Given I open the website in <browser> io.cucumber.core.exception.CucumberException: Step [I open the website in <browser>] is defined with 1 parameters at 'stepdefinitions.LoginSteps.i_open_the_website_in_browser(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: I open the website in <browser> at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:992) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:203) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:154) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:134) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:739) at org.testng.TestRunner.run(TestRunner.java:614) at org.testng.SuiteRunner.runTest(SuiteRunner.java:421) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:413) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:373) at org.testng.SuiteRunner.run(SuiteRunner.java:312) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1274) at org.testng.TestNG.runSuitesLocally(TestNG.java:1208) at org.testng.TestNG.runSuites(TestNG.java:1112) at org.testng.TestNG.run(TestNG.java:1079) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:293) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:91)		
2	Given user launched login Page	SKIPPED	0.000 s
3	When user entered valid username,user entered valid password,user clicks the login button	SKIPPED	0.000 s
4	Then app home page should be displayed	SKIPPED	0.000 s

SuccessfullLogin

FAILED DURATION - 0.000 s / 6:02:40.804 PM // 6:02:40.804 PM / Login feature		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
--	--	--	--

#	Step / Hook Details	Status	Duration
1	Given I open the website in <browser> io.cucumber.core.exception.CucumberException: Step [I open the website in <browser>] is defined with 1 parameters at 'stepdefinitions.LoginSteps.i_open_the_website_in_browser(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: I open the website in <browser> at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:992) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:203) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:154) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:134) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:739) at org.testng.TestRunner.run(TestRunner.java:614) at org.testng.SuiteRunner.runTest(SuiteRunner.java:421) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:413) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:373) at org.testng.SuiteRunner.run(SuiteRunner.java:312) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1274) at org.testng.TestNG.runSuitesLocally(TestNG.java:1208)	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	at org.testng.TestNG.runSuites(TestNG.java:1112) at org.testng.TestNG.run(TestNG.java:1079) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:293) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:91)		
2	Given user launched login Page	SKIPPED	0.000 s
3	When user entered valid username,user entered valid password,user clicks the login button	SKIPPED	0.000 s
4	Then app home page should be displayed	SKIPPED	0.000 s