

Cucumber Report

Feb 6, 2025, 10:08:56 AM

Start : Feb 06, 10:05:42.096 AM

End : Feb 06, 10:08:51.807 AM

Duration : 3 m 9.711 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 1
FAILED - 2
SKIPPED - 0

PASSED - 9
FAILED - 2
SKIPPED - 11




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login feature</u>	3 m 9.711 s	3	1	2	0	22	9	2	11

#	Feature Name	Scenario Name
1	<u>Login feature</u>	<u>LoginErrorMessage_TC01</u>
2		<u>SuccessfullLogin</u>



#	Feature Name	T	P	F	S	Duration
1	Login feature	3	1	2	0	3 m 9.711 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login feature</u>	<u>LoginErrorMessage_TC01</u>	9	0	1	8	3 m 0.086 s
2		<u>LoginErrorMessage_TC01</u>	9	9	0	0	9.551 s
3		<u>SuccessfullLogin</u>	4	0	1	3	0.006 s

Login feature

FAILED	DURATION - 3 m 9.711 s	Scenarios		Steps	
/ 10:05:42.096 AM // 10:08:51.807 AM /		Total - 3		Total - 22	
		Pass - 1		Pass - 9	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 11	

LoginErrorMessage_TC01


FAILED DURATION - 3 m 0.086 s			Steps Total - 9 Pass - 0 Fail - 1 Skip - 8	
/ 10:05:42.103 AM // 10:08:42.189 AM /				
Login feature				

#	Step / Hook Details	Status	Duration
1	Given I open the website in "chrome" org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'SANTHOSH', ip: '192.168.254.13' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:536) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:161) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:141) at stepdefinitions.BaseSteps.getBrowserDriver(BaseSteps.java:71) at stepdefinitions.BaseSteps.setDriver(BaseSteps.java:49) at stepdefinitions.LoginSteps.i_open_the_website_in_browser(LoginSteps.java:79) at ?.I open the website in "chrome"(file:///C:/Users/santh/eclipse-workspace/Cucumber/src/main/java/features/Loginfeature.feature:5) Caused by: org.openqa.selenium.TimeoutException: java.util.concurrent.TimeoutException Build info: version: '4.19.1', revision: 'abe0ee07dc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.21' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:396) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:352) at org.openqa.selenium.remote.tracing.TracedHttpClient.execute(TracedHttpClient.java:54)	FAILED	3 m 0.057 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:89) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162) at org.openqa.selenium.remote.TracedCommandExecutor.execute(TracedCommandExecutor.java:51) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:161) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:141) at stepdefinitions.BaseSteps.getBrowserDriver(BaseSteps.java:71) at stepdefinitions.BaseSteps.setDriver(BaseSteps.java:49) at stepdefinitions.LoginSteps.i_open_the_website_in_browser(LoginSteps.java:79) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invokeStatic(Invoker.java:80) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:45) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230)		



#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:992) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:203) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:154) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:134) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:739) at org.testng.TestRunner.run(TestRunner.java:614) at org.testng.SuiteRunner.runTest(SuiteRunner.java:421) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:413) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:373) at org.testng.SuiteRunner.run(SuiteRunner.java:312) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1274) at org.testng.TestNG.runSuitesLocally(TestNG.java:1208) at org.testng.TestNG.runSuites(TestNG.java:1112) at org.testng.TestNG.run(TestNG.java:1079) at org.apache.maven.surefire.testng.TestNGExecutor.run(TestNGExecutor.java:135) at org.apache.maven.surefire.testng.TestNGDirectoryTestSuite.executeMulti(TestNGDirectoryTestSuite.java:193) at org.apache.maven.surefire.testng.TestNGDirectoryTestSuite.execute(TestNGDirectoryTestSuite.java:94) at org.apache.maven.surefire.testng.TestNGProvider.invoke(TestNGProvider.java:146) at org.apache.maven.surefire.booter.ForkedBooter.invokeProviderInSameClassLoader(ForkedBooter.java:384) at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:345) at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:126) at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:418) Caused by: java.util.concurrent.TimeoutException at java.base/java.util.concurrent.CompletableFuture.timedGet(CompletableFuture.java:1888) at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2023) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:379) </pre> * Not displayable characters are replaced by '?'.		
2	Given user launched login Page	SKIPPED	0.015 s
3	Then verify applicationPageOpened	SKIPPED	0.000 s
4	When user entered valid username	SKIPPED	0.000 s
5	Then verify userenteredUsername	SKIPPED	0.000 s
6	When the password field is empty	SKIPPED	0.000 s
7	Then verifyPasswordFieldIsEmpty	SKIPPED	0.000 s
8	When user clicks login button	SKIPPED	0.000 s
9	Then password error message Is Displayed	SKIPPED	0.000 s

LoginErrorMessage_TC01

PASSED	DURATION - 9.551 s		Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
/ 10:08:42.238 AM // 10:08:51.789 AM /				
Login feature				

#	Step / Hook Details	Status	Duration
1	Given I open the website in "firefox"	PASSED	4.766 s
2	Given user launched login Page	PASSED	1.120 s
3	Then verify applicationPageOpened	PASSED	0.117 s
4	When user entered valid username	PASSED	0.249 s
5	Then verify userenteredUsername	PASSED	1.087 s
6	When the password field is empty	PASSED	1.588 s
7	Then verifyPasswordFieldisEmpty	PASSED	0.035 s
8	When user clicks login button	PASSED	0.417 s
9	Then password error message Is Displayed	PASSED	0.153 s

SuccessfullLogin

FAILED DURATION - 0.006 s			Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 10:08:51.801 AM // 10:08:51.807 AM /				
Login feature				

#	Step / Hook Details	Status	Duration
1	Given I trigger the browser	FAILED	0.001 s
	java.lang.NullPointerException at stepdefinitions.BaseSteps.getBrowserDriver(BaseSteps.java:60)		

#	Step / Hook Details	Status	Duration
	at stepdefinitions.BaseSteps.setDriver(BaseSteps.java:49) at stepdefinitions.LoginSteps.i_open_the_website_in_browser(LoginSteps.java:79) at stepdefinitions.SucessfullScenarioSteps.i_trigger_the_browser(SucessfullScenarioSteps.java:34) at ?.I trigger the browser(file:///C:/Users/santh/eclipse-workspace/Cucumber/src/main/java/features/Loginfeature.feature:22) * Not displayable characters are replaced by '?'. 1		
2	Given user navigated to login Page	SKIPPED	0.000 s
3	When user entered valid username,user entered valid password,user clicks the login button	SKIPPED	0.000 s
4	Then app home page should be displayed	SKIPPED	0.000 s