Report from Dec 8, 2025, 9:14:29 PM

https://www.woodsplumbing.com/

Analyze

📱 Mobile   🖥 Desktop

👥 Discover what your real users are experiencing   ⓘ No Data

⦿ Diagnose performance issues

53	100	81	100
Performance	Accessibility	Best Practices	SEO

53

Performance

Values are estimated and may vary. The performance score is calculated directly from these metrics. See calculator.

▲ 0–49   ■ 50–89   ● 90–100

METRICS   Collapse view

▲ **First Contentful Paint**

4.7 s

First Contentful Paint marks the time at which the first text or image is painted. Learn more about the First Contentful Paint metric.

▲ **Largest Contentful Paint**

12.1 s

Largest Contentful Paint marks the time at which the largest text or image is painted. Learn more about the Largest Contentful Paint metric

■ **Total Blocking Time**

320 ms

Sum of all time periods between FCP and Time to Interactive, when task length exceeded 50ms, expressed in milliseconds. Learn more about the Total Blocking Time metric.

● **Cumulative Layout Shift**

0

Cumulative Layout Shift measures the movement of visible elements within the viewport. Learn more about the Cumulative Layout Shift metric.

▲ **Speed Index**

6.7 s

Speed Index shows how quickly the contents of a page are visibly populated. Learn more about the Speed Index metric.

📅 Captured at Dec 8, 2025, 9:14 PM MST
⏱ Initial page load
🖥 Emulated Moto G Power with Lighthouse 13.0.1
📶 Slow 4G throttling
🌐 Single page session
🌐 Using HeadlessChromium 137.0.7151.119 with lr

⊞ View Treemap

Show audits relevant to: **All**   FCP   LCP   TBT

INSIGHTS

▲ **Render blocking requests** — Est savings of 170 ms   ⌃

Requests are blocking the page's initial render, which may delay LCP. Deferring or inlining can move these network requests out of the critical path. `LCP` `FCP` `Unscored`

URL	Transfer Size	Duration
Google Fonts `Cdn`	1.6 KiB	750 ms
/css2?family=… (fonts.googleapis.com)	1.6 KiB	750 ms

▲ **Use efficient cache lifetimes** — Est savings of 128 KiB   ⌃

A long cache lifetime can speed up repeat visits to your page. Learn more about caching. `LCP` `FCP` `Unscored`

Request	Cache TTL	Transfer Size

Request	Cache TTL	Transfer Size
Azure Web Services [Cdn]		**112 KiB**
...1.0.50/webfields.js (stpaymentspciprod.blob.core.windows.net)	None	112 KiB
servicetitan.com		**13 KiB**
/scheduler-v1.js (embed.scheduler.servicetitan.com)	5m	7 KiB
/marketing-ads/dni.js (static.servicetitan.com)	None	6 KiB
Cloudflare [Utility]		**7 KiB**
/beacon.min.js/vcd15cbe... (static.cloudflareinsights.com)	1d	7 KiB

🔺 Improve image delivery — Est savings of 8 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP. Learn more about optimizing image size [LCP] [FCP] [Unscored]

URL	Resource Size	Est Savings
woodsplumbing.com [1st Party]	**40.2 KiB**	**8.1 KiB**

Wood's Plumbing professional technician greeting homeowners in Arizona

```html
<img alt="Wood's Plumbing professional
technician greeting homeowners in
Arizona" decoding="async" data-
nimg="fill" class="object-cover object-center"
style="position: absolute; height: 100%; width: 100%;
inset: 0px;" sizes="100vw" srcset="/_next/image?
url=%2Fimages%2Fhero-plumber.png&amp;w=640&amp;q=90 640w,
/_next/imag…"
src="https://www.woodsplumbing.com/_next/image?
url=%2Fimages%2Fhero-plumber.png…">
```

| /_next/image?url=%2Fimages%2Fhero-plumber.png&w=750&q=90 (www.woodsplumbing.com) | 40.2 KiB | 8.1 KiB |

Increasing the image compression factor could improve this image's download size.   8.1 KiB

🔺 Legacy JavaScript — Est savings of 13 KiB

Polyfills and transforms enable older browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile Baseline features, unless you know you must support older browsers. Learn why most sites can deploy ES6+ code without transpiling [LCP] [FCP] [Unscored]

URL	Wasted bytes
woodsplumbing.com [1st Party]	**12.8 KiB**
...chunks/main-740f....js?dpl=dpl_9y2Z6... (www.woodsplumbing.com)	12.8 KiB
...chunks/main-740f....js?dpl=dpl_9y2Z6...:1:18646 (www.woodsplumbing.com)	Array.prototype.at
...chunks/main-740f....js?dpl=dpl_9y2Z6...:1:18034 (www.woodsplumbing.com)	Array.prototype.flat
...chunks/main-740f....js?dpl=dpl_9y2Z6...:1:18147 (www.woodsplumbing.com)	Array.prototype.flatMap
...chunks/main-740f....js?dpl=dpl_9y2Z6...:1:18523 (www.woodsplumbing.com)	Object.fromEntries
...chunks/main-740f....js?dpl=dpl_9y2Z6...:1:18781 (www.woodsplumbing.com)	Object.hasOwn
...chunks/main-740f....js?dpl=dpl_9y2Z6...:1:17776 (www.woodsplumbing.com)	String.prototype.trimEnd
...chunks/main-740f....js?dpl=dpl_9y2Z6...:1:17691 (www.woodsplumbing.com)	String.prototype.trimStart

---

🔺 Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as offsetWidth) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about forced reflows and possible mitigations. [Unscored]

Source	Total reflow time
[unattributed]	45 ms

🔺 LCP request discovery

Optimize LCP by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading [LCP] [Unscored]

✅ lazy load not applied

🚫 fetchpriority=high should be applied

✅ Request is discoverable in initial document

Wood's Plumbing professional technician greeting homeowners in Arizona

```html
<img alt="Wood's Plumbing professional technician greeting homeowners in Arizona" decoding="async" data-nimg="fill"
class="object-cover object-center" style="position: absolute; height: 100%; width: 100%; inset: 0px;" sizes="100vw"
srcset="/_next/image?url=%2Fimages%2Fhero-plumber.png&amp;w=640&amp;q=90 640w, /_next/imag…"
src="https://www.woodsplumbing.com/_next/image?url=%2Fimages%2Fhero-plumber.png…">
```

🔺 Network dependency tree ⌄

⚪ Optimize DOM size ⌄

⚪ LCP breakdown ⌄

⚪ 3rd parties ⌄

These insights are also available in the Chrome DevTools Performance Panel - record a trace to view more detailed information.

DIAGNOSTICS

🔺 Reduce unused CSS — Est savings of 170 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. Learn

NEXT. Consider setting up PurgeCSS in `Next.js` configuration to remove unused rules from stylesheets. Learn more.

URL	Transfer Size	Est Savings
servicetitan.com	**170.1 KiB**	**169.9 KiB**
...css/8575e3d6d8d7ef2e.css (scheduler.servicetitan.com)	170.1 KiB	169.9 KiB

⚠ Reduce unused JavaScript — Est savings of 515 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. Learn how to reduce unused JavaScript. [LCP] [FCP] [Unscored]

NEXT. Use `Webpack Bundle Analyzer` to detect unused JavaScript code. Learn more

☑ Show 3rd-party resources (6)

URL	Transfer Size	Est Savings
servicetitan.com	**466.0 KiB**	**339.2 KiB**
...pages/_app-86eddb172b08b773.js (scheduler.servicetitan.com)	261.3 KiB	178.8 KiB
...chunks/143-a3e88bdbf88af5e5.js (scheduler.servicetitan.com)	105.9 KiB	77.8 KiB
...chunks/915-2b01896d193e6088.js (scheduler.servicetitan.com)	61.1 KiB	50.6 KiB
...chunks/932-abed1cda24476f95.js (scheduler.servicetitan.com)	37.7 KiB	31.9 KiB
Azure Web Services [Cdn]	**112.0 KiB**	**93.8 KiB**
...1.0.50/webfields.js (stpaymentspciprod.blob.core.windows.net)	112.0 KiB	93.8 KiB
Google Tag Manager [Tag-Manager]	**155.4 KiB**	**58.2 KiB**
/gtag/js?id=G-0R9CC2EJZ2 (www.googletagmanager.com)	155.4 KiB	58.2 KiB
woodsplumbing.com [1st Party]	**57.0 KiB**	**23.4 KiB**
...chunks/framework....js?dpl=dpl_9y2Z6... (www.woodsplumbing.com)	57.0 KiB	23.4 KiB

○ Avoid long main-thread tasks — 5 long tasks found ⌄

○ User Timing marks and measures — 17 user timings ⌄

More information about the performance of your application. These numbers don't directly affect the Performance score.

PASSED AUDITS (13)   Hide

● Layout shift culprits ⌄

● Document request latency ⌄

● Duplicated JavaScript ⌄

● Font display ⌄

○ INP breakdown ⌄

● Optimize viewport for mobile ⌄

● Minify CSS ⌄

● Minify JavaScript ⌄

● Avoids enormous network payloads — Total size was 1,727 KiB ⌄

● JavaScript execution time — 0.9 s ⌄

● Minimizes main-thread work — 1.5 s ⌄

○ Avoid non-composited animations ⌄

● Image elements have explicit `width` and `height` ⌄

100

Accessibility

These checks highlight opportunities to improve the accessibility of your web app. Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so manual testing is also encouraged.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)   Hide

○ Interactive controls are keyboard focusable ⌄

○ Interactive elements indicate their purpose and state ⌄

○ The page has a logical tab order ⌄

○ Visual order on the page follows DOM order ⌄

○ User focus is not accidentally trapped in a region ⌄

○ The user's focus is directed to new content added to the page ⌄

○ HTML5 landmark elements are used to improve navigation ⌄

○ Offscreen content is hidden from assistive technology ⌄

○ Custom controls have associated labels ⌄

○ Custom controls have ARIA roles ⌄

These items address areas which an automated testing tool cannot cover. Learn more in our guide on conducting an accessibility review.

PASSED AUDITS (25)   Show

NOT APPLICABLE (35)   Show

81

Best Practices

GENERAL

▲ Uses deprecated APIs — 1 warning found   ⌃

Deprecated APIs will eventually be removed from the browser. Learn more about deprecated APIs.

Deprecation / Warning	Source
Google Tag Manager Tag-Manager	
H1UserAgentFontSizeInSection	/gtag/js?id=G-0R9CC2EJZ2:866:14 (www.googletagmanager.com)

○ Detected JavaScript libraries ⌄

▲ Missing source maps for large first-party JavaScript   ⌃

Source maps translate minified code to the original source code. This helps developers debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. Learn more about source maps. Unscored

URL	Map URL
woodsplumbing.com 1st Party	
...pages/_app-b265....js?dpl_9y2Z6... (www.woodsplumbing.com)	
Large JavaScript file is missing a source map	

TRUST AND SAFETY

○ Ensure CSP is effective against XSS attacks ⌄

○ Use a strong HSTS policy ⌄

○ Ensure proper origin isolation with COOP ⌄

○ Mitigate clickjacking with XFO or CSP ⌄

○ Mitigate DOM-based XSS with Trusted Types ⌄

PASSED AUDITS (11)   Show

NOT APPLICABLE (1)   Show

100

SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on Core Web Vitals. Learn more about Google Search Essentials.

ADDITIONAL ITEMS TO MANUALLY CHECK (1)   Hide

○ Structured data is valid   ⌄

Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (10)   Show

More on PageSpeed Insights

What's new

Documentation

Learn about Web Performance

Ask questions on Stack Overflow

Mailing list

Related Content

Updates

Web Fundamentals

Case Studies

Podcasts

Connect

Twitter

Youtube

Google for Developers

Chrome   Firebase   All products

Terms and Privacy Policy

For details, see the Google Developers Site Policies.