Column

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <style>
        #d1{
            width: 300px;
            height: 100px;
            border: 1px solid black;
        }
    </style>
</head>
<body>
    <div id="d1">
        Given a binary tree, the task is to find the maximum height of the
    </div>
</body>
</html>
```

Given a binary tree, the task is to find the maximum height of the tree. The height of the tree is the number of edges in the tree from the root to the deepest node. For a tree with just one node, the root node, the height of a binary tree is defined to be zero; if there are 2 levels of nodes, the height is 1 and so on. Binary search tree is built according to the usual rules with the following six keys, inserted one at a time given: B, I, N, A, R, Y.

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <style>
        #d1{
            width: 300px;
            height: 100px;
            border: 1px solid black;
            -webkit-column-count: 3;
        }
    </style>
</head>
<body>
    <div id="d1">
        Given a binary tree, the task is to find the maximum height of the
    </div>
</body>
</html>
```

Given a binary tree, the task is to find the maximum height of the tree. The height of the tree is the number of edges in the tree from the root to the deepest node. For a tree with just one node, the root node, the height of a binary tree is defined to be zero; if there are 2 levels of nodes, the height is 1 and so on. Binary search tree is built according to the usual rules with the following six keys, inserted one at a time given: B, I, N, A, R, Y.


```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <style>
        #d1{
            width: 300px;
            height: 100px;
            border: 1px solid black;
            -webkit-column-count: 3;
            overflow: auto;
        }
    </style>
</head>
<body>
    <div id="d1">
        Given a binary tree, the task is to find the maximum height of the
    </div>
</body>
</html>
```

Given a binary tree, the task is to find the maximum height of the tree. The height of the tree from the


```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <style>
        #d1{
            width: 300px;
            height: 100px;
            border: 1px solid black;
            -webkit-column-count: 3;
            overflow: auto;
            -webkit-column-gap: 3px;
        }
    </style>
</head>
<body>
    <div id="d1">
        Given a binary tree, the task is to find the maximum height of the
    </div>
</body>
</html>
```

Given a binary tree, the task is to find the maximum height of the tree. The height of the tree is the number of edges in the tree from the root to the


```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <style>
        #d1{
            width: 300px;
            height: 100px;
            border: 1px solid black;
            -webkit-column-count: 3;
            overflow: auto;
            -webkit-column-gap: 3px;
            -webkit-column-rule-style: dashed;
        }
    </style>
</head>
<body>
    <div id="d1">
        Given a binary tree, the task is to find the maximum height of the
    </div>
</body>
</html>
```




```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <style>
        #d1{
            width: 300px;
            height: 100px;
            border: 1px solid black;
            -webkit-column-count: 3;
            overflow: auto;
            -webkit-column-gap: 60px;
            -webkit-column-rule-style: dashed;
            -webkit-column-rule-width: 20px;
        }
    </style>
</head>
<body>
    <div id="d1">
        Given a binary tree, the task is to find the maximum height of the
    </div>
</body>
</html>
```




```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <style>
        #d1{
            width: 300px;
            height: 100px;
            border: 1px solid black;
            -webkit-column-count: 3;
            overflow: auto;
            -webkit-column-gap: 60px;
            -webkit-column-rule-style: dashed;
            -webkit-column-rule-width: 20px;
            -webkit-column-rule-color: blueviolet;
        }
    </style>
</head>
<body>
    <div id="d1">
        Given a binary tree, the task is to find the maximum height of the
    </div>
</body>
</html>
```




```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <style>
        #d1{
            width: 300px;
            height: 100px;
            border: 1px solid black;
            -webkit-column-count: 3;
            overflow: auto;
            -webkit-column-gap: 60px;
            -webkit-column-rule: dashed 20px blueviolet;
        }
    </style>
</head>
<body>
    <div id="d1">
        Given a binary tree, the task is to find the maximum height of the
    </div>
</body>
</html>
```



```html
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initia
    <title>Document</title>
    <style>
        #d1{
            width: 300px;
            height: 100px;
            border: 1px solid black;
            -webkit-column-count: 3;
            overflow: auto;
            -webkit-column-gap: 60px;
            -webkit-column-rule: dashed 20px blueviolet;
        }
    </style>
</head>
<body>
    <div id="d1">
        <h2> Binary Search Tree</h2>
        Given a binary tree, the task is to find the maximum
    </div>
</body>
</html>
```



```
        h2{
            -webkit-column-span: all;
        }
    </style>
</head>
<body>
    <div id="d1">
        <h2> Binary Search Tree</h2>
        Given a binary tree, the task is to find the
    </div>
</body>
```



```
<style>
    #d1{
        width: 300px;
        height: 500px;
        border: 1px solid black;
        -webkit-column-count: 3;
        overflow: auto;
        -webkit-column-gap: 30px;
        -webkit-column-rule: dashed 20px blueviolet;
        -webkit-column-width: 40px;
    }

    h2{
        -webkit-column-span: all;
    }
```

