


[Practice](#) [Compete](#) [Jobs](#) [Rank](#) [Leaderboard](#)

 bor0s

Dashboard > Algorithms > Implementation > Picking Numbers

Badge Progress  
 ★ ★ ★

Points: 1176.20 Rank: 20435

# Picking Numbers

 by wanbo

[Problem](#)[Submissions](#)[Leaderboard](#)[Discussions](#)[Editorial](#)

Given an array of integers, find and print the maximum number of integers you can select from the array such that the absolute difference between any two of the chosen integers is  $\leq 1$ .

## Input Format

The first line contains a single integer,  $n$ , denoting the size of the array.

The second line contains  $n$  space-separated integers describing the respective values of  $a_0, a_1, \dots, a_{n-1}$ .

## Constraints

- $2 \leq n \leq 100$
- $0 < a_i < 100$
- The answer will be  $\geq 2$ .

## Output Format

A single integer denoting the maximum number of integers you can choose from the array such that the absolute difference between any two of the chosen integers is  $\leq 1$ .

## Sample Input 0

```
6
4 6 5 3 3 1
```

## Sample Output 0

```
3
```

## Explanation 0

We choose the following multiset of integers from the array:  $\{4, 3, 3\}$ . Each pair in the multiset has an absolute difference  $\leq 1$  (i.e.,  $|4 - 3| = 1$  and  $|3 - 3| = 0$ ), so we print the number of chosen integers, **3**, as our answer.

## Sample Input 1

```
6
1 2 2 3 1 2
```

## Sample Output 1

```
5
```

## Explanation 1

We choose the following multiset of integers from the array:  $\{1, 2, 2, 1, 2\}$ . Each pair in the multiset has an absolute difference  $\leq 1$  (i.e.,  $|1 - 2| = 1$ ,  $|1 - 1| = 0$ , and  $|2 - 2| = 0$ ), so we print the number of chosen integers, **5**, as our answer.

[f](#) [t](#) [in](#)

Submissions: 3930



Max Score: 20

Difficulty: Easy

Rate This Challenge:

☆☆☆☆☆

[More](#)

Current Buffer (saved locally, editable)  

C++



```
1 #include <map>
2 #include <set>
3 #include <list>
4 #include <cmath>
5 #include <ctime>
6 #include <deque>
7 #include <queue>
8 #include <stack>
9 #include <string>
10 #include <bitset>
11 #include <cstdio>
12 #include <limits>
13 #include <vector>
14 #include <climits>
15 #include <cstring>
16 #include <cstdlib>
17 #include <fstream>
18 #include <numeric>
19 #include <sstream>
20 #include <iostream>
21 #include <algorithm>
22 #include <unordered_map>
23
24 using namespace std;
25
26
27 int main(){
28     int n;
29     cin >> n;
30     vector<int> a(n);
31     vector<int> maxarray;
32     for(int a_i = 0; a_i < n; a_i++){
33         cin >> a[a_i];
34     }
35     for (int i = 0; i < n; i++) {
36         vector<int> tmparray;
37         tmparray.push_back(a[i]);
38         for (int j = 0; j < n; j++) {
39             if (i == j) continue;
40             if (abs(a[i] - a[j]) <= 1) {
41                 for (int k = 0; k < tmparray.size(); k++) {
42                     if (abs(tmparray[k] - a[j]) > 1) goto next;
43                 }
44                 tmparray.push_back(a[j]);
45             }
46             next:
47             l++;
48         }
49         if (tmparray.size() > maxarray.size()) maxarray = tmparray;
50     }
51     cout << maxarray.size() << "\n";
52     return 0;
53 }
54
```

Line: 1 Col: 1

[Upload Code as File](#) ☐ Test against custom input[Run Code](#)[Submit Code](#)

Copyright © 2017 HackerRank. All Rights Reserved

Join us on IRC at [#hackerrank](#) on freenode for hugs or bugs.[Contest Calendar](#) | [Interview Prep](#) | [Blog](#) | [Scoring](#) | [Environment](#) | [FAQ](#) | [About Us](#) | [Support](#) | [Careers](#) | [Terms Of Service](#) | [Privacy Policy](#) | [Request a Feature](#)