

[Practice](#)
[Compete](#)
[Jobs](#)
[Rank](#)
[Leaderboard](#)

Buritomath

Dashboard > Functional Programming > Introduction > Lambda Calculus - Reductions #4

Badge Progress [\(Details\)](#)

Points: 80.00 Rank: 9344

Lambda Calculus - Reductions #4

by PRASHANTB1984

Problem	Submissions	Leaderboard	Discussions
---------	-------------	-------------	-------------

Reduce the following expression, using the beta-rule, to no more than **one term**. If the expression cannot be reduced, enter "CAN'T REDUCE".

```
(λg.((λf.((λx.(f (x x)))(λx.(f (x x))))) g))
```

Your answer should look like:

```
u
```

(This is not the actual answer, just a demonstration of how you should present it.)

Submissions: 2115

Max Score: 5

Difficulty: Medium

Rate This Challenge:

☆☆☆☆☆

[More](#)

If you cannot find your favorite language here, please check out the [algorithm domain](#). We support over 40 popular languages.

Current Buffer (saved locally, editable)

```

1  CAN'T REDUCE

```

Line: 1 Col: 1

Upload Code as File
 Test against custom input

Copyright © 2017 HackerRank. All Rights Reserved

Join us on IRC at [#hackerrank](#) on freenode for hugs or bugs.

[Contest Calendar](#) |
 [Interview Prep](#) |
 [Blog](#) |
 [Scoring](#) |
 [Environment](#) |
 [FAQ](#) |
 [About Us](#) |
 [Support](#) |
 [Careers](#) |
 [Terms Of Service](#) |
 [Privacy Policy](#) |
 [Request a Feature](#)