


Borawake Prem Girish

All
About
Pizza!



Pizza Sales SQL Project



My SQL

PG Admin

Pizza Sales SQL Project

##Basic:

1. Retrieve the total number of orders placed.

• SELECT

COUNT(order_id) AS Total_Orders

FROM

orders;


	Total_Orders
▶	21350





```
## 2. Calculate the total revenue generated from pizza sales.  
• SELECT  
  ROUND(SUM(orders_details.quantity * pizzas.price),  
        2) AS Total_Revenue  
FROM  
  orders_details  
  JOIN  
  pizzas ON pizzas.pizza_id = orders_details.pizza_id;
```

Result Grid	
	Total_Revenue
▶	817860.05



3. Identify the highest-priced pizza.

SELECT

 pizza_types.name, pizzas.price

FROM

 pizza_types

 JOIN

 pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id

ORDER BY price DESC

LIMIT 1;

Result Grid			Filter Rows:
	name	price	
▶	The Greek Pizza	35.95	

Pizza Sales SQL Project

4. Identify the most common pizza size ordered.

```
SELECT
    pizzas.size,
    COUNT(orders_details.order_details_id) AS orders_Count
FROM
    pizzas
    JOIN
    orders_details ON pizzas.pizza_id = orders_details.pizza_id
GROUP BY pizzas.size
ORDER BY orders_count DESC;
```



Result Grid			Filter
	size	orders_Count	
▶	L	18526	
	M	15385	
	S	14137	
	XL	544	
	XXL	28	

```
## 5. List the top 5 most ordered pizza types along with their quantities.  
SELECT  
    ROUND(SUM(orders_details.quantity * pizzas.price),  
          2) AS Total_Revenue  
FROM  
    orders_details  
    JOIN  
    pizzas ON pizzas.pizza_id = orders_details.pizza_id;
```

Pizza Sales SQL Project



Result Grid	
	Total_Revenue
▶	817860.05

Pizza Sales SQL Project



```
## Intermediate:
## 1. Join the necessary tables to find the total quantity of each pizza category ordered.
SELECT
    pizza_types.category,
    SUM(orders_details.quantity) AS quantity
FROM
    pizza_types
    JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
    JOIN
    orders_details ON orders_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.category
ORDER BY quantity DESC;
```

Result Grid			Filter
	category	quantity	
▶	Classic	14888	
	Supreme	11987	
	Veggie	11649	
	Chicken	11050	

2. Determine the distribution of orders by hour of the day.

```
SELECT
    HOUR(order_time) AS order_hour,
    COUNT(order_id) AS total_orders
FROM
    orders
GROUP BY HOUR(order_time)
ORDER BY order_hour;
```

	order_hour	total_orders
▶	9	1
	10	8
	11	1231
	12	2520
	13	2455
	14	1472
	15	1468
	16	1920
	17	2336
	18	2399
	19	2009
	20	1642
	21	1198
	22	663
	23	28



Pizza Sales SQL Project


```
## 3. Join relevant tables to find the category-wise distribution of pizzas.
```

```
SELECT
```

```
    category, COUNT(name)
```

```
FROM
```

```
    pizza_types
```

```
GROUP BY category;
```

	category	COUNT(name)
▶	Chicken	6
	Classic	8
	Supreme	9
	Veggie	9





```
## 4. Group the orders by date and calculate the average number of pizzas ordered per day.  
SELECT  
    ROUND(AVG(quantity), 0) AS Avg_Pizzas_Ordered_Per_Day  
FROM  
    (SELECT  
        orders.order_date, SUM(orders_details.quantity) AS quantity  
    FROM  
        orders  
    JOIN orders_details ON orders.order_id = orders_details.order_id  
    GROUP BY orders.order_date) AS order_quantity;
```

	Avg_Pizzas_Ordered_Per_Day
▶	138



Pizza Sales SQL Project

Pizza Sales SQL Project



```
## 5. Determine the top 3 most ordered pizza types based on revenue.  
SELECT  
    pizza_types.name,  
    SUM(orders_details.quantity * pizzas.price) AS Revenue  
FROM  
    pizza_types  
    JOIN  
    pizzas ON pizzas.pizza_type_id = pizza_types.pizza_type_id  
    JOIN  
    orders_details ON orders_details.pizza_id = pizzas.pizza_id  
GROUP BY pizza_types.name  
ORDER BY Revenue DESC  
LIMIT 3;
```

	name	Revenue
►	The Thai Chicken Pizza	43434.25
	The Barbecue Chicken Pizza	42768
	The California Chicken Pizza	41409.5

Pizza Sales SQL Project

```
## Advanced:
## 1. Calculate the percentage contribution of each pizza type to total revenue.

SELECT
    pizza_types.category,
    ROUND(SUM(orders_details.quantity * pizzas.price) / (SELECT
        ROUND(SUM(orders_details.quantity * pizzas.price),
            2) AS Total_Revenue
        FROM
            orders_details
            JOIN
                pizzas ON pizzas.pizza_id = orders_details.pizza_id) * 100,
        2) AS Revenue
FROM
    pizza_types
    JOIN
        pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
    JOIN
        orders_details ON orders_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.category
ORDER BY Revenue DESC;
```

	category	Revenue
▶	Classic	26.91
	Supreme	25.46
	Chicken	23.96
	Veggie	23.68



Pizza Sales SQL Project

```
## 2. Analyze the cumulative revenue generated over time.  
select order_date,  
sum(Revenue ) over ( order by order_date) As Cum_Revenue  
from  
(select orders.order_date,  
sum(orders_details.quantity * pizzas.price) Revenue  
from orders_details join pizzas  
on orders_details.pizza_id = pizzas.pizza_id  
join orders  
on orders.order_id = orders_details.order_id  
group by orders.order_date ) As sales;
```

	order_date	Cum_Revenue
▶	2015-01-01	2713.8500000000004
	2015-01-02	5445.75
	2015-01-03	8108.15
	2015-01-04	9863.6
	2015-01-05	11929.55
	2015-01-06	14358.5
	2015-01-07	16560.7
	2015-01-08	19399.05
	2015-01-09	21526.4
	2015-01-10	23990.350000000002
	2015-01-11	25862.65
	2015-01-12	27781.7
	2015-01-13	29831.300000000003
	2015-01-14	32358.700000000004
	2015-01-15	34343.500000000001
	2015-01-16	36937.650000000001





Pizza Sales SQL Project

```
## 3. Determine the top 3 most ordered pizza types based on revenue for each pizza category.  
Select name , Revenue from  
(select category ,name , Revenue,  
rank() over(partition by category order by Revenue DESC ) AS RN  
from  
(select pizza_types.category ,pizza_types.name ,  
sum(( orders_details.quantity) * pizzas.price ) AS Revenue  
from pizza_types join pizzas  
on pizza_types.pizza_type_id = pizzas.pizza_type_id  
join orders_details  
on orders_details.pizza_id = pizzas.pizza_id  
group by pizza_types.category , pizza_types.name) AS a ) AS b  
where RN <=3;
```

	name	Revenue
►	The Thai Chicken Pizza	43434.25
	The Barbecue Chicken Pizza	42768
	The California Chicken Pizza	41409.5
	The Classic Deluxe Pizza	38180.5
	The Hawaiian Pizza	32273.25
	The Pepperoni Pizza	30161.75
	The Spicy Italian Pizza	34831.25
	The Italian Supreme Pizza	33476.75
	The Sicilian Pizza	30940.5
	The Four Cheese Pizza	32265.700000000065
	The Mexicana Pizza	26780.75
	The Five Cheese Pizza	26066.5

THANK YOU



Phone

8261905243

Gmail

borawakeprem17@gmail.com

Github

<https://github.com/borawakeprem>

Linkdin

<https://www.linkedin.com/in/prem-borawake>