


UPLIGHT Clip BF

Intelligent office light for table top mounting







- ✓ Glare free UGR ≤ 6, beam angle: 45°/112°
- ✓ Light ratio top and bottom separately adjustable
- ✓ Daylight sensor for light temperature control
- ✓ Presence sensor
- ✓ >36.000 h Working Lifetime
- ✓ For table top thickness up to 42 mm
- ✓ Flicker free
- ✓ Four settings selectable



Details

Light source	LED
Lighting effect	130 lm/W
Protection level	IP 40
UGR	<6
CRI (Ra>)	≥80
Luminous flux	8500 lm ind./2300 lm direct
Luminous ratio	top 70%, bottom 30%
Beam angle	top 112°, bottom 45°
Light color	3000k, 4000k, 5000k, 6000k
Energy consumption	max. 60 W
Standby	0,5 W
Input voltage	AC 220-240V
Power factor	>0,9
Working lifetime (hour)	>36.000 h
Working temperatur	-20° - 40°
Cable length	180 cm

Technical drawings



Article	Description	Colour	Item No.
UPLIGHT Clip BF	Intelligent Office Clip Light, Biodynamic office lighting, glare free	RAL 9005, Jet black	331 129414
		RAL 7016, Anthracite	331 129435
		RAL 9006, White aluminium	331 129421
		RAL 9003, Signal white	331 129428

