


КИИИ Домашно 1

Изработил: Борис Цотов 185022

Дел 1: Работење на наш git репозиториум.



```
(wizard4e@Boris)-[~/kiii]
$ git init
hint: Using 'master' as the name for the initial branch. This de
fault branch name
hint: is subject to change. To configure the initial branch name
to use in all
hint: of your new repositories, which will suppress this warning
, call:
hint:
hint:   git config --global init.defaultBranch <name>
hint:
hint: Names commonly chosen instead of 'master' are 'main', 'tru
nk' and
hint: 'development'. The just-created branch can be renamed via
this command:
hint:
hint:   git branch -m <name>
Initialized empty Git repository in /home/wizard4e/kiii/.git/

(wizard4e@Boris)-[~/kiii]
$ git add README.md

(wizard4e@Boris)-[~/kiii]
$ git commit -m "first commit"
[master (root-commit) 6392de2] first commit
1 file changed, 1 insertion(+)
create mode 100644 README.md

(wizard4e@Boris)-[~/kiii]
$
```

```
(wizard4e@Boris)~[/kiii]
$ git branch develop
```

```
(wizard4e@Boris)~[/kiii]
$ git rev-parse --abbrev-ref HEAD
main
```

```
(wizard4e@Boris)~[/kiii]
$ git branch test
```

```
(wizard4e@Boris)~[/kiii]
$ git branch production
```

```
(wizard4e@Boris)~[/kiii]
$ |
```

```
(wizard4e@Boris)~[/kiii]
$ nano README.md
```

```
(wizard4e@Boris)~[/kiii]
$ git checkout develop
M README.md
Switched to branch 'develop'
```

```
(wizard4e@Boris)~[/kiii]
$ git add .
```

```
(wizard4e@Boris)~[/kiii]
$ git commit -m "committing changes to develop"
[develop b9088f1] committing changes to develop
1 file changed, 3 insertions(+)
```

```
(wizard4e@Boris)~[/kiii]
$ |
```


```
(wizard4e@Boris) - [~/kiii]
$ git checkout test
Switched to branch 'test'

(wizard4e@Boris) - [~/kiii]
$ git merge develop
Updating 6392de2..b9088f1
Fast-forward
 README.md | 3 +++
 1 file changed, 3 insertions(+)


(wizard4e@Boris) - [~/kiii]
$ git checkout production
Switched to branch 'production'

(wizard4e@Boris) - [~/kiii]
$ git merge develop
Updating 6392de2..b9088f1
Fast-forward
 README.md | 3 +++
 1 file changed, 3 insertions(+)


(wizard4e@Boris) - [~/kiii]
$ |
```

 **develop** had recent pushes 1 minute ago


[Compare & pull request](#)


 **test** had recent pushes 36 seconds ago

[Compare & pull request](#)


 **production** had recent pushes 12 seconds ago

[Compare & pull request](#)

 main ▾

 4 Branches


 0 Tags

 Go to file


 t


 +

 Code ▾


 Open



committing changes to develop #1

borisdz wants to merge 1 commit into `main` from `develop` 


 **borisdz** commented now Owner ⋮


No description provided.





  committing changes to develop b9088f1

Add more commits by pushing to the `develop` branch on [borisdz/Kill](#).



 **Require approval from specific reviewers before merging** Add rule ×
[Rulesets](#) ensure specific people approve pull requests before they're merged.

 **Continuous integration has not been set up**
[GitHub Actions](#) and [several other apps](#) can be used to automatically catch bugs and enforce style.

 **This branch has no conflicts with the base branch**
Merging can be performed automatically.

Merge pull request ▾

You can also [open this in GitHub Desktop](#) or view [command line instructions](#).

Дел 2: Соработка и придонесување на друг
репозиториум на GitHub.

```
(wizard4e@Boris)-[~/kiii_berat/KIII_Lab1]
$ git checkout -b boris
Switched to a new branch 'boris'
```

```
(wizard4e@Boris)-[~/kiii_berat/KIII_Lab1]
$ nano boris.txt
```

```
(wizard4e@Boris)-[~/kiii_berat/KIII_Lab1]
$ ls
boris.txt          Content.txt  forked_repo.txt  new-file.txt  tamara.txt
ContentDEVELOP.txt  feature.txt  new_feature.txt  README.md
```

```
(wizard4e@Boris)-[~/kiii_berat/KIII_Lab1]
$ git add boris.txt
```

```
(wizard4e@Boris)-[~/kiii_berat/KIII_Lab1]
$ git commit -a -m "Added my new file"
[boris 8cacdd0] Added my new file
1 file changed, 1 insertion(+)
create mode 100644 boris.txt
```

```
(wizard4e@Boris)-[~/kiii_berat/KIII_Lab1]
$ git push
```



Added my new file #6

borisdz wants to merge 1 commit into BeratAhmetaj:master from borisdz:boris

Add more commits by pushing to the **boris** branch on **borisdz/KIII_Lab1**.



✓ **This branch has no conflicts with the base branch**
Only those with [write access](#) to this repository can merge pull requests.



Add a comment

Write

Preview

H B I

Add your comment here...

Markdown is supported

Paste, drop, or click to add files

Close pull request

Comment

Remember, contributions to this repository should follow our [GitHub Community Guidelines](#).

ProTip! Add [.patch](#) or [.diff](#) to the end of URLs for Git's plaintext views.