

Petroleum as Compressed Time: The Temporal Distortion of Civilisation

A Structural Analysis of Fossil Energy as a Mechanism of
Scale Desynchronisation Between Biological, Geological, and Social
Rhythms

Boris Kriger^{1,2}

¹ Information Physics Institute, Gosport, Hampshire, United Kingdom

`boris.kriger@informationphysicsinstitute.net`

² Institute of Integrative and Interdisciplinary Research, Toronto, Canada

`boriskruger@interdisciplinary-institute.org`

February 2026

Abstract

This paper develops a conceptual and semi-formal framework in which petroleum is analysed not primarily as an energy resource but as a *mechanism of temporal compression*—an instrument that displaced human civilisation from synchronisation with the biosphere’s energy throughput. We introduce the *temporal compression ratio* $\tau = T_{\text{acc}}/T_{\text{ext}}$, formalising the mismatch between geological accumulation timescales and industrial extraction timescales, and note that $\tau \approx 10^6$ for petroleum and $\tau \approx 10^{10}$ for nuclear fission. Drawing on viability theory, we model the biosphere and civilisation as coupled systems sharing a joint viability set and argue that sustained extraction at rates exceeding the biosphere’s absorption capacity drives the coupled trajectory toward the viability boundary. The framework is then extended to analyse the geopolitical consequences of temporal compression—the resource curse, neo-extractivism, and the externalisation of entropy from consuming to producing regions—as structural features of the energy system rather than incidental side effects. We examine the entropic terminus of compressed time in consumer economies, where archived energy accumulated over geological timescales is converted into single-use products with functional lifespans measured in minutes. The analysis encompasses the prospects for resynchronisation through solar energy, the new temporal mismatches introduced by virtualisation and orbital infrastructure, and the role of CO₂ fertilisation and biospheric absorption rates. The central

thesis is that petroleum functions as a mechanism of acceleration that displaced human systems beyond the regime of sustainable synchronisation with the biosphere, and that the post-carbon transition is fundamentally a problem of resynchronisation across multiple coupled timescales.

Keywords: temporal compression, petroleum, viability theory, coupled dynamical systems, energy transitions, non-equilibrium thermodynamics, civilisational phase transitions, biosphere–civilisation coupling, resource curse, neo-extractivism, consumerism, waste, energy density, resynchronisation

Contents

1	Introduction	4
2	Literature Review	5
2.1	Energy and Civilisation	5
2.2	Non-Equilibrium Thermodynamics and Dissipative Structures	6
2.3	Energy and Political Structure	6
2.4	Critical Transitions and Early Warning Signals	7
2.5	Biogeochemistry and the Carbon Cycle	7
2.6	Peak Oil and Resource Depletion	7
2.7	Complex Systems and Viability Theory	7
2.8	Astrobiology and the Fermi Paradox	8
2.9	Economic Growth: Alternative Explanations	8
2.10	The Green Transition Within the Carbon Phase	8
3	Temporal Compression: Formal Framework	8
3.1	The Concept of Archived Energy	8
3.2	The Temporal Compression Ratio	10
3.3	What τ Predicts and Does Not Predict	11
4	Coupled Viability of the Biosphere–Civilisation System	12
4.1	Viability Theory: Essential Concepts	12
4.2	The Joint Viability Set	13
4.3	A Minimal Worked Example	14
4.4	Early Warning Signals Near the Viability Boundary	16
5	Temporal Compression and Exponential Growth	16

6	Energy Density and Governance Structure	17
6.1	The Structural Hypothesis	17
6.2	Toward Operationalisation	18
7	The Carbon Era as a Phase Transition	20
7.1	Three Phases of Civilisational Energy Regime	20
7.2	The Transition and Its Pace	21
7.3	The Reserve Paradox: Abundance as Risk	21
7.4	The Carbon Phase: Necessary or Contingent?	22
8	Nuclear Energy: Stellar-Scale Temporal Compression	23
9	The Geopolitical Price of Compressed Time	23
9.1	The Resource Curse as Temporal Pathology	23
9.2	Neo-Extractivism and the Externalisation of Entropy	24
9.3	The Double Extraction	24
10	The Entropic Terminus: Consumerism and Waste	24
10.1	Thermodynamic Analysis of Short-Lifespan Production	25
10.2	Aggregate Patterns	25
10.3	Structural Implications for Viability	25
10.4	The Archaeological Signature	26
11	Virtualisation and the Inward Turn	26
11.1	Dematerialisation: Evidence and Limits	26
11.2	The Control-Loop Mismatch	27
12	Solar Energy and the Problem of Resynchronisation	27
13	Carbon, Biomass, and the Rate of Return	28
14	The Biotic–Abiotic Question and Astrobiological Implications	28
14.1	Petroleum Genesis: Biotic vs. Abiotic	28
14.2	Mars as Test Case	29
14.3	The Temporal Compression Filter	29
15	Adaptive Capacity and the Limits of the Framework	29
16	Conclusion	30

1 Introduction

The conventional framing of petroleum treats it as an energy resource—a commodity to be extracted, priced, transported, and consumed. Within this framing, debates about petroleum reduce to questions of supply, demand, and environmental externality. This paper proposes a different analytical lens: petroleum is not primarily a resource but a *mechanism of temporal displacement*. Its extraction and combustion constitute an act of temporal compression in which energy accumulated over geological timescales—on the order of 10^8 years—is released over industrial timescales on the order of 10^2 years. The ratio between these timescales, which we formalise as the *temporal compression ratio* τ , is approximately 10^6 .

This reframing has consequences that extend beyond energy policy. If petroleum is understood as compressed time rather than stored energy, then the industrial era is not merely a period of high energy consumption but a period in which human civilisation *exited the temporal regime of the biosphere*. Prior to the exploitation of fossil fuels, all human societies operated within the constraints of the current solar flux: the energy available to civilisation at any moment was bounded by the rate at which the sun delivered energy to the Earth’s surface and the biosphere converted it into usable form. With fossil fuels, civilisation gained access to an *archive*—a stock of energy accumulated over hundreds of millions of years of photosynthetic activity, burial, and thermochemical transformation.

The consequences of this temporal displacement are structural. They include the acceleration of growth dynamics in population, industrial output, and financial systems; the formation of governance structures correlated with the spatial concentration and energy density of fossil fuel deposits; the progressive destabilisation of biogeochemical cycles that had reached approximate equilibrium over geological timescales; and the emergence of a civilisational trajectory that appears to approach the boundary of its joint viability set in the sense of Aubin’s mathematical viability theory (5; 6).

The paper is organised as follows. Section 2 reviews the relevant literature. Section 3 introduces the formal concept of temporal compression. Section 4 develops the coupled viability model. Section 5 examines the relationship between temporal compression and growth. Section 6 analyses the correlation between energy density and governance structure. Section 7 models the carbon era as a civilisational phase transition. Section 8 extends the framework to nuclear energy and stellar-scale compression. Section 9 analyses the geopolitical price of compressed time. Section 10 examines consumerism and waste as the entropic terminus of temporal compression. Section 11 discusses virtualisation and the inward turn. Section 12 addresses solar energy and resynchronisation. Section 13 analyses carbon, biomass, and absorption rates. Section 14 addresses the biotic–abiotic question. Section 15 discusses adaptive capacity and the limits of the framework. Section 16 concludes.

A note on scope. This paper is a *conceptual and structural* contribution, not a closed formal system. The mathematical apparatus is used to sharpen the analysis, not to simulate rigorous proof where the subject matter does not yet support it. Where claims are conjectural, they are labelled as such. The goal is to provide a coherent interpretive framework that organises a large body of empirical material and suggests directions for future formalisation, not to present a finished deductive theory.

2 Literature Review

2.1 Energy and Civilisation

The relationship between energy availability and civilisational complexity has been a central theme in the work of Vaclav Smil, whose analyses of energy transitions (54; 53) document the quantitative relationship between energy throughput and societal transformation. Smil’s central observation—that the density of available energy determines the range of activities a civilisation can sustain—provides the empirical foundation for the analysis presented here. However, Smil’s work is primarily descriptive and historical; it does not develop a mathematical framework for deriving structural consequences from energy parameters.

Howard Odum’s systems ecology (40; 41) introduced the concept of *emergy*—the total energy of one type required directly and indirectly to produce a product or service. Odum’s maximum power principle, derived from Alfred Lotka’s earlier work (30), proposes that systems maximising their rate of useful energy transformation tend to prevail in competition. This principle is related to our temporal compression framework: the exploitation of fossil fuels can be understood as a strategy of maximum power that temporarily exceeds the sustainable energy throughput of the biosphere.

Joseph Tainter’s theory of civilisational collapse (59) argues that complex societies collapse when the marginal returns on investments in complexity become negative. Tainter’s framework is complementary to ours: we suggest a formal mechanism (temporal compression and viability boundary approach) through which the diminishing returns that Tainter identifies may be understood as related to the exhaustion of archived energy. We note, however, that Tainter’s theory encompasses multiple drivers of collapse beyond energy depletion.

The *Limits to Growth* study by Meadows et al. (35; 36) used system dynamics modelling to project the consequences of exponential growth in a finite world. While the study’s methodology has been debated, its core insight—that exponential growth in resource consumption is structurally incompatible with finite stocks—resonates with our viability-theoretic framing.

2.2 Non-Equilibrium Thermodynamics and Dissipative Structures

Ilya Prigogine’s theory of dissipative structures (43; 44) established that systems far from thermodynamic equilibrium can spontaneously develop ordered structures by dissipating energy. Civilisation, in this view, is a dissipative structure maintained by a continuous throughput of energy. The petroleum era represents a phase in which the energy throughput was dramatically increased by accessing archived stocks rather than relying on current flows, driving the system further from equilibrium and enabling greater structural complexity—but also, potentially, greater fragility.

Eric Schneider and James Kay extended Prigogine’s framework to ecology, arguing that ecosystems develop in the direction of maximum entropy production (51). Axel Kleidon’s work on the thermodynamics of the Earth system (25) provides quantitative estimates of planetary entropy production and energy flows that inform our temporal compression calculations.

The exergy concept—the maximum useful work obtainable from a system as it comes into equilibrium with its environment—has been developed by Jan Szargut and others (58) as a measure of resource quality. Petroleum’s high specific exergy (approximately 42–47 MJ/kg) is central to its role as a temporal compression mechanism: it concentrates ancient solar energy into a form with high thermodynamic utility per unit mass.

2.3 Energy and Political Structure

Timothy Mitchell’s *Carbon Democracy* (37) argues that the physical properties of different energy sources—their spatial concentration, transportability, and the labour processes required for their extraction—shape the forms of political organisation that emerge around them. Mitchell shows that coal, because it required concentrated labour in mines and was transported through vulnerable chokepoints, enabled labour movements and democratic politics. Petroleum, by contrast, could be transported through pipelines with minimal labour, enabling more centralised and less democratic forms of control.

Mitchell’s analysis is primarily historical and qualitative. The present paper draws on his insight but also notes its limitations: petroleum-rich democracies such as Norway and Canada, and centralised states without significant petroleum (North Korea, the Soviet Union before major oil development), demonstrate that the energy–governance relationship is mediated by institutional, geographical, and historical factors. We discuss this in Section 6.

Andreas Malm’s *Fossil Capital* (31) traces the adoption of fossil fuels not to thermodynamic necessity but to the social relations of production. Malm’s work highlights the role of social choice in energy transitions, a dimension that our structural analysis does not replace but complements.

2.4 Critical Transitions and Early Warning Signals

Marten Scheffer and colleagues (49; 50) developed a framework for detecting approaching critical transitions in complex systems, identifying increased variance, critical slowing down, and flickering between alternative states as generic early warning signals. These signals are relevant to the viability boundary approach described in Section 4.

The mathematical foundations of critical transition theory draw on bifurcation theory in dynamical systems (56; 28). In our framework, the relevant control parameter is the extraction rate: as it increases, the coupled system may be driven through qualitative changes in attractor structure.

2.5 Biogeochemistry and the Carbon Cycle

Petroleum is predominantly the product of ancient marine organisms whose organic remains were buried in anoxic sedimentary environments and transformed by heat and pressure over tens to hundreds of millions of years (60; 21). The isotopic signature of petroleum carbon and the presence of biomarkers constitute strong evidence for the biological origin of the vast majority of commercially exploited petroleum (42).

Vladimir Vernadsky’s concept of the biosphere as a geological force (64; 65) provides the theoretical foundation for understanding petroleum as a biospheric product. The burial of organic carbon is one of the most consequential of these biospheric transformations, as it removes carbon from the atmosphere and modulates the planetary greenhouse effect over geological timescales.

2.6 Peak Oil and Resource Depletion

M. King Hubbert’s logistic model of resource depletion (19; 20) predicted that petroleum production in any given region would follow a bell-shaped curve, rising to a peak and then declining. While precise timing has been debated, the underlying logic—that a finite, non-renewable resource extracted at increasing rates must eventually reach a production maximum—is sound. In our framework, the Hubbert curve describes the temporal profile of energy extraction from the geological archive.

2.7 Complex Systems and Viability Theory

Jean-Pierre Aubin’s mathematical viability theory (5; 6) provides the formal apparatus for analysing systems that must remain within constraint sets to persist. The viability kernel is the central mathematical object. We adapt Aubin’s framework to the coupled biosphere–civilisation system, though we acknowledge that our adaptation is schematic rather than fully rigorous; the precise characterisation of the viability sets requires empirical input from Earth system science that is beyond the scope of this paper.

Stafford Beer’s Viable System Model (9; 10) identifies organisational structures necessary for system viability. Beer’s framework resonates with our analysis of how energy properties shape governance: systems with highly concentrated resource flows may tend to develop correspondingly centralised control structures.

2.8 Astrobiology and the Fermi Paradox

The question of whether a carbon-accelerated phase is common in the development of technological civilisations connects to the Fermi paradox and the Drake equation (12; 66). If the exploitation of fossil energy reserves is frequently necessary for developing industrial infrastructure, then accessible fossil fuels become an additional factor in the sequence of conditions required for technologically advanced life. This extends the range of “great filter” hypotheses (18) by identifying a geological–biological condition that has not been widely discussed.

2.9 Economic Growth: Alternative Explanations

It would be misleading to attribute industrial-era exponential growth solely to energy availability. A large body of economic history identifies institutional development (39; 1), human capital accumulation (8), knowledge spillovers and innovation (46; 38), trade expansion, and property rights as critical drivers. Our claim is not that temporal compression is the *sole* cause of exponential growth, but that it was a necessary enabling condition—without which the other drivers could not have produced growth at the rates observed. This distinction is developed in Section 5.

2.10 The Green Transition Within the Carbon Phase

Recent literature on energy transitions (55; 16) suggests that the shift to renewable energy may not require a discrete “phase transition” in the dynamical systems sense but could occur gradually within the carbon-accelerated phase. Falling costs of photovoltaics and wind power, battery storage improvements, and policy instruments such as carbon pricing may enable a smooth reduction of τ without the catastrophic bifurcation described in Section 7. We discuss this possibility in Section 12.

3 Temporal Compression: Formal Framework

3.1 The Concept of Archived Energy

All energy available to the Earth’s surface systems ultimately derives from a small number of sources: solar radiation, geothermal heat, and gravitational tidal forces. Solar radiation

dominates, delivering approximately 1.74×10^{17} W to the Earth’s surface. The biosphere converts a fraction through photosynthesis, producing approximately 1.3×10^{14} W of gross primary productivity (25).

Prior to the industrial exploitation of fossil fuels, human civilisation operated within the constraints of the *current solar flux*. We formalise this constraint as follows.

Definition 1 (Solar-Synchronous Regime). *A civilisation operates in a solar-synchronous regime if its total energy throughput $\dot{E}_{\text{civ}}(t)$ satisfies*

$$\dot{E}_{\text{civ}}(t) \leq \eta(t) \cdot \Phi_{\odot} \quad (1)$$

at all times t , where $\Phi_{\odot}$ is the solar flux intercepted by the civilisation’s territorial extent and $\eta(t) \in [0, 1]$ is the aggregate conversion efficiency.

This captures the fundamental constraint under which all pre-industrial civilisations operated. The total energy available was bounded by the product of solar flux and conversion efficiency, where conversion includes photosynthetic capture, biomass accumulation, animal metabolism, and mechanical augmentation (windmills, waterwheels, sailing vessels).

The exploitation of fossil fuels breaks this constraint. Petroleum, coal, and natural gas represent solar energy captured by ancient photosynthetic organisms, buried in sedimentary deposits, and transformed by geological processes over timescales of 10^7 – 10^8 years. When these fuels are extracted and combusted, the civilisation’s energy throughput is augmented by a flow from the geological archive.

Definition 2 (Archived Energy Stock). *The archived energy stock $E_{\text{arch}}(t)$ is the total recoverable energy stored in fossil fuel deposits at time t . On civilisational timescales, the rate of geological formation is negligible compared to extraction, so the stock satisfies the depletion equation*

$$\dot{E}_{\text{arch}}(t) = -\alpha(t) \cdot E_{\text{arch}}(t) \quad (2)$$

where $\alpha(t) > 0$ is the extraction rate coefficient.

The geological formation rate is not literally zero—new organic material is continuously being deposited—but it is negligible by comparison. Current global petroleum consumption is approximately 5.0×10^9 tonnes per year, while new petroleum formation is estimated at roughly 10^4 – 10^5 tonnes per year (60). The ratio of extraction to formation is on the order of 10^4 – 10^5 .

We note that equation (2) is a simplification. Real extraction follows a more complex trajectory—Hubbert’s logistic model (19) is one well-known alternative, in which production rises to a peak and then declines as remaining reserves become costlier to extract. We use the exponential form because it captures the essential feature (depletion of a finite stock) and is analytically tractable. The structural hypotheses developed

below—viability boundary approach, exponential growth enablement, energy–governance correlation—depend on the qualitative property that a finite stock is consumed much faster than it forms, not on the precise depletion profile. Under Hubbert-type depletion, the approach to the viability boundary would be modified (slower near peak, accelerating after) but the qualitative conclusion would be preserved. A detailed comparison of structural outcomes under different depletion models is a worthwhile direction for future work.

3.2 The Temporal Compression Ratio

The central formal concept of this paper quantifies the mismatch between accumulation and extraction timescales.

Definition 3 (Temporal Compression Ratio). *The temporal compression ratio is*

$$\tau = \frac{T_{\text{acc}}}{T_{\text{ext}}} \quad (3)$$

where T_{acc} is the characteristic timescale over which the archived energy stock was accumulated and T_{ext} is the characteristic timescale over which it is being extracted.

For petroleum, T_{acc} spans roughly 3×10^8 years (Carboniferous through Cretaceous). The extraction timescale T_{ext} , from the onset of large-scale exploitation (circa 1860) to the projected substantial depletion of economically recoverable reserves, is on the order of 3×10^2 years. This yields

$$\tau_{\text{petroleum}} \approx \frac{3 \times 10^8}{3 \times 10^2} = 10^6. \quad (4)$$

For comparison, coal has $\tau_{\text{coal}} \approx 10^5$ (somewhat shorter accumulation period, somewhat longer projected extraction window), and biomass has $\tau_{\text{biomass}} = 1$ (captured and consumed within the same annual cycle). Natural gas varies widely depending on origin, with τ ranging from $\sim 10^4$ (shallow biogenic gas) to $\sim 10^6$ (thermogenic gas from deep burial). The key point is that all fossil fuels have $\tau \gg 1$, with petroleum representing one of the most extreme cases.

A temporal compression ratio of 10^6 means that every year of petroleum consumption draws on approximately one million years of accumulated solar energy. This is a quantitative statement, not a metaphor.

Observation 1 (Temporal Desynchronisation). *A civilisation operating with temporal compression ratio $\tau \gg 1$ is necessarily desynchronised from the biosphere’s current energy throughput. Its energy consumption rate satisfies*

$$\dot{E}_{\text{civ}}(t) = \eta(t) \cdot \Phi_{\odot} + \alpha(t) \cdot E_{\text{arch}}(t) \quad (5)$$

where the second term can exceed the first by a factor determined by $\alpha(t)$ and $E_{\text{arch}}(t)$.

This follows directly from the definitions. In the current global energy system, fossil fuels account for approximately 80% of total primary energy supply (22), so the archived energy contribution is roughly four times the current solar-derived contribution.

3.3 What τ Predicts and Does Not Predict

It is important to clarify the epistemic status of the temporal compression ratio. τ is, in the first instance, a *descriptive metric*: it quantifies the ratio of two empirically measurable timescales. As a descriptor, τ tells us *how far* the civilisation’s energy regime has departed from solar synchrony. It does not, by itself, tell us *what consequences* follow from that departure.

The transition from description to structural hypothesis occurs when τ is used to identify *necessary conditions* for certain phenomena. $\tau \gg 1$ is a necessary condition for sustained exponential growth in energy throughput (Section 5): without access to archived energy, the solar flux ceiling binds. $\tau \gg 1$ is also a necessary condition for the specific pattern of viability boundary approach described in Section 4: the waste products of archived energy release (primarily CO₂) accumulate precisely because the release rate exceeds the absorption rate by a factor related to τ .

However, τ is not a *sufficient* cause of any specific outcome. A civilisation with $\tau = 10^6$ that extracted slowly enough (small α) could in principle remain within its viability set indefinitely—if $\alpha < \alpha^*$, temporal compression produces no viability crisis. Conversely, τ does not predict the institutional, geopolitical, or cultural consequences of fossil fuel use; these are mediated by factors (geography, history, social structure) that τ does not capture. The governance hypothesis (Section 6) and geopolitical analysis (Section 9) draw on τ as a framing device but introduce additional structural arguments that go beyond what τ alone entails.

In short: τ measures the magnitude of temporal desynchronisation. Whether that desynchronisation produces crisis depends on the extraction rate, the biosphere’s absorption capacity, the civilisation’s adaptive response, and the institutional context. τ is the thermometer, not the disease.




Figure 1: Temporal compression: petroleum as archived solar energy. The geological accumulation phase spans approximately 300 million years; the industrial extraction phase spans approximately 200 years. The temporal compression ratio $\tau \approx 10^6$ quantifies this asymmetry.

4 Coupled Viability of the Biosphere–Civilisation System

4.1 Viability Theory: Essential Concepts

Viability theory, developed by Jean-Pierre Aubin (5; 6), provides a mathematical framework for analysing systems that must satisfy constraints at every moment in order to persist. We apply this framework—schematically rather than with full rigour—to the coupled biosphere–civilisation system. The goal is to provide a structural vocabulary for discussing the consequences of temporal compression, not to prove existence or uniqueness results for the specific system.

Definition 4 (State Space of the Coupled System). *The state of the coupled biosphere–civilisation system is described by $\mathbf{x}(t) = (x_B(t), x_C(t), E(t)) \in \mathbb{R}^{n_B} \times \mathbb{R}^{n_C} \times \mathbb{R}_{\geq 0}$, where x_B represents the biosphere state (atmospheric composition, mean temperature, biodiversity indices, ocean chemistry), x_C represents the civilisation state (population, industrial capacity, technological level, institutional complexity), and $E(t)$ is the remaining archived energy stock.*

Definition 5 (Coupled Dynamics). *The dynamics are governed by*

$$\dot{x}_B = f_B(x_B, x_C, E) \quad (6)$$

$$\dot{x}_C = f_C(x_C, x_B, E) \quad (7)$$

$$\dot{E} = -\alpha(x_C) \cdot E \quad (8)$$

where f_B and f_C are vector fields representing internal dynamics and mutual coupling, and $\alpha(x_C) \geq 0$ is the extraction rate.

The coupling operates through several channels. The biosphere is affected by civilisation through greenhouse gas emissions, land use changes, and pollution. Civilisation is affected by the biosphere through climate, agricultural productivity, and ecosystem services. Both depend on the archived energy stock: civilisation draws on it directly; the biosphere is affected by the waste products of its combustion.

4.2 The Joint Viability Set

Definition 6 (Viability Sets). *The biosphere viability set $\mathcal{V}_B$ is the region of biosphere state space within which the biosphere can sustain its essential functions:*

$$\mathcal{V}_B = \{x_B \in \mathbb{R}^{n_B} : g_i^B(x_B) \leq 0, i = 1, \dots, m_B\} \quad (9)$$

The civilisation viability set $\mathcal{V}_C$ is defined analogously. The joint viability set is

$$\mathcal{V} = \{(x_B, x_C, E) : x_B \in \mathcal{V}_B, x_C \in \mathcal{V}_C, E \geq 0\} \quad (10)$$

The joint viability set is the region of state space in which both subsystems can persist simultaneously. Its boundary $\partial\mathcal{V}$ represents the threshold beyond which at least one subsystem loses the capacity to maintain its essential functions.

We do not claim to characterise $\mathcal{V}_B$ or $\mathcal{V}_C$ precisely; doing so would require detailed Earth system models beyond the scope of this paper. However, the planetary boundaries framework of Rockström et al. (45) provides an empirical approximation: nine Earth system processes (climate change, biodiversity loss, nitrogen and phosphorus cycling, ocean acidification, land use, freshwater use, ozone depletion, atmospheric aerosol loading, and chemical pollution) each have thresholds beyond which abrupt and potentially irreversible environmental change becomes likely. These thresholds can be understood as approximate boundaries of $\mathcal{V}_B$. Several have already been crossed. The viability-theoretic framing is used here as a *structural language* for expressing the qualitative dynamics of the coupled system, not as a substitute for the detailed empirical work required to characterise the boundaries precisely.

Hypothesis 1 (Viability Boundary Approach Under Temporal Compression). *When the extraction rate $\alpha(x_C)$ exceeds a critical threshold α^* —determined by the biosphere’s capacity to absorb and process the waste products of combustion—the trajectory $(x_B(t), x_C(t), E(t))$ moves toward the boundary $\partial\mathcal{V}$.*

The reasoning is as follows. Extraction at rate $\alpha > \alpha^*$ produces waste (primarily CO_2) faster than the biosphere can absorb it, driving x_B toward the boundary of $\mathcal{V}_B$. Simultaneously, depletion of E toward zero threatens civilisation’s energy supply, driving x_C toward the boundary of $\mathcal{V}_C$. The coupled system thus approaches $\partial\mathcal{V}$ from two directions.

We label this a *hypothesis* rather than a theorem because the argument, while structurally sound, has not been verified for a specific instantiation of f_B , f_C , and the constraint functions g_i . A fully rigorous treatment would require specifying these functions, constructing a Lyapunov function or applying Aubin’s viability algorithms, and verifying the boundary approach property. This remains an important direction for future work.

Current empirical evidence is consistent with the hypothesis: rising atmospheric CO_2 concentrations (from ~ 280 ppm pre-industrial to ~ 420 ppm in 2024), global mean temperature increases of approximately 1.2°C , ocean acidification, and biodiversity loss all suggest movement of x_B toward the boundary of $\mathcal{V}_B$ (23).

4.3 A Minimal Worked Example

To demonstrate that the viability-theoretic framing is not merely verbal, we instantiate a minimal two-dimensional model that captures the essential dynamics.

Let $T(t)$ denote global mean temperature anomaly (in $^\circ\text{C}$ above pre-industrial) and $E(t)$ the remaining archived energy stock (normalised to $E(0) = 1$). The dynamics are:

$$\dot{T} = \gamma \cdot \alpha \cdot E - \kappa \cdot T \quad (11)$$

$$\dot{E} = -\alpha \cdot E \quad (12)$$

where $\alpha > 0$ is the extraction rate, $\gamma > 0$ converts energy extraction to radiative forcing (via CO_2 emissions), and $\kappa > 0$ is the climate system’s relaxation rate toward equilibrium. The viability constraint is $T(t) \leq T_{\max}$ (e.g., $T_{\max} = 2^\circ\text{C}$, following the Paris Agreement target). The viability set is simply $\mathcal{V} = \{(T, E) : T \leq T_{\max}, E \geq 0\}$.

Equation (12) gives $E(t) = e^{-\alpha t}$. Substituting into (11) and solving:

$$T(t) = \frac{\gamma\alpha}{\kappa - \alpha} (e^{-\alpha t} - e^{-\kappa t}) + T(0) e^{-\kappa t} \quad (13)$$

for $\kappa \neq \alpha$, with $T(0) = 0$. The temperature rises to a maximum at $t^* = \frac{\ln(\kappa/\alpha)}{\kappa - \alpha}$ and then

declines as the stock is exhausted. The peak temperature is:

$$T_{\max}^{\text{peak}} = \frac{\gamma\alpha}{\kappa - \alpha} \left[\left(\frac{\alpha}{\kappa} \right)^{\alpha/(\kappa-\alpha)} - \left(\frac{\alpha}{\kappa} \right)^{\kappa/(\kappa-\alpha)} \right] \quad (14)$$

The system exits the viability set if $T_{\max}^{\text{peak}} > T_{\max}$. The critical extraction rate α^* is defined implicitly by $T_{\max}^{\text{peak}}(\alpha^*) = T_{\max}$.

With illustrative parameters ($\gamma = 5$, $\kappa = 0.02 \text{ yr}^{-1}$, $T_{\max} = 2^\circ\text{C}$), the critical extraction rate is approximately $\alpha^* \approx 0.008 \text{ yr}^{-1}$. For comparison, the current effective global extraction rate for all fossil fuels is approximately $\alpha \approx 0.03 \text{ yr}^{-1}$ —well above α^* . The toy model thus reproduces the qualitative conclusion of Hypothesis 1: at current extraction rates, the trajectory exits the viability set.

This model is deliberately crude. It collapses the biosphere to a single variable (temperature), ignores carbon cycle feedbacks, and treats extraction as exponential. Its purpose is not to provide quantitative predictions but to demonstrate that the viability-theoretic framing is operationalisable and that, even in the simplest instantiation, the structural conclusion—supercritical extraction rates drive the system out of its viability set—holds.




Figure 2: Coupled viability of the biosphere–civilisation system. The biosphere viability set $\mathcal{V}_B$ and civilisation viability set $\mathcal{V}_C$ overlap in the joint viable region. The pre-petroleum trajectory remains within this intersection. The petroleum-era trajectory, driven by temporal compression, moves toward the viability boundary.

4.4 Early Warning Signals Near the Viability Boundary

If Hypothesis 1 is correct and the trajectory approaches $\partial\mathcal{V}$, then generic results from critical transition theory (49; 56) suggest the system should exhibit early warning signals: increased variance in state variables, critical slowing down (increasing autocorrelation after perturbation), and flickering between alternative quasi-stable states.

In the neighbourhood of $\partial\mathcal{V}$, the dominant eigenvalue of the linearised dynamics approaches zero, producing divergent return times after perturbation:

$$T_{\text{return}} \sim |\lambda_{\text{max}}|^{-1} \rightarrow \infty \quad \text{as } \mathbf{x}(t) \rightarrow \partial\mathcal{V}. \quad (15)$$

This is a well-established result in bifurcation theory (28), applied here to suggest that the increasing frequency of extreme climatic events, economic crises, and institutional instabilities may be related phenomena—not independent misfortunes but potential signatures of a system approaching its viability boundary. We note that this is an interpretive claim, not a demonstrated causal connection; establishing the link rigorously would require spatiotemporal data analysis beyond the scope of this paper.

5 Temporal Compression and Exponential Growth

One of the most striking features of the industrial era is the emergence of rapid growth across multiple domains: population, GDP, energy consumption, and material throughput. The conventional explanation treats these as independent phenomena driven by technological innovation, institutional development, human capital, and other factors (39; 46; 38). We do not dispute the importance of these factors. Our claim is narrower: temporal compression was a *necessary enabling condition* for exponential growth at the observed rates, not its sole cause.

Hypothesis 2 (Temporal Compression as Enabler of Rapid Growth). *The transition from a solar-synchronous regime ($\tau = 1$) to a carbon-accelerated regime ($\tau \gg 1$) removed a binding energy constraint on growth. In the solar-synchronous regime, energy throughput was bounded by $\eta(t) \cdot \Phi_{\odot}$, placing an upper limit on the rate of economic and demographic expansion. The availability of archived energy relaxed this constraint, enabling growth at rates not previously achievable.*

Two versions of this claim should be distinguished. The *weaker* version states that fossil fuels removed a binding constraint—that is, they made rapid growth possible by supplying the energy throughput it required. This is well-supported and relatively uncontroversial: the orders-of-magnitude increase in per capita energy consumption that accompanied industrialisation (54) could not have been sustained by biomass and muscle alone.

The *stronger* version states that fossil fuels were *necessary* for growth at the observed rates—that no alternative energy pathway could have produced comparable outcomes. This is a counterfactual claim that depends on assumptions about what institutional and technological innovation would have achieved under the solar-flux ceiling. We cannot verify this counterfactual. For the purposes of this paper, the weaker version suffices: temporal compression removed a constraint, and the growth that followed was conditioned on this removal.

The argument is as follows. In a solar-synchronous civilisation, if a fraction β of energy throughput is reinvested into expanding productive capacity, growth is bounded:

$$\dot{E}_{\text{civ}} \leq \beta \cdot \eta \cdot \Phi_{\odot} \quad (16)$$

which is linear in the solar flux and admits at most linear growth in the absence of major efficiency gains. With access to the archived stock, the positive feedback loop—more extraction enables more industrial capacity enables more extraction—is unlocked:

$$\dot{E}_{\text{civ}}(t) = \dot{E}_{\text{civ}}(t_0) \cdot e^{\beta\alpha(t-t_0)} \quad (17)$$

until E_{arch} is depleted or the biosphere viability boundary is reached.

Several important qualifications are necessary. First, the positive feedback loop described here is one of many. Institutional innovations (property rights, financial markets, scientific method), human capital accumulation, and knowledge spillovers are independent drivers of growth that operated alongside and interacted with the energy driver (1; 38). Second, the equation above is a stylised model, not a claim about the precise functional form of historical growth. Third, pre-industrial societies exhibited growth—sometimes substantial—within the solar-synchronous regime, driven by agricultural innovation, trade, and institutional development. What they did not exhibit is *sustained exponential growth in energy throughput*, which appears to be uniquely associated with the fossil fuel era.

The historical record is consistent with this hypothesis. Global energy consumption was approximately flat (in per capita terms) for millennia before the industrial revolution, then increased by roughly two orders of magnitude in two centuries (54). This inflection coincides with the onset of coal and then petroleum exploitation.

6 Energy Density and Governance Structure

6.1 The Structural Hypothesis

Different energy sources possess characteristically different energy densities. Biomass and muscle power: $\sim 1\text{--}5$ MJ/kg. Coal: ~ 24 MJ/kg. Petroleum: $\sim 42\text{--}47$ MJ/kg. Natural

gas: ~ 55 MJ/kg by mass but low volumetric density. Nuclear fuels: $\sim 8 \times 10^7$ MJ/kg for uranium-235.

We propose—as a structural hypothesis, not a deterministic law—that the degree of centralisation in governance structures is *correlated with and structurally favoured by* the energy density of the dominant energy source.

Hypothesis 3 (Energy Density–Centralisation Correlation). *Higher effective energy density (gravimetric density modulated by spatial concentration and transportability) of the dominant energy source is associated with, and creates structural pressures toward, more centralised governance.*

The structural argument: high-density energy concentrated in few locations creates chokepoints. Control of chokepoints confers disproportionate power. Disproportionate power favours centralised governance. Conversely, spatially distributed, low-density sources (sunlight, wind) create no decisive chokepoints and favour distributed governance.

The historical evidence offers partial support. Coal mining created concentrated labour forces and transport chokepoints that—as Mitchell (37) has shown—enabled both centralised industrial control and organised labour resistance. Petroleum, transportable by pipeline with minimal labour, enabled more opaque and centralised control structures. Nuclear energy requires state-level regulation and security in every country that operates it.

However, the relationship is clearly mediated by institutional factors. Norway and Canada are petroleum-rich democracies with low centralisation indices. Singapore is highly centralised without significant domestic energy resources. The Gulf petrostates developed centralised governance, but pre-existing tribal and monarchical structures played at least as large a role as energy density. North Korea is highly centralised without petroleum wealth.

We therefore present Hypothesis 3 as a claim about *structural tendency*, not deterministic causation. Energy density creates pressures and opportunities for centralisation; whether these pressures are realised depends on the institutional, cultural, and geographical context.

6.2 Toward Operationalisation

A testable version of the hypothesis requires operational definitions of both variables. We propose the following as a starting point for empirical research.

For the *centralisation index* $\mathcal{C}$, existing political science datasets provide several candidates: the Polity V score (32) (which measures regime authority characteristics on a -10 to $+10$ scale), the V-Dem polyarchy index (33) (which measures electoral democracy on a $0-1$ scale), or the World Bank’s Worldwide Governance Indicators (specifically “Voice

and Accountability”). $\mathcal{C}$ could be defined as one minus the normalised democracy score, so that higher values indicate greater centralisation.

For the *effective energy density* ρ_E , we propose a composite measure: the weighted average of the gravimetric energy densities of all energy sources in a country’s primary energy mix, where the weights are the fractional contributions to total primary energy supply:

$$\rho_E = \sum_i w_i \cdot \rho_i \quad (18)$$

where w_i is the share of source i in total primary energy and ρ_i is its gravimetric energy density (MJ/kg). This gives a single number per country per year.

A preliminary test would then be: across all countries and years in, say, 1960–2020, is $\mathcal{C}$ positively correlated with ρ_E after controlling for GDP per capita, institutional heritage (former colonial status), and regional fixed effects? We do not perform this test here, but we note that the required data (IEA energy balances, Polity V or V-Dem scores) are publicly available and the test is straightforward to execute.

We expect the correlation to be positive but modest, with substantial residual variance explained by institutional factors. The hypothesis predicts a *tendency*, not a deterministic relationship. Petroleum-rich democracies (Norway, Canada) represent cases where strong pre-existing institutions overrode the centralising pressure of high-density energy. Gulf petrostates represent cases where weak pre-existing institutions were reinforced by it. The interesting empirical question is whether the partial correlation—after controlling for institutions—is statistically significant and in the predicted direction.




Figure 3: Energy density and governance topology. Circles show the general trend: higher energy density correlates with more centralised governance. Square markers show counterexamples—petroleum-rich democracies (Norway, Canada) and centralised states without fossil resources (North Korea, Singapore)—demonstrating that institutional factors mediate the relationship.

7 The Carbon Era as a Phase Transition

7.1 Three Phases of Civilisational Energy Regime

The temporal compression framework partitions civilisational history into three energy regimes.

Phase I: Solar-Synchronous. Energy throughput $\dot{E}_{\text{civ}} \leq \eta\Phi_{\odot}$. Duration: all of human history prior to circa 1800. Growth: slow. Temporal compression ratio: $\tau = 1$. This regime encompassed all forms of solar energy capture available to pre-industrial societies: direct thermal (bodily warmth in tropical and subtropical latitudes), biospheric (biomass, animal power, food), and mechanical (wind, water). The conversion efficiency $\eta(t)$ in equation (1) includes direct thermal capture, not only photosynthetic mediation. Civilisations in favourable latitudes developed sophisticated cultures while relying substantially on direct solar input. Nevertheless, the energy throughput per capita remained bounded by the solar flux per unit area, and no pre-industrial society—regardless of latitude or ingenuity—achieved sustained exponential growth in energy throughput.

Phase II: Carbon-Accelerated. Energy throughput $\dot{E}_{\text{civ}} \gg \eta\Phi_{\odot}$, sustained by drawdown of archived energy. Duration: circa 1800 to present. Growth: rapid, approximately exponential. Temporal compression ratio: $\tau \approx 10^4\text{--}10^6$ (varying by fuel).

Phase III: Post-Carbon. Energy throughput returns toward solar-synchronous

regime, augmented by advanced conversion technologies (high-efficiency photovoltaics, energy storage, possibly nuclear fusion). Duration: open-ended. Growth: stabilising. Temporal compression ratio: $\tau \rightarrow 1$.

7.2 The Transition and Its Pace

The transition from Phase II to Phase III is the critical juncture.

Hypothesis 4 (Bifurcation at the Post-Carbon Transition). *The transition from Phase II to Phase III depends on the rate of post-carbon energy infrastructure development μ relative to a critical rate μ^* :*

1. *If $\mu > \mu^*$: the system converges to a Phase III attractor within $\mathcal{V}$.*
2. *If $\mu < \mu^*$: the trajectory exits $\mathcal{V}$, and the system undergoes a critical transition to a lower-complexity state.*

Whether the transition is sharp or gradual is an open empirical question. The literature on energy transitions (55; 16) suggests that falling renewable costs, improving storage technology, and carbon pricing may enable a smooth reduction in τ . Germany’s expansion of renewables, jurisdictional bans on internal combustion vehicles, and the post-pandemic shift to remote work represent real adaptive capacity. Global population growth is decelerating and is projected to plateau by 2100 (61). These developments suggest that Phase II may already be winding down through adaptive response.

However, global fossil fuel consumption has not yet peaked in absolute terms (22). Atmospheric CO₂ continues to rise year over year. The climate system has thermal inertia: even if emissions ceased today, temperatures would continue to rise for decades (23). Replacing approximately \$100 trillion of fossil-fuel-dependent capital stock globally operates on timescales of decades. The framework’s contribution is not to predict that the viability boundary *will* be crossed, but to clarify the structural question: is μ greater or less than μ^* ?

7.3 The Reserve Paradox: Abundance as Risk

The predictions of the 1970s that petroleum would be exhausted within decades proved wrong. Hydraulic fracturing, horizontal drilling, bituminous sand extraction, and deep-water technology have continually expanded the accessible resource base. Unexplored deposits beneath continental shelves, permafrost zones, and deep geological formations likely contain reserves substantially exceeding current estimates.

Within the temporal compression framework, this abundance is not reassuring—it is the opposite. The framework’s central concern is not that petroleum will run out but that the biosphere’s capacity to absorb the consequences of its combustion will be exhausted

first. Larger reserves mean a larger total quantity of archived carbon available for release, and therefore a greater potential magnitude of desynchronisation.

Moreover, the energy return on investment (EROI) of newly accessible reserves is declining. Conventional crude oil in the mid-20th century had EROI ratios of 50:1 or higher; bituminous sands yield ratios closer to 5:1 (17). Declining EROI means that civilisation must invest an increasing fraction of its energy throughput merely to maintain its extraction rate—a treadmill effect. In viability-theoretic terms, declining EROI shrinks the effective viability set: the system’s operating margin narrows even as its gross energy throughput remains high.

7.4 The Carbon Phase: Necessary or Contingent?

Conjecture 1 (Carbon Phase as Common Developmental Stage). *For a technological civilisation developing on a terrestrial planet with a carbon-rich biosphere, access to a stock of archived energy with $\tau \gg 1$ may be a frequent—though not the only possible—path to developing the industrial infrastructure required for post-carbon energy systems.*

Historical counterexamples partly temper this conjecture: hydropower drove early aluminium smelting; charcoal-based metallurgy achieved considerable sophistication in pre-industrial China and Europe; Iceland’s geothermal resources have supported industrial development without large-scale fossil fuel use. Whether alternatives could have bootstrapped the *full* industrial revolution—semiconductor fabrication, large-scale chemical synthesis, global logistics—is an open question.




Figure 4: Civilisational phase transitions with energy regime as order parameter. Phase I exhibits slow growth bounded by the solar flux ceiling. Phase II exhibits rapid growth driven by temporal compression. At the transition point, the system either enters Phase III (solid blue) or undergoes a critical transition to a lower-complexity state (dashed orange).

8 Nuclear Energy: Stellar-Scale Temporal Compression

The temporal compression framework extends beyond fossil fuels. The fission of uranium-235 and thorium-232 releases energy stored not by the terrestrial biosphere but by nucleosynthesis in supernovae approximately 5×10^9 years ago. The temporal compression ratio for nuclear fission is on the order of 10^{10} : energy concentrated in stellar explosions billions of years ago is released in controlled chain reactions lasting microseconds.

Nuclear energy confirms the framework’s structural hypotheses. Its energy density ($\sim 8 \times 10^7$ MJ/kg for U-235) is the highest of any currently exploited source, and the governance hypothesis (Hypothesis 3) predicts exactly what is observed: state monopoly, military-grade security, and regulatory regimes without parallel in any other energy sector.

Nuclear energy also introduces a *temporal debt*: radioactive waste remains hazardous for 10^4 – 10^5 years, requiring custodial management across timescales exceeding the lifespan of any known institution. Where petroleum draws on the deep past (consuming geological time), nuclear waste mortgages the deep future (imposing obligations on geological timescales). The framework thus reveals a symmetry: fossil fuels create a debt to the past; nuclear fission creates a debt to the future. Both are instances of temporal desynchronisation—the displacement of costs and benefits across timescales that the generating system cannot itself span.

9 The Geopolitical Price of Compressed Time

9.1 The Resource Curse as Temporal Pathology

The “resource curse”—the paradox that resource-rich countries often exhibit slower economic growth, weaker institutions, and higher rates of conflict than resource-poor countries—has been extensively documented (47; 7; 48). The temporal compression framework adds a structural dimension: when wealth can be extracted directly from the ground, the incentive to develop human capital, institutional complexity, and diversified economic activity is attenuated. The availability of compressed time—energy convertible to revenue without the slow process of building productive capacity—short-circuits the developmental pathway that resource-poor societies are compelled to follow.

This short-circuiting is itself a form of temporal distortion. Societies that develop through agriculture, manufacturing, and trade must synchronise with the slow rhythms of human capital formation, institutional evolution, and technological learning. Petrostates can bypass these rhythms by monetising a geological inheritance. The result is a society whose wealth is desynchronised from its institutional maturity—a temporal mismatch at the social level mirroring the thermodynamic mismatch at the planetary level.

9.2 Neo-Extractivism and the Externalisation of Entropy

The history of petroleum-rich regions in the Middle East, West Africa, Central Asia, and Latin America is inseparable from the history of external intervention aimed at securing access to reserves. The transition from direct colonialism to what has been called “neo-extractivism” (63; 2)—the maintenance of favourable extraction conditions through political influence, military presence, or the cultivation of weak governance—represents a structural feature of the global fossil fuel system.

Within the temporal compression framework, this pattern is an *externalisation of entropy*. The energy (compressed time) flows from periphery to centre; the disorder—institutional fragility, armed conflict, environmental degradation—accumulates at the periphery. The consuming civilisation maintains its internal coherence by displacing the costs of extraction onto regions lacking the political power to resist. A system that maintains its viability by degrading the viability of its subsystems is operating on borrowed time: the apparent stability of the centre depends on the instability of the periphery.

The political rhetoric of continued fossil fuel maximisation reflects the structural incentives created by high-density, geographically concentrated energy sources: the rewards of extraction are immediate and concentrated; the costs are distributed across time and space.

9.3 The Double Extraction

If the biogenic theory of petroleum is correct, fossil fuel combustion is the burning of ancient life—the metabolic residue of organisms that lived hundreds of millions of years ago. But extraction in the present also exacts a toll in contemporary life: communities displaced, ecosystems degraded by spills and flaring, populations subjected to resource conflict, lives shortened by air pollution.

This double extraction—from the deep past (geological reserves) and from the living present (human communities and ecosystems)—is a structural feature of the temporal compression mechanism. The energy density that makes petroleum so potent as a temporal compressor also makes it so consequential as a geopolitical force: the concentration of enormous energy in small volumes creates correspondingly enormous incentives for control, and the struggle for control generates correspondingly enormous human costs.

10 The Entropic Terminus: Consumerism and Waste

A striking feature of the carbon-accelerated phase is not merely the *quantity* of archived energy consumed but the *distribution of functional lifespans* of its products. This section examines the thermodynamic structure of consumer economies; normative judgments about waste are deferred to the discussion in Section 15.

10.1 Thermodynamic Analysis of Short-Lifespan Production

Consider the energetic biography of a single-use plastic container. The petroleum from which it is derived was accumulated over $\sim 10^8$ years of photosynthetic capture, burial, and thermochemical transformation. It was extracted, refined, polymerised, moulded, transported, filled, used for approximately ten minutes, and discarded. It will persist in the environment for 10^2 – 10^3 years. The ratio of use-time to accumulation-time is on the order of 10^{-14} .

From a thermodynamic perspective, this represents a large entropy increase: a low-entropy molecular structure (petroleum) is converted through an elaborate industrial chain into a briefly functional, then permanently useless, high-entropy waste product. The energy budget of this conversion—extraction, refining, manufacturing, shipping, retail, collection, landfill—exceeds the functional utility delivered during the object’s minutes of use. This is a measurable thermodynamic fact, not a value judgment.

10.2 Aggregate Patterns

The broader pattern exhibits the same structure at scale. The availability of cheap fossil energy makes it economically rational to produce new goods rather than repair existing ones, to transport commodities across hemispheres rather than source locally, and to design for obsolescence rather than durability. The Jevons paradox (4) operates at the civilisational level: cheap energy makes consumption cheap, stimulating demand beyond the efficiency gain.

Global food waste accounts for approximately 8–10% of anthropogenic greenhouse gas emissions (62). The energy embedded in manufactured goods discarded within one year of purchase represents a substantial fraction of total industrial energy consumption. These are empirical observations about the allocation of energy throughput, not prescriptions about how it should be allocated.

10.3 Structural Implications for Viability

The relevant structural observation is this: a system that allocates a large fraction of its temporally compressed energy inputs to the production of outputs with extremely short functional lifespans is accelerating its approach to the viability boundary without a corresponding increase in civilisational capability or resilience. Whether this allocation is “wasteful” is a normative question outside the scope of this framework. What the framework can say is that a different allocation—directing the same energy toward durable infrastructure, renewable energy deployment, or ecosystem restoration—would produce a slower approach to $\partial\mathcal{V}$ for the same total energy expenditure. The framework identifies the thermodynamic structure; how societies choose to act on that structure is a matter

of politics, values, and institutional design.

10.4 The Archaeological Signature

The geological stratum corresponding to the industrial era will contain a globally distributed layer of synthetic polymers, microplastics, radionuclides, and novel chemical compounds—the “technofossils” proposed as markers of the Anthropocene (69). This layer records the transformation of geological-timescale energy accumulations into industrial-timescale waste. The productive use that mediated between them was, in many cases, measured in days. This is a factual observation about the material residue of the carbon-accelerated phase.

11 Virtualisation and the Inward Turn

The digitalisation of economic activity may be altering the relationship between civilisational complexity and material throughput. A letter that in 1850 required paper manufacture, horse-drawn transport, and weeks of transit now requires millijoules of electromagnetic signal. Entire categories of physical activity are being replaced by informational equivalents with dramatically lower material footprints per transaction.

11.1 Dematerialisation: Evidence and Limits

If this trend continues, civilisation may undergo an *inward turn*: a shift from extensive growth (more material throughput) to intensive growth (more computation per unit of energy). The evidence for partial dematerialisation is real: the information intensity of GDP (bits processed per dollar of output) has increased by orders of magnitude since 1970, and several high-income economies have achieved absolute decoupling of GDP from domestic material consumption (68).

However, the Jevons paradox applies at the civilisational level (4). Data centres alone consume approximately 1–2% of global electricity and are projected to reach 3–4% by 2030. Training a single large language model requires energy on the order of 10^6 kWh (57)—comparable to the lifetime energy consumption of dozens of humans. The physical infrastructure supporting the “weightless economy”—semiconductor fabrication requiring ultra-pure materials, undersea cables, satellite constellations, rare-earth-dependent devices—is itself material-intensive. Moreover, accounting for embodied energy in imported goods, many “dematerialised” economies have merely offshored their material consumption rather than eliminated it (68).

11.2 The Control-Loop Mismatch

More fundamentally, virtualisation may create a new form of temporal mismatch. Decision-making systems operating at computational speeds (milliseconds) would govern ecological and social processes responding on timescales of years to centuries. This *control-loop mismatch*—where the governing system operates in one temporal regime and the governed system in another—is structurally analogous to petroleum’s temporal compression but displaced from the energetic to the informational domain.

The analogy can be made precise. Define a *decision-response ratio* $\delta = T_{\text{response}}/T_{\text{decision}}$, where T_{decision} is the timescale on which decisions are generated and T_{response} is the timescale on which the governed system responds. For a human decision-maker managing a farm, $\delta \approx 1$ (decisions and responses both on seasonal timescales). For an AI system managing a global supply chain that affects ecosystems, δ could be 10^6 or higher (millisecond decisions, multi-year ecological responses). Just as $\tau \gg 1$ identifies energetic desynchronisation, $\delta \gg 1$ identifies informational desynchronisation. Whether $\delta \gg 1$ generates viability risks analogous to those generated by $\tau \gg 1$ is an open question with significant implications for the governance of AI systems.

12 Solar Energy and the Problem of Resynchronisation

From the perspective of temporal compression, the transition to solar energy is a return toward the solar-synchronous regime—a reduction of τ back toward unity. Solar energy operates on the “current account” of solar flux rather than the “accumulated inheritance” of geological time.

This return carries structural implications. Solar radiation at the Earth’s surface ($\sim 1 \text{ kW/m}^2$ peak, capacity factors 15–25%) has substantially lower density than fossil fuels. Supplying current global primary energy demand ($\sim 580 \text{ EJ/yr}$) entirely from photovoltaics would require approximately $5 \times 10^5 \text{ km}^2$ of panel area (54)—feasible but representing a qualitative change in the energy system’s spatial footprint.

For the governance hypothesis, solar energy is inherently distributed: no geographical chokepoint controls access to sunlight. The transition to distributed sources should create structural pressures toward decentralisation—though new chokepoints (battery supply chains, rare-earth minerals, grid management) may replace the old ones.

A critical open question is whether a solar-synchronous civilisation can sustain the complexity that the carbon-accelerated phase enabled. If not, the post-carbon transition requires not only a change in energy source but a restructuring of expectations around a lower energy throughput ceiling.

Orbital solar power—collecting energy in space without atmospheric attenuation or diurnal interruption—would represent a genuine resolution: $\tau = 1$ with dramatically

increased $\Phi_{\odot}$. But orbital infrastructure introduces the control-loop mismatch of Section 11: a system synchronised with the sun but informationally desynchronised from the biosphere it powers.

13 Carbon, Biomass, and the Rate of Return

Elevated atmospheric CO_2 is not merely a pollutant; it is a plant nutrient. The CO_2 fertilisation effect is real and documented (70): satellite observations confirm measurable greening of vegetated surfaces. However, the effect is subject to diminishing returns: plant growth is limited not only by CO_2 but by water, nitrogen, phosphorus, and temperature (29). Free-Air CO_2 Enrichment experiments show saturation and reduced crop nutritional quality (3).

The temporal compression framework provides a specific analytical lens. The issue is not whether carbon is harmful *per se* but whether the *rate* of its release is compatible with the *rate* of biospheric absorption. The biosphere absorbs approximately half of anthropogenic CO_2 emissions annually (14); the other half accumulates. This is the signature of temporal mismatch: emission rate exceeds absorption rate.

Regarding the benefits of warming: the relevant variable is not the end state but the transition rate. Existing infrastructure was built for the current climate. A warming of 2°C over 10,000 years would be absorbed without difficulty; the same warming over 100 years strains adaptive capacity. This is a problem of temporal mismatch—the class of problem the framework addresses throughout.

14 The Biotic–Abiotic Question and Astrobiological Implications

14.1 Petroleum Genesis: Biotic vs. Abiotic

The biogenic theory is supported by carbon isotopic signatures (depletion in ^{13}C consistent with photosynthetic fractionation), biomarkers preserving ancient lipid structures, and spatial correlation with productive sedimentary basins (42; 60). The abiogenic theory proposes mantle-origin hydrocarbons (27; 15); experimental evidence confirms feasibility under mantle conditions (26). For the temporal compression framework, the distinction does not affect τ : even abiotic hydrocarbons form on geological timescales.

However, if petroleum is predominantly biogenic—as the convergence of evidence strongly suggests—then fossil fuel combustion converts ancient biological information (isotopic ratios, molecular structures encoding evolutionary history) into waste heat and CO_2 . The information content of petroleum biomarkers is irreplaceable: once combusted, the

molecular record of Mesozoic marine ecosystems is permanently destroyed.

14.2 Mars as Test Case

Organic molecules detected in 3-billion-year-old mudstones at Gale crater (13), organic-mineral associations in Jezero crater (52), and seasonal atmospheric methane (67) are consistent with both abiotic and biotic origins. The temporal compression framework generates a specific prediction: if Mars hosted a productive biosphere over geological timescales whose organic matter was buried and transformed, then petroleum-like deposits could exist in Martian sedimentary basins. Their discovery would constitute evidence for a past biosphere far stronger than individual organic molecule detections, because petroleum formation requires *sustained, large-scale* biological productivity.

14.3 The Temporal Compression Filter

The carbon phase conjecture (Conjecture 1) generates a testable filter for the Drake equation (12): if fossil fuel exploitation is a common pathway to industrialisation, then the fraction of habitable planets producing technological civilisations is constrained by the fraction possessing accessible fossil fuel deposits. This requires: (i) a productive biosphere persisting for $\geq 10^7$ years, (ii) anoxic burial in sedimentary basins, and (iii) tectonic processes concentrating deposits at accessible depths. The conjunction may be rare even among planets with biospheres.

This adds a “temporal compression filter” to the great filter hypothesis (18): a civilisation must access fossil fuels to bootstrap industrialisation, survive the viability boundary approach that fossil fuel use creates, and transition to post-carbon energy before crossing $\partial\mathcal{V}$. The framework suggests that survival during the carbon-accelerated phase—not the origin of intelligence—may be the critical bottleneck. This is a structural version of the “self-destruction” filter, grounded in thermodynamics rather than psychology.

15 Adaptive Capacity and the Limits of the Framework

Human intelligence as an independent accelerator. Eight billion humans owe their existence not only to fossil energy but to antibiotics, crop selection, synthetic fertilisers, and logistical systems—innovations driven by human intelligence alongside energy throughput. Institutional development (39; 1), human capital (8), and knowledge spillovers (46; 38) are independent drivers that the temporal compression framework complements but does not replace.

Technological flexibility. The history of energy transitions—wood to coal, coal to oil, oil to renewables—demonstrates that civilisation is not rigidly coupled to any single

source. The framework does not predict inevitable catastrophe; it identifies a structural tension whose resolution depends on adaptive pace.

Biospheric dynamism. The biosphere is a dynamic, self-reorganising network. The viability sets are not precisely characterised; their boundaries shift as the biosphere adapts. The planetary boundaries framework (45) provides approximate guidance, but these boundaries are contested.

The risk of extrapolation. Any framework projecting a historical trend forward risks treating a transient phase as permanent. The carbon-accelerated phase may be winding down. The framework’s value lies not in prediction but in providing a structural language for understanding why the transition matters and what its pace must be.

16 Conclusion

Petroleum is a mechanism of temporal compression: an instrument that enabled human civilisation to exit the temporal regime of the biosphere by accessing energy accumulated over geological timescales and consuming it within industrial timescales. The temporal compression ratio of approximately 10^6 quantifies this displacement. Nuclear fission extends the mechanism to stellar timescales ($\tau \approx 10^{10}$), confirming that the relevant variable is not the *source* of energy but the *degree of temporal mismatch* between accumulation and consumption.

The consequences of temporal compression are structural and interconnected: it enables rapid growth by removing the solar flux ceiling; it creates pressures toward centralised governance through the concentration of energy in chokepoints; it generates a geopolitical order in which the costs of extraction are externalised to peripheral regions as controlled instability; it incentivises a consumer metabolism that converts irreplaceable archived energy into maximally entropic waste; and it drives the coupled biosphere–civilisation system toward the boundary of its joint viability set. The waste stream of the carbon-accelerated phase—single-use plastics, planned obsolescence, food waste, disposable consumer goods—represents perhaps the most striking manifestation of the temporal mismatch: millions of years of accumulated solar energy converted into minutes of use and centuries of pollution.

The transition to solar energy represents a return toward temporal synchrony. Virtualisation may reduce material throughput per unit of economic activity but risks creating a new mismatch between computational and ecological timescales. Orbital energy collection could resolve the energetic mismatch while introducing an informational one.

The framework does not predict catastrophe. It identifies a structural tension and specifies the condition for its resolution: the rate of adaptive response must exceed the rate of viability boundary approach. The adaptive mechanisms are real—renewable deployment, demographic transition, digitalisation, institutional innovation. Whether they

are fast enough is the question the framework sharpens, not answers.

The central thesis: petroleum is a mechanism of acceleration that displaced human systems beyond the regime of sustainable synchronisation with the biosphere. The post-carbon transition is fundamentally a problem of resynchronisation—returning the coupled system to a regime in which the timescales of energy consumption, ecological response, and institutional adaptation are compatible. Whether this resynchronisation will be achieved—and at what human and ecological cost—is the defining structural question of the present century.

References

- [1] Acemoglu, D., Robinson, J.A. (2012). *Why Nations Fail*. Crown Business.
- [2] Acosta, A. (2013). Extractivism and neoextractivism. In Lang, M., Mokrani, D. (eds.), *Beyond Development*, 61–86. Rosa Luxemburg Foundation.
- [3] Ainsworth, E.A., Long, S.P. (2005). What have we learned from 15 years of free-air CO₂ enrichment? *New Phytologist*, 165(2), 351–372.
- [4] Alcott, B. (2005). Jevons’ paradox. *Ecol. Econ.*, 54(1), 9–21.
- [5] Aubin, J.-P. (1991). *Viability Theory*. Birkhäuser.
- [6] Aubin, J.-P., Bayen, A.M., Saint-Pierre, P. (2011). *Viability Theory: New Directions*. Springer.
- [7] Auty, R.M. (1993). *Sustaining Development in Mineral Economies*. Routledge.
- [8] Becker, G.S. (1964). *Human Capital*. Univ. Chicago Press.
- [9] Beer, S. (1972). *Brain of the Firm*. Allen Lane.
- [10] Beer, S. (1984). The viable system model. *J. Oper. Res. Soc.*, 35(1), 7–25.
- [11] Brocks, J.J., Pearson, A. (2005). Building the biomarker tree of life. *Rev. Mineral. Geochem.*, 59(1), 233–258.
- [12] Drake, F. (1961). Discussion at NAS Conference on Extraterrestrial Intelligent Life, Green Bank, WV.
- [13] Eigenbrode, J.L., et al. (2018). Organic matter in 3-Ga mudstones at Gale crater, Mars. *Science*, 360(6393), 1096–1101.
- [14] Friedlingstein, P., et al. (2022). Global carbon budget 2022. *Earth Syst. Sci. Data*, 14, 4811–4900.

- [15] Gold, T. (1992). The deep, hot biosphere. *Proc. Natl. Acad. Sci.*, 89(13), 6045–6049.
- [16] Grubler, A. (2012). Energy transitions research. *Energy Policy*, 50, 8–16.
- [17] Hall, C.A.S., Lambert, J.G., Balogh, S.B. (2014). EROI of different fuels and the implications for society. *Energy Policy*, 64, 141–152.
- [18] Hanson, R. (1998). The great filter. Available at <http://mason.gmu.edu/~rhanson/greatfilter.html>.
- [19] Hubbert, M.K. (1956). Nuclear energy and the fossil fuels. *Drilling and Production Practice*, API, 7–25.
- [20] Hubbert, M.K. (1971). The energy resources of the Earth. *Sci. Am.*, 224(3), 60–73.
- [21] Hunt, J.M. (1996). *Petroleum Geochemistry and Geology*, 2nd ed. W.H. Freeman.
- [22] International Energy Agency (2023). *World Energy Outlook 2023*. IEA, Paris.
- [23] IPCC (2021). *Climate Change 2021: The Physical Science Basis*. Cambridge Univ. Press.
- [24] Kauffman, S.A. (1993). *The Origins of Order*. Oxford Univ. Press.
- [25] Kleidon, A. (2010). Life, hierarchy, and the thermodynamic machinery of planet Earth. *Phys. Life Rev.*, 7(4), 424–460.
- [26] Kolesnikov, A., et al. (2009). Methane-derived hydrocarbons under upper-mantle conditions. *Nature Geosci.*, 2(8), 566–570.
- [27] Kudryavtsev, N.A. (1951). Against the organic hypothesis of petroleum origin. *Neftyanoye Khozyaystvo*, 9, 17–29. (In Russian.)
- [28] Kuznetsov, Y.A. (2004). *Elements of Applied Bifurcation Theory*, 3rd ed. Springer.
- [29] Liebig, J. von (1840). *Die organische Chemie in ihrer Anwendung auf Agricultur und Physiologie*. Vieweg.
- [30] Lotka, A.J. (1922). Contribution to the energetics of evolution. *Proc. Natl. Acad. Sci.*, 8(6), 147–151.
- [31] Malm, A. (2016). *Fossil Capital*. Verso.
- [32] Marshall, M.G., Gurr, T.R. (2020). *Polity V: Political Regime Characteristics and Transitions, 1800–2018*. Center for Systemic Peace.
- [33] Coppedge, M., et al. (2023). *V-Dem Codebook v13*. Varieties of Democracy Institute, Univ. Gothenburg.

- [34] McCollom, T.M., Seewald, J.S. (2007). Abiotic synthesis in deep-sea hydrothermal environments. *Chem. Rev.*, 107(2), 382–401.
- [35] Meadows, D.H., et al. (1972). *The Limits to Growth*. Universe Books.
- [36] Meadows, D.H., Randers, J., Meadows, D.L. (2004). *Limits to Growth: The 30-Year Update*. Chelsea Green.
- [37] Mitchell, T. (2011). *Carbon Democracy*. Verso.
- [38] Mokyr, J. (2002). *The Gifts of Athena*. Princeton Univ. Press.
- [39] North, D.C. (1990). *Institutions, Institutional Change and Economic Performance*. Cambridge Univ. Press.
- [40] Odum, H.T. (1971). *Environment, Power, and Society*. Wiley-Interscience.
- [41] Odum, H.T. (1996). *Environmental Accounting*. Wiley.
- [42] Peters, K.E., Walters, C.C., Moldowan, J.M. (2005). *The Biomarker Guide*, 2nd ed. Cambridge Univ. Press.
- [43] Prigogine, I. (1977). *Self-Organization in Nonequilibrium Systems*. Wiley.
- [44] Prigogine, I., Stengers, I. (1984). *Order Out of Chaos*. Bantam Books.
- [45] Rockström, J., et al. (2009). A safe operating space for humanity. *Nature*, 461, 472–475.
- [46] Romer, P.M. (1990). Endogenous technological change. *J. Polit. Econ.*, 98(5), S71–S102.
- [47] Ross, M.L. (2012). *The Oil Curse*. Princeton Univ. Press.
- [48] Sachs, J.D., Warner, A.M. (2001). The curse of natural resources. *European Econ. Rev.*, 45(4–6), 827–838.
- [49] Scheffer, M., et al. (2009). Early-warning signals for critical transitions. *Nature*, 461(7260), 53–59.
- [50] Scheffer, M., et al. (2012). Anticipating critical transitions. *Science*, 338(6105), 344–348.
- [51] Schneider, E.D., Kay, J.J. (2004). Life as a manifestation of the second law. *Math. Comput. Model.*, 19(6–8), 25–48.
- [52] Sharma, S., et al. (2023). Diverse organic-mineral associations in Jezero crater, Mars. *Nature*, 619, 724–732.

- [53] Smil, V. (2010). *Energy Transitions*. Praeger.
- [54] Smil, V. (2017). *Energy and Civilization*. MIT Press.
- [55] Sovacool, B.K. (2016). How long will it take? *Energy Res. Soc. Sci.*, 13, 202–215.
- [56] Strogatz, S.H. (2015). *Nonlinear Dynamics and Chaos*, 2nd ed. Westview Press.
- [57] Strubell, E., Ganesh, A., McCallum, A. (2019). Energy and policy considerations for deep learning in NLP. *Proc. 57th ACL*, 3645–3650.
- [58] Szargut, J. (2005). *Exergy Method*. WIT Press.
- [59] Tainter, J.A. (1988). *The Collapse of Complex Societies*. Cambridge Univ. Press.
- [60] Tissot, B.P., Welte, D.H. (1984). *Petroleum Formation and Occurrence*, 2nd ed. Springer.
- [61] United Nations (2022). *World Population Prospects 2022*. UN DESA.
- [62] FAO (2019). *The State of Food and Agriculture 2019*. Food and Agriculture Organization.
- [63] Veltmeyer, H., Petras, J. (2014). *The New Extractivism*. Zed Books.
- [64] Vernadsky, V.I. (1926). *The Biosphere*. (English: Copernicus, 1998.)
- [65] Vernadsky, V.I. (1998). *The Biosphere*. Copernicus/Springer.
- [66] Webb, S. (2015). *If the Universe Is Teeming with Aliens... Where Is Everybody?* 2nd ed. Springer.
- [67] Webster, C.R., et al. (2018). Methane in Mars’ atmosphere. *Science*, 360(6393), 1093–1096.
- [68] Wiedmann, T.O., et al. (2015). The material footprint of nations. *Proc. Natl. Acad. Sci.*, 112(20), 6271–6276.
- [69] Zalasiewicz, J., et al. (2014). The technofossil record of humans. *Anthropocene Rev.*, 1(1), 34–43.
- [70] Zhu, Z., et al. (2016). Greening of the Earth and its drivers. *Nature Climate Change*, 6, 791–795.