




1 2 3 4 5 6 7 8 9 10	Top Overlay Top Solder Top Layer Dielectric1 in1 Dielectric2 in2 Dielectric3 Bottom Layer	Solder Resist Copper FR-4 Copper FR-4 Copper	0.40mil 1.40mil 4.72mil 1.40mil 47.24mil	3.5 4.8	
3 4 5 6 7 8 9	Top Layer Dielectric1 in1 Dielectric2 in2 Dielectric3	Copper FR-4 Copper FR-4	1.40mil 4.72mil 1.40mil		
4 5 6 7 8 9	Dielectric1 in1 Dielectric2 in2 Dielectric3	FR-4 Copper FR-4	4.72mil 1.40mil	4.8	
5 6 7 8 9	Dielectric1 in1 Dielectric2 in2 Dielectric3	FR-4 Copper FR-4	1.40mil	4.8	
6 7 8 9	Dielectric2 in2 Dielectric3	FR-4			
7 8 9 10	in2 Dielectric3	FR-4	47 24mil		
7 8 9 10	in2 Dielectric3		I	4.8	
8 9 10	Dielectric3		1.40mil		
9 10		FR-4	4.72mil	4.8	
10	Bottom Lauer	Copper	1.40mil		
	Bottom Solder	Solder Resist	0.40mil	3.5	
	Bottom Overlay				
/////				/////////	
/////				/////////	
/////				/////////	
/////				////////	///////////////////////////////////////
/////				///////////////////////////////////////	
			///////////////////////////////////////		
				///////////////////////////////////////	
		. , , , , , , , , , , , , , , , , ,	' / / / / / / / / / / / .		



Layer	Name	Material	Thickness	Constant	Board Layer Stack
1	Top Overlay				
2	Top Solder	Solder Resist	0.40mil	3.5	
3	Top Layer	Copper	1.40mil		
4	Dielectric1	FR-4	4.72mil	4.8	
5	in1	Copper	1.40mil		
6	Dielectric2	FR-4	47.24mil	4.8	
7	in2	Copper	1.40mil		
8	Dielectric3	FR-4	4.72mil	4.8	
9	Bottom Layer	Copper	1.40mil		
10	Bottom Solder	Solder Resist	0.40mil	3.5	
11	Bottom Overlay				







Layer	Name	Material	Thickness	Constant	Board Layer Stack
1	Top Overlay				
2	Top Solder	Solder Resist	0.40mil	3.5	
3	Top Layer	Copper	1.40mil		
4	Dielectric1	FR-4	4.72mil	4.8	
5	in1	Copper	1.40mil		
6	Dielectric2	FR-4	47.24mil	4.8	
7	in2	Copper	1.40mil		
8	Dielectric3	FR-4	4.72mil	4.8	
9	Bottom Layer	Copper	1.40mil		
10	Bottom Solder	Solder Resist	0.40mil	3.5	
11	Bottom Overlay				









Layer	Name	Material	Thickness	Constant	Board Layer Stack
1	Top Overlay				
2	Top Solder	Solder Resist	0.40mil	3.5	
3	Top Layer	Copper	1.40mil		
4	Dielectric1	FR-4	4.72mil	4.8	
5	in1	Copper	1.40mil		
6	Dielectric2	FR-4	47.24mil	4.8	
7	in2	Copper	1.40mil		
8	Dielectric3	FR-4	4.72mil	4.8	
9	Bottom Layer	Copper	1.40mil		
10	Bottom Solder	Solder Resist	0.40mil	3.5	
11	Bottom Overlay				

