DVS

10398

4238

3036

1305

869 716

306

# **Analyzing Website Performance**

## 1 - Identifying Top Website Pages & Tope Entry Pages

Use Website Pageviews data to find the most-viewed pages by your users, and the most common entry pages to your website, and to evaluate how those pages perform for your business objectives.

Assignment 1.1: Help Website Manager find the Top Website Pages ranked by session volume.

```
-- Most viewed Pages
                                                                    pageview_url
SELECT
                                                                   /home
    pageview url,
                                                                   /products
    COUNT(DISTINCT website_pageview_id) AS pvs
                                                                   /the-original-mr-fuzzy
FROM website_pageviews
                                                                   /cart
WHERE created at < '2012-06-09' -- date of assignment
                                                                   /shipping
                                                                   /billing
GROUP BY pageview url
                                                                   /thank-you-for-your-order
ORDER BY pvs DESC;
```

The /homepage generates the highest volume of page viewed during the time period, followed by are the multi-product showcase page (/product), and the specific product Mr. Fuzzy page. This indicates that these pages should be focused on while working on website performance improvement.

Assignment 1.2: Pull a list of Top Entry Pages where customers land on your site for the first time.

```
-- Finding Top Entry Pages
-- Step 1:find the first pageview for each session (the 1st pageview a customer saw on a given session)
-- Step 2:find the URL the customer saw on that first pageview
WITH first_pageview -- first_pv_per_session
AS (
   SELECT
       website_session_id,
       MIN(website_pageview_id) AS min_pageview_id -- auto incrementing
   FROM website_pageviews
   WHERE created_at <'2012-06-12' -- date of assignment
   GROUP BY 1) -- the 1st pageview for each session
  -- take that pageview id join back to the table and find that URL
SELECT
   t2.pageview_url AS landing_page, -- aka "entry page"
   COUNT(DISTINCT t1.website_session_id) AS sessions_hitting_this_lander
FROM first_pageview t1
   LEFT JOIN website_pageviews t2
    ON t1.min_pageview_id = t2.website_pageview_id
GROUP BY landing_page; -- count of sessions by landing page URL
     landing_page | sessions_hitting_this_lander
    /home
                  10711
```

At this time in the life of the business, our traffic comes in through the **homepage**. Again, this is clearly where to focus on making any improvements so as to ensure **best initial experience** for all customers.

### 2 - Analyzing Landing Page Performance & Testing

Measure the performance of key landing pages and optimization testing results to improve performance.

#### Assignment 2.1: Calculating Bounce Rates & Analyzing Landing Page Tests

```
-- Step 0: Find out when the new page (/Lander1) launched - fair comparison
SELECT
    MIN(created_at) AS first_created_at,
    MIN(website pageview id) AS first pageview id
FROM website_pageviews
WHERE pageview_url ='/lander-1'
    AND created at IS NOT NULL;
                            first_pageview_id
     first_created_at
    2012-06-19 01:35:54
                            23504
 WITH t1 AS -- Step 1: Find the 1st website_pageview_id (MIN) for each relevant session
     SELECT
       wp.website_session_id AS website_session_id,
       MIN(wp.website_pageview_id) AS min_pageview_id
     FROM website_pageviews wp JOIN website_sessions ws
       ON wp.website session id = ws.website session id
        AND ws.created at < '2012-07-28' -- date of assignment
        AND wp.website pageview id > 23504 -- 1st pv id for /lander1
        AND ws.utm source = 'gsearch'
        AND ws.utm campaign = 'nonbrand'
 GROUP BY 1),
 t2 AS -- Step 2: Identify the landing page (URL) of each session
       t1.website_session_id AS session_id,
        wp.pageview_url AS landing_page
     FROM t1 LEFT JOIN website_pageviews wp
      ON t1.min_pageview_id = wp.website_pageview_id
     WHERE wp.pageview_url IN ('/home', '/lander-1')),
 t3 AS -- Step 3: Count (total) pageviews for each session to identify "Bounces"
     SELECT
        t2.session_id AS bounced_session_id,
        t2.landing_page,
        COUNT(wp.website_pageview_id) AS count_of_pages_viewed
     FROM t2 LEFT JOIN website_pageviews wp
      ON t2.session_id = wp.website_session_id
     GROUP BY 1,2
    HAVING count_of_pages_viewed = 1)-- limit to those have a count equals to 1
 SELECT -- Step 4: Summary of total sessions and bounced sessions by LP
    t2.landing page, -- our Dimension
     COUNT(DISTINCT t2.session id) AS total sessions,
    COUNT(DISTINCT t3.bounced session id) AS bounced sessions,
    COUNT(DISTINCT t3.bounced session id)/COUNT(DISTINCT t2.session id) AS bounce rate
 FROM t2 LEFT JOIN t3
   ON t2.session id = t3.bounced session id
 GROUP BY t2.landing page;
```

	landing_page	total_sessions	bounced_sessions	bounce_rate
•	/home	2260	1319	0.5836
	/lander-1	2313	1231	0.5322

The new lander (/lander-1), which is the custom landing page the Website Manager set up has a bounce rate of **53%** versus the /homepage for the same traffic was at **58%**. Given performance improvement that **the custom landing page is causing fewer customers to bounce**, future nonbrand paid traffic would better be routed to the new page.

Assignment 2.2: Analyzing Sales Lift - For the Gsearch lander test (Assignment 2.1), estimate the sales lift that test generated.

```
-- Step 1: Find the MIN pageview_id where that test started
SELECT
MIN(website_pageview_id) AS first_test_pv
FROM website pageviews
WHERE pageview_url ='/lander-1'; -- 23504
WITH t1 AS -- Step 2: Find the first test pageviews
   SELECT
     p.website session id AS session id,
     MIN(p.website pageview id) AS min pageview id
   FROM website_pageviews p JOIN website_sessions s
      ON p.website session id = s.website session id
       AND s.created_at < '2012-07-28' -- prescribed by the assignment
       AND p.website_pageview_id >= 23504 -- 1st page_view where test was live
       AND utm source = 'gsearch'
       AND utm_campaign = 'nonbrand'
   GROUP BY 1), -- session-level table (1st pv id of each session)
t2 AS -- Step 3: Find the LP (URL) for each session, restricting to /home or /Lander-1
   SELECT
      session_id AS session_id,
       w.pageview url AS landing page
   FROM t1 LEFT JOIN website_pageviews w
      ON t1.min_pageview_id = w.website_pageview_id
       WHERE w.pageview_url IN ('/home', '/lander-1')),
t3 AS -- Step 4: Bring in Orders:
   SELECT t2.session id, t2.landing page, o.order id
   FROM t2 LEFT JOIN orders o ON t2.session id = o.website session id)
SELECT -- Step 5: Find the difference in Conversion Rates
   landing_page,
   COUNT(DISTINCT session_id) AS sessions,
   COUNT(DISTINCT order id) AS orders,
   COUNT(DISTINCT order_id)/COUNT(DISTINCT session_id) AS conv_rate -- session to order cvr
FROM t3 GROUP BY 1;
```

	landing_page	sessions	orders	conv_rate
•	/home	2260	72	0.0319
	/lander-1	2314	94	0.0406

The lander-1 performs fairly better than the homepage as it converts 0.87% additional orders per sessions.

```
-- Step 6: Find the most reent pageview for gsearch nonbrand where the traffic was sent to /home
SELECT MAX(s.website_session_id) AS most_recent_gsearch_nonbrand_home_pageview
FROM website_sessions s LEFT JOIN website_pageviews w
   ON s.website session id = w.website session id
WHERE s.utm source = 'gsearch'
   AND s.utm_campaign ='nonbrand'
   AND w.pageview url ='/home'
   AND s.created_at < '2012-11-27'; -- date of assignment
-- max website session id = 17145
-- since then all of the traffic has been rerouted to lander-1
-- Step 7: COUNT total #session since that test
SELECT COUNT(website_session_id) AS sessions_since_test
FROM website_sessions
   WHERE created_at <'2012-11-27'
   AND website_session_id > 17145
   AND utm_source = 'gsearch'
   AND utm_campaign = 'nonbrand';
-- 22,972 website sessions since the test
     sessions_since_test
    22972
```

Revenue Lift = 0.87% incremental conversion \* 22,972 website sessions = 200 incremental orders:

Roughly 4 months since 2012-07-28 to 2012-11-27 – roughly 50 extra orders per month

### 3 - Analyzing & Testing Conversion Funnels

Understand and optimize each step of user's experience on their journey toward purchasing products.

Identify how many users continue onto each step in the conversion flow and how many drop off, and then optimize the critical pain points with high abandonment rates in order to convert and sell better.

#### Assignment 3.1: Building & Analyzing Conversion Funnels

```
WITH t1 AS -- Step 1: Identify each PV as the specific funnel step
   SELECT
     s.website_session_id AS session_id,
       w.pageview url AS pageview url,
       CASE WHEN pageview_url ='/products' THEN 1 ELSE 0 END AS products_page,
       CASE WHEN pageview_url ='/the-original-mr-fuzzy' THEN 1 ELSE 0 END AS mrfuzzy_page,
       CASE WHEN pageview_url ='/cart' THEN 1 ELSE 0 END AS cart_page,
       CASE WHEN pageview_url ='/shipping' THEN 1 ELSE 0 END AS shiping_page,
       CASE WHEN pageview url = '/billing' THEN 1 ELSE 0 END AS billing page,
       CASE WHEN pageview_url ='/thank-you-for-your-order' THEN 1 ELSE 0 END AS thankyou_page
    FROM website sessions s LEFT JOIN website pageviews w
     ON s.website session id = w.website session id
    WHERE s.utm_source = 'gsearch' -- specified in the assignment
       AND s.utm_campaign ='nonbrand' -- specified in the assignment
       AND s.created_at > '2012-08-05' -- specified in the assignment
       AND s.created at < '2012-09-05' -- date of assignment
    ORDER BY s.website_session_id, w.created_at), -- pageview_level table
t2 AS -- Step 2: Create the session-level conversion funnel view
    SELECT
       session id,
       MAX(products_page) AS product_made_it,
       MAX(mrfuzzy_page) AS mrfuzzy_made_it,
       MAX(cart page) AS cart made it,
       MAX(shiping_page) AS shipping_made_it,
       MAX(billing page) AS billing made it,
       MAX(thankyou_page) AS thankyou_made_it
    FROM t1
    GROUP BY 1) -- Session-Level Summary to see how far each customer made it in the funnel
SELECT -- Step 3: Aggregate-Level Analysis to assess funnel performance (CTRs) across all sessions
   COUNT(DISTINCT CASE WHEN product made it = 1 THEN session id ELSE NULL END)
   /COUNT(DISTINCT session_id) AS lander_click_rt,
   COUNT(DISTINCT CASE WHEN mrfuzzy_made_it = 1 THEN session_id ELSE NULL END)
   /COUNT(DISTINCT CASE WHEN product made it = 1 THEN session id ELSE NULL END) AS products click rt,
   COUNT(DISTINCT CASE WHEN cart_made_it = 1 THEN session_id ELSE NULL END)
   /COUNT(DISTINCT CASE WHEN mrfuzzy_made_it = 1 THEN session_id ELSE NULL END) AS mrfuzzy_click_rt,
   COUNT(DISTINCT CASE WHEN shipping_made_it = 1 THEN session_id ELSE NULL END)
   /COUNT(DISTINCT CASE WHEN cart_made_it = 1 THEN session_id ELSE NULL END) AS cart_click_rt,
   COUNT(DISTINCT CASE WHEN billing_made_it = 1 THEN session_id ELSE NULL END)
   /COUNT(DISTINCT CASE WHEN shipping_made_it = 1 THEN session_id ELSE NULL END) AS shipping_click_rt,
   COUNT(DISTINCT CASE WHEN thankyou_made_it = 1 THEN session_id ELSE NULL END)
   /COUNT(DISTINCT CASE WHEN billing_made_it = 1 THEN session_id ELSE NULL END) AS billing_click_rt
FROM t2;
```

lander_click_rt	products_click_rt	mrfuzzy_click_rt	cart_click_rt	shipping_click_rt	billing_click_rt
47.09%	74.05%	43.52%	66.57%	79.30%	43.61%

The CTRs in about query output shows the percentage of people clicks through at each step in the funnel flow from lander to billing. Among all steps in the funnel, lander, Mr. Fuzzy page, and the billing page have the lowest CTRs, which may need to be focused on to improve performance.

#### Assignment 3.2: Analyzing Conversion Funnel Tests

/billing-2

654

410

```
-- Step 1: Find the starting point to frame the analysis for fair comparison
SELECT MIN(website_pageview_id) AS first_billing2_pv_id
FROM website_pageviews
WHERE pageview url = '/billing-2'
-- first billing2 pv id: 53350
-- Step 2: Summary Sessions, Orders, and CVRs for each billing page
WITH t1 AS
(
   SELECT
       w.website session id AS session id,
       w.pageview_url AS billing_version_seen,
       o.order id
    FROM website_pageviews w LEFT JOIN orders o
       ON w.website session id = o.website session id
   WHERE w.website pageview id >= 53550 -- where test was live
        AND w.created_at < '2012-11-10' -- date of assignment
        AND w.pageview_url IN ('/billing','/billing-2')
SELECT
   billing version seen,
   COUNT(DISTINCT session_id) AS sessions,
   COUNT(DISTINCT order id) AS Orders,
   COUNT(DISTINCT order id)/COUNT(DISTINCT session id) AS billing to order rt
FROM t1
GROUP BY 1;
    billing_version_seen sessions
                              Orders billing_to_order_rt
   /billing
                                      0.4566
                     657
                              300
```

Based on the query output, /billing-2 is converting customers much better than the previous billing page in that it has helped generate more orders and the conversion rate is substantially higher. The new website design might have improved the customer experience so that they are more willing to fill in billing formation and proceed to place an order.

0.6269