

# Lab: Conditional Statements and Loops

Problems for exercises and homework for the ["Programming Fundamentals Extended" course @ SoftUni](#).

You can check your solutions here: <https://judge.softuni.bg/Contests/578>

## Problem 1. Passed

Write a program, which takes as an input a **grade** and prints **"Passed!"** if the grade is **equal or more than 3.00**.

### Input

The **input** comes as a single floating-point number.

### Output

The **output** is either **"Passed!"** if the grade is **equal or more than 3.00**, otherwise you should print nothing.

### Examples

Input	Output	Input	Output
5.32	Passed!	2.34	(no output)

## Problem 2. Passed or Failed

Modify the above program, so it will print **"Failed!"** if the grade is **lower than 3.00**.

### Input

The **input** comes as a single double number.

### Output

The **output** is either **"Passed!"** if the grade is **more than 2.99**, otherwise you should print **"Failed!"**.

### Examples

Input	Output	Input	Output
5.32	Passed!	2.36	Failed!

## Problem 3. Back in 30 Minutes

Every time Stamat tries to pay his bills he sees on the cash desk the sign: **"I will be back in 30 minutes"**. One day Stamat was sick of waiting and decided he needs a program, which **prints the time after 30 minutes**. That way he won't have to wait on the desk and come at the appropriate time. He gave the assignment to you, so you have to do it.

### Input

The **input** will be on two lines. On the **first line**, you will receive the **hours** and on the **second** you will receive the **minutes**.

## Output

Print on the console the time after **30** minutes. The result should be in format **hh:mm**. The **hours** have **one or two numbers** and the **minutes** have always **two numbers (with leading zero)**.

## Constraints

- The **hours** will be between **0** and **23**.
- The **minutes** will be between **0** and **59**.

## Examples

Input	Output
1 46	2:16

Input	Output
0 01	0:31

Input	Output
23 59	0:29

Input	Output
11 08	11:38

Input	Output
11 32	12:02

## Problem 4. Month Printer

Write a program, which takes an **integer** from the console and prints the corresponding **month**. If the number is **more than 12** or **less than 1** print **"Error!"**.

## Input

You will receive a **single integer** on a **single line**.

## Output

If the number is within the boundaries print the corresponding month, otherwise print **"Error!"**.

## Examples

Input	Output
2	February

Input	Output
13	Error!

## Problem 5. Foreign Languages

Write a program, which prints the language, that a given country speaks. You can receive only the following combinations: English **is spoken** in England and USA; Spanish **is spoken** in Spain, Argentina and Mexico; for the others, we should print **"unknown"**.

## Input

You will receive a **single country name** on a **single line**.

## Output

Print the **language**, which the country **speaks**, or if it is **unknown** for your program, print **"unknown"**.

## Examples

Input	Output
USA	English

Input	Output
Germany	unknown

## Problem 6. Theatre Promotions

A theatre is **doing a ticket sale**, but they need a program **to** calculate the price of a single ticket. If the given age does not fit one of the categories, you should print "Error!". You can see the prices in the table below:

Day / Age	$0 \leq \text{age} \leq 18$	$18 < \text{age} \leq 64$	$64 < \text{age} \leq 122$
Weekday	12\$	18\$	12\$
Weekend	15\$	20\$	15\$
Holiday	5\$	12\$	10\$

### Input

The input comes in **two lines**. On the **first** line, you will receive the **type of day**. On the **second** – the **age** of the person.

### Output

Print the price of the ticket according to the table, or "Error!" if the age is not in the table.

### Constraints

- The age will be in the interval **[-1000...1000]**.
- The type of day will **always be valid**.

### Examples

Input	Output	Input	Output	Input	Output	Input	Output
Weekday 42	18\$	Holiday -12	Error!	Holiday 15	5\$	Weekend 122	15\$

## Problem 7. Divisible by 3

Write a program, which prints all the numbers from **1 to 100**, which are **divisible by 3**. You have to use a single **for** loop. The program should not receive input.

## Problem 8. Sum of Odd Numbers

Write a program that prints the next **n odd numbers** (starting from 1) and on the **last row** prints the **sum of them**.

### Input

On the first line, you will receive a number – **n**. This number shows how many **odd numbers** you should print.

### Output

Print the next **n** odd numbers, starting from **1**, separated by **new lines**. On the last line, print the **sum** of these numbers.

### Constraints

- n** will be in the interval **[1...100]**

### Examples

Input	Output
5	1 3 5 7 9 Sum: 25

Input	Output
3	1 3 5 Sum: 9

## Problem 9. Multiplication Table

You will receive an **integer** as an input from the console. Print the **10 times table** for this integer. See the examples below for more information.

### Output

Print every row of the table in the following format:

`{theInteger} X {times} = {product}`

### Constraints

- The integer will be in the interval **[1...100]**

### Examples

Input	Output
5	5 X 1 = 5 5 X 2 = 10 5 X 3 = 15 5 X 4 = 20 5 X 5 = 25 5 X 6 = 30 5 X 7 = 35 5 X 8 = 40 5 X 9 = 45 5 X 10 = 50

Input	Output
2	2 X 1 = 2 2 X 2 = 4 2 X 3 = 6 2 X 4 = 8 2 X 5 = 10 2 X 6 = 12 2 X 7 = 14 2 X 8 = 16 2 X 9 = 18 2 X 10 = 20

## Problem 10. Multiplication Table 2.0

Rewrite your program so it can receive the **multiplier from the console**. Print the **table from the given multiplier to 10**. If the given multiplier is **more than 10** - print only one row with the **integer**, the given **multiplier** and the **product**. See the examples below for more information.

### Output

Print every row of the table in the following format:

`{theInteger} X {times} = {product}`

### Constraints

- The integer will be in the interval **[1...100]**

### Examples

Input	Output
5	5 X 1 = 5
1	5 X 2 = 10
	5 X 3 = 15
	5 X 4 = 20
	5 X 5 = 25
	5 X 6 = 30
	5 X 7 = 35
	5 X 8 = 40
	5 X 9 = 45
	5 X 10 = 50

Input	Output
2	2 X 5 = 10
5	2 X 6 = 12
	2 X 7 = 14
	2 X 8 = 16
	2 X 9 = 18
	2 X 10 = 20

Input	Output
2	2 X 14 = 28
14	

## Problem 11. Odd Number

Take as an input an **odd number** and print the **absolute value** of it. If the number is even, print **"Please write an odd number."** and continue reading numbers.

### Input

You will receive even integers until you receive an odd number.

### Output

Print **"Please write an odd number."** if the received number is even. If the number is odd – **"The number is: {number}"**.

### Constraints

- You will receive maximum 10 numbers
- The numbers will be in the interval [-1000...1000]

### Examples

Input	Output
2	Please write an odd number.
4	Please write an odd number.
5	The number is: 5

Input	Output
-7	The number is: 7

## Problem 12. Number checker

Write a program, which reads an input from the console and prints **"It is a number."** if it's a **number**. If it is **not** write **"Invalid input!"**

### Input

You will receive a single line of input.

### Output

Print one of the messages, but without throwing an exception.

### Examples

Input	Output
5	It is a number.

Input	Output
five	Invalid input!