

STATS 810 class 12:

Introduction to parallel statistical computing in R on greatlakes

Edward L. Ionides

November 12, 2021

Contents

1	Logging in to greatlakes	1
2	Moving files on and off greatlakes	2
3	Working with batch jobs	2
4	R modules on greatlakes	3
5	A test for foreach	3
6	Editing text files on greatlakes	4
7	Other ways to run R on greatlakes	4

1 Logging in to greatlakes

Requirements

We follow [Section 1.2](#) of the [greatlakes user guide](#). As preliminaries, you need:

- A Slurm account. You should already have a primary account, `stats_dept1`, and a smaller backup account for if you exhaust your resources, `stats_dept2`.
- A greatlakes cluster login account. If you have not yet filled in the form at <https://arc-ts.umich.edu/greatlakes/user-guide/> then do so.
- A umich internet address. Use the umich VPN if you are not on campus.

Connecting to greatlakes with macOS or Linux

1. Open a Terminal window (recall that, on a Mac, this can be done using Control-Spacebar and typing Terminal) and type

```
ssh username@greatlakes.arc-ts.umich.edu
```

where `username` is your username.

2. Login with your Kerberos level-1 password, and Duo two-factor authentication.

This creates a remote terminal shell on greatlakes.

Connecting to greatlakes with Windows

This is essentially the same as for macOS.

1. Follow instructions to install PuTTY at <https://documentation.its.umich.edu/node/350>
2. Launch PuTTY and enter `greatlakes.arc-ts.umich.edu` as the host name, then click open. If you receive a “PuTTY Security Alert” pop-up, this is completely normal, click the “Yes” option. This will tell PuTTY to trust the host the next time you want to connect to it. From there, a terminal window will open; you will be required to enter your UMich username and then your Kerberos level-1 password in order to log in. Please note that as you type your password, nothing you type will appear on the screen; this is completely normal. Press “Enter/Return” key once you are done typing your password.
3. Complete the request for Duo two-factor authentication.

This creates a remote terminal shell on greatlakes.

2 Moving files on and off greatlakes

Moving files on and off greatlakes: `scp`

On Mac or Linux, you can use `scp` which has similar syntax to `cp`.

To copy `myfile` on your laptop to a subdirectory `mydir` of your home directory on greatlakes:

```
scp myfile username@greatlakes-xfer.arc-ts.umich.edu:mydir
```

To copy an entire directory, use the `-r` flag for recursive copy:

```
scp -r mydir username@greatlakes-xfer.arc-ts.umich.edu:
```

These commands can also be reversed to copy files from greatlakes to your machine. The following copies `mydir` back to the current working directory:

```
scp -r username@greatlakes-xfer.arc-ts.umich.edu:mydir .
```

You will need to authenticate via Duo to complete the file transfer. On Windows, you can use WinSCP or FileZilla.

3 Working with batch jobs

Cluster batch workflow

1. You create a batch script and submit it as a job
2. Your job is scheduled, and it enters the queue
3. When its turn arrives, your job will execute the batch script
4. Your script has access to all applications and data
5. When your script completes, anything it sent to standard output and error are saved in files stored in your submission directory
6. You can ask that email be sent to you when your jobs starts, ends, or fails
7. You can check on the status of your job at any time, or delete it if it's not doing what you want
8. A short time after your job completes, it disappears

Useful batch commands

Submit a job

```
sbatch sample.sbat
```

Query job status

```
squeue -j jobid  
squeue -u username
```

Delete a job

```
scancel jobid
```

Check a job script and estimate its start time

```
sbatch --test-only sample.sbat
```

More Slurm commands to try

<code>sacct -u user</code>	show recent job history
<code>seff jobid</code>	show cpu utilization for jobid

4 R modules on greatlakes

R modules on greatlakes

Software on greatlakes is packaged in modules which must be loaded

```
module load R
```

Other versions of R are available:

```
module avail R
```

We see that R4.0.1 is currently the default. For simple multicore computing, sending jobs to multiple cores on a single node, the default R module is appropriate. Other versions of R have been built and tested in other parallel environments, for example the `Rmpi` module runs R with mpi.

5 A test for foreach

Set up test for foreach

- The `gl` subdirectory of the 810f21 git repository has a file `test.sbat` which submits a batch job running the parallel `foreach` test in `test.R`.
- A basic Linux exercise is to set up a directory on greatlakes with these files, at which point you can run

```
sbatch test.sbat
```

to submit the job.

- You can transfer the files from your laptop via `scp`, or by copy-paste, but it may be simplest to clone the class git repository into your greatlakes account,

```
git clone https://github.com/ionides/810f21.git
```

6 Editing text files on greatlakes

Editing text files on greatlakes

- Inspect the text file `test.sbat`, for example by

```
more test.sbat
```

Is it fairly self-explanatory?

- One thing that needs changing is to set your email address for alerts about jobs beginning and ending.
- To make these edits on greatlakes, you need a text editor.
- It is convenient to use a text editor that runs in a terminal. Options include

```
vi test.sbat  
emacs -nw test.sbat  
nano test.sbat
```

- It is useful to have some familiarity with each of these editors.

Comparing results

- You are now ready to run a batch job

```
sbatch test.sbat
```

- From inspecting the code in `test.R`, we see that the results are saved in `test.csv`
- Compare the run times with the results from running this code on your laptop, as done in homework 11.
- Also, try running the code in `test2.R` by

```
sbatch test2.sbat
```

What do you learn from comparing the outputs in `test2.csv` with `test.csv` on greatlakes and your laptop?

7 Other ways to run R on greatlakes

Other ways to run R on greatlakes

- It is sometimes useful to start an interactive session on greatlakes, particularly for debugging. This is done from the terminal as follows:


```
module load R
srun --nodes=1 --account=stats_dept1 --ntasks-per-node=8 \
  --pty /bin/bash
```

- You can then run R in the terminal as usual, just by typing

```
R
```

- This R session will have access to the cores you have requested.
- Here, we require `nodes=1` unless we use `Rmpi` since `library(doParallel)` alone cannot work with cores across different machines.
- You can also run [web-based Rstudio](#). However, your task here is to run batch jobs, which remain the basic tool for intensive statistical computing.

Acknowledgments

- This lesson is prepared for STATS 810, Fall 2021.
- It builds on the [Greal Lakes User Guide](#) and [notes by Charles Antonelli and John Thiels](#).
- Licensed under the [Creative Commons Attribution-NonCommercial license](#). Please share and remix non-commercially, mentioning its origin. 
- Compiled on November 12, 2021.