



Build Steps

Part 1 of 5 · Set up your agent in the new builder

1 Create your agent

Open Copilot Studio (copilotstudio.microsoft.com), select **Create**, then **New agent**. In the redesigned builder everything lives under the **Build** tab, with a settings panel down the right. Set:

Agent name Marketing Campaigns Copilot

Description Marketing managers track campaign performance and request new campaign briefs in conversation; demand-gen specialists get instant ROI views.

Solution / Environment Marketing Solution · Default environment

Icon Use a recognisable colour and emoji, or upload a brand icon

2 Choose your model

Open the **Model** selector at the top of the right-hand panel. Copilot Studio now lets you pick the model your agent reasons with. This build uses **Claude Sonnet 4.6**; you can switch later without rebuilding.

Reasoning is built in

- The agent reasons over your instructions, knowledge, skills and tools, and decides what to do each turn
- Handles paraphrases, multi-step asks and follow-ups
- Blends a knowledge lookup with a tool call in one reply
- Calls the right skill when intent matches

Choosing a model

- Claude Sonnet 4.6: strong reasoning, a good default here
- Lighter models: lower latency and cost for simple, high-volume flows
- Switch the model and re-run the same evaluation set to compare
- Check data residency and model availability for your tenant

3 Write your instructions

The **Instructions** box is the heart of the Build tab. Define the agent's role, audiences and rules here. The agent reasons over these together with everything in the right-hand panel. Paste:

You are the Marketing Campaigns Copilot. You help two audiences:

- 1) Marketing managers reviewing performance across the portfolio.
- 2) Stakeholders requesting a new campaign brief.

Rules:

- Use the uploaded campaign data as your single source of truth for analysis.
- For analytical questions, calculate ROI as (Pipeline minus Spend) / Spend.
- For new brief requests, call the 'Create Campaign Brief' tool.
- Always be clear about campaign status (Live / Complete / Planned / Paused).
- Never disclose another region's spend if the user is scoped to a region.



Build Steps

Part 2 of 5 · Ground it in your data

4 Add Knowledge

Open **Knowledge** in the panel, select **Add knowledge**, then **File**, and upload **Marketing_Campaigns_Data.xlsx**. Knowledge gives the agent trusted context to guide its answers. This file contains:

- Campaign details (name, channel, region, owner, status)
- Time data (start date, end date)
- Investment (budget, actual spend)
- Performance (impressions, clicks, CTR, MQLs, SQLs, opportunities)
- Outcomes (pipeline generated, ROI)

Layer more sources later: SharePoint sites, Dataverse, Microsoft Graph connectors, or public web.

5 Bring in Microsoft IQ

Open **Microsoft IQ** in the panel. Microsoft IQ brings in work context, business data and app signals from across your tenant, so the agent grounds answers in more than the file you uploaded.

For this agent, Microsoft IQ pulls a campaign's related Planner tasks and the owner's Teams threads, so a status answer reflects the latest activity rather than the figures alone. Microsoft IQ honours each user's existing permissions, so the agent only surfaces what the signed-in user is already allowed to see.



Build Steps

Part 3 of 5 · Give it skills and tools

6 Add a Skill

Open **Skills** in the panel, then **Add a skill**. A skill defines a reusable behaviour through structured instructions. It is the new home for the conversational flows you used to build as topics: the agent calls the skill when a user's intent matches.

Skill name: Request a Campaign Brief

Description: Captures a structured campaign brief from a business stakeholder and files it as a Planner task for the marketing team to action.

When to use it (intent hints the agent reasons over):

- I need a campaign for the new product
- Request a campaign brief
- Help me run a campaign in DACH
- We need marketing support

Structured steps:

- Ask for: campaign objective, audience, region, target launch date
- Ask for budget envelope and preferred channels
- Summarise the brief back to the user and ask to confirm
- Call the 'Create Campaign Brief' tool to file the request
- Return the Planner task URL and the marketing PM assigned

7 Add a Tool

Open **Tools**, then **Add a tool**. **Skills decide what to do; tools take the action**. A tool is a typed, callable action with named inputs and outputs that the model fills from the conversation. Choose one of: a **prebuilt connector** (Outlook, Teams, SharePoint, Dataverse, ServiceNow and more), a **Power Automate cloud flow**, a **custom HTTP request**, or a **Model Context Protocol (MCP) server**. This build uses a Power Automate flow because it does three things in one call: file the Planner task, write a SharePoint record, and notify the marketing team.

Tool name: Create Campaign Brief

Type: Power Automate flow to a Planner task, plus a Teams notification and a SharePoint record

Description (the model reads this to decide when to call): Files a structured campaign brief and notifies the marketing team. Use for any new campaign request.

Inputs the agent collects or infers:

- objective — text, the campaign goal in the stakeholder's words
- targetAudience — text, who the campaign should reach
- region — text, e.g. EMEA / DACH / Iberia
- launchWindow — text, the target start and end dates
- budgetEnvelope — number, the indicative budget
- preferredChannels — text, a multi-select of channels

Outputs returned to the agent:

- plannerTaskUrl — text, deep link to the filed Planner task
- assignedPM — text, e.g. Priya Nair
- briefStatus — text, e.g. Filed



7.1 · Build the cloud flow that does the work

From inside Copilot Studio choose **Tools > Add a tool > New > Power Automate**. This opens the flow designer pre-wired with the Copilot Studio trigger and, crucially, keeps the flow in the **same environment** as your agent (Marketing Solution · Default). An environment mismatch is the most common reason a finished tool never appears in the picker, so confirm the environment switcher (top-right) before you build.

Trigger — *When an agent calls the flow*. Add six input parameters, named exactly: objective (text), targetAudience (text), region (text), launchWindow (text), budgetEnvelope (number), preferredChannels (text).

- **Action 1 – file the Planner task.** Planner *Create a task* in the **Marketing Campaigns** plan, **New Briefs** bucket. Title = `concat(objective, ' – ', region)`, assigned to the next PM in the rota; capture the returned task id.
- **Action 2 – write the record.** SharePoint *Create item* into the **Campaign Briefs** list. Map: Objective = objective, Audience = targetAudience, Region = region, Window = launchWindow, Budget = budgetEnvelope, Channels = preferredChannels, Status = 'Filed'.
- **Action 3 – notify the team.** Microsoft Teams *Post card in a chat or channel* to the Marketing channel, using an adaptive card that shows the objective, region, budget and channels.
- **Action 4 – build the deep link.** *Compose* `plannerTaskUrl = concat('https://tasks.office.com/contoso/Home/Task/', body('Create_a_task')['id'])` so the agent can hand the stakeholder a click-through.
- **Final action – return to the agent.** Add *Respond to the agent* (Return value(s) to Copilot Studio) with outputs `plannerTaskUrl` = the composed link, `assignedPM` = the chosen PM, `briefStatus` = 'Filed'.
- **Save** the flow as **Marketing – Create Campaign Brief**.

7.2 · Register and map the tool in your agent

- Back in Copilot Studio the flow is attached automatically; if you built it separately, **Tools > Add a tool > Flows** and select it.
- Set the display name to **Create Campaign Brief** and write the **Description** for the model — it is what the agent reads to decide when to call the tool.
- For each input set **Fill using**: objective, targetAudience and launchWindow → **Fill with AI** from the conversation; region → **Fill with AI** but add an input description listing the valid regions so the model never invents one; preferredChannels → **Fill with AI**, listing the channel options; budgetEnvelope → **Fill with AI**, noting it must resolve to a number.
- Confirm `plannerTaskUrl` and `assignedPM` are returned to the agent so the skill can hand back the task link and the PM, rather than just claiming the brief was filed.
- **Connection & auth**: set the Planner, SharePoint and Teams connections the flow uses. The connectors chosen here are exactly what your DLP policy must permit (see Step 10).



7.3 · Worked example — what flows in and out

When a stakeholder says “I need a brief for an EMEA security suite launch in Q3”, the model fills the inputs and calls the tool with this payload:

```
{
  "objective": "Launch the new security suite and drive demo signups",
  "targetAudience": "IT and security decision-makers, mid-market",
  "region": "EMEA",
  "launchWindow": "2026-07-01 to 2026-09-30",
  "budgetEnvelope": 120000,
  "preferredChannels": "Paid Search, LinkedIn, Webinar"
}
```

The flow files the task, writes the record, posts the card, and returns:

```
{
  "plannerTaskUrl": "https://tasks.office.com/contoso/Home/Task/BRIEF-20260608-3157",
  "assignedPM": "Priya Nair",
  "briefStatus": "Filed"
}
```

The agent then replies in natural language, quoting the real result: “I’ve filed your EMEA security suite brief and assigned it to Priya Nair. Track it on the Planner task — I’ll follow up once the content agent drafts the creative.”

7.4 · Test the tool before you trust it

- **In isolation:** open the flow in Power Automate, choose *Test > Manually*, supply the six inputs, run it, and confirm a Planner task appears, a SharePoint row is written, a card posts to the channel, and the run returns all three outputs.
- **End to end:** in **Preview** (Step 11) type “I need a campaign brief for a new product launch in DACH next quarter” and check the activity view shows Create Campaign Brief firing with the inputs the model inferred and the Planner URL it read back.

Build Steps

Part 4 of 5 · Extend, remember and govern

8 Add Connected agents

Open **Connected agents**. A connected agent lets this agent collaborate with others, delegating specialist work and sharing context across them (agent-to-agent). Keep each agent focused on what it does best.

Connect a **Content Agent** that drafts asset copy once a brief is filed. The campaigns agent owns intake and reporting; the content agent picks up the brief and proposes first-draft creative.



9 Turn on Memory

Toggle **Memory** on. Memory lets the agent remember interactions, workflows and context across sessions, so returning users do not have to repeat themselves. For this agent it remembers:

- A manager's region and the KPIs they track, so reports open in the right shape
- Briefs the user has already requested, so the agent can follow up on status

Memory is scoped to each user and follows your retention and DLP policy. Review what the agent retains before you publish.

10 Govern your agent

Open the agent settings and lock these down before real users arrive:

Authentication: use *Authenticate with Microsoft (Entra)* so the agent runs as the signed-in user and inherits their permissions.

Content moderation: set the moderation level (start at Medium) and review it for your audience.

Data loss prevention: confirm your DLP policy covers every connector your tools use — for Create Campaign Brief that means the Planner, SharePoint and Teams connectors must sit in the same DLP group, or the tool is blocked at runtime.

Channels and access: review which channels are enabled and who can use the agent.

Build Steps

Part 5 of 5 · Preview, evaluate and publish

11 Preview your agent

Switch to the **Preview** tab to chat with your agent as you build. Open the **activity view** on any response to inspect:

- Which skill, tool or knowledge source fired, and in what order
- The inputs the agent collected and the exact payload each tool returned
- Citations linking each answer back to a row of your data
- Latency per step, useful when tuning multi-tool flows



12 Evaluate

Open the **Evaluate** tab, then **New evaluation**. Build a test set so you can measure quality before and after every change. Score each response on **groundedness** (did it stay inside the knowledge), **relevance** (did it address the question), and **accuracy** (did it match the expected outcome).

Test set: Marketing Campaigns Copilot · Baseline v1

Input: Show me the top 5 campaigns by ROI

Expect: Calculates ROI per row and returns the top 5 with channel and region.

Input: Which channel generates most pipeline per euro spent?

Expect: Sums pipeline and spend by channel, ranks by ratio, shows working.

Input: I need a brief for an EMEA security suite launch in Q3

Expect: Triggers the Request a Campaign Brief skill and calls the tool.

13 Publish and Monitor

Click **Publish**, then enable the channels your users live in: Microsoft Teams, Microsoft 365 Copilot, a custom website embed, or other channels. Teams and M365 Copilot need tenant admin approval, so plan for that lead time. After publishing, open the **Monitor** tab to watch sessions, resolution and escalation outcomes, and quality trends over time, and to see where users drop off.

Try These Live

Sample queries to test your agent during the build-along.

Performance

Top 5 campaigns by ROI, with channel and region. · Which Live campaigns are tracking over 90% of their budget?

Funnel & Channel

Show MQL to SQL conversion rate by channel. · Which region has the strongest pipeline-to-spend ratio?

Brief Intake

I need a campaign brief for a new product launch in DACH next quarter.

Request marketing support for a partner co-sell event in Iberia.

How to Think About This Agent

This agent replaces	With
• Pulling reports from multiple ad platforms • Email-based intake of campaign requests • Hand-built ROI calculations	✓ ROI and pipeline impact answered in chat ✓ Structured briefs flowing straight into Planner ✓ Faster, more confident investment decisions

Trusted, governed, enterprise AI.

Built once, used everywhere.



Tip for real-world use

Keep a single evaluation set of your tier-1 KPIs (ROI by channel, spend-to-pipeline, MQL to SQL rate) and run it before every prompt or model change, so you catch regressions before stakeholders do.

You've built a Copilot Studio agent ✓

You now have an AI agent that can:

- Answer marketing performance questions
- Surface ROI winners and laggards
- Capture briefs as Planner tasks
- Speed up campaign request intake