

Build Steps

Part 1 of 5 — Set up the agent, orchestration, and knowledge

1 Create Your Copilot Studio Agent

Open Copilot Studio (copilotstudio.microsoft.com), select Create → New agent, then configure:

Agent Name	Patient Intake Summariser Copilot
Description	Converts free-text intake notes (synthetic, clearly fictional) into a structured pre-consult summary for clinicians — symptoms, duration, and red flags, with safety concerns flagged for human review.
Solution / Environment	Clinical Operations · Default environment
Icon	Use a recognisable colour and emoji or upload a brand icon

2 Choose Orchestration Mode

Under Settings → Generative AI, choose how the agent decides what to do:

Generative Orchestration

Recommended — AI-led

- Agent reasons over user input and picks the right topic, tool, or knowledge
- Handles paraphrases, multi-step asks, and follow-ups naturally
- Best for varied user intent and exploratory questions
- Requires clear instructions, tool descriptions, and good knowledge

Classic Orchestration

Deterministic — trigger-led

- Topics fire on explicit trigger phrases you author
- Predictable flows, easier to audit step-by-step
- Best for tightly-scoped, regulated, or compliance-critical journeys
- Less forgiving of phrasing the author didn't anticipate

For this build we use Generative Orchestration so the agent can blend knowledge lookups with tool calls for patient intake summarisation and triage support.

3 Add Knowledge

Go to the Knowledge tab → Add knowledge → File, then upload Healthcare_Intake_Data.xlsx.

This file contains:

- Intake metadata (intake ID, pseudonymised ID e.g. PT-001, intake date, clinician)
- Demographics (age band, sex — no PII)
- Clinical context (presenting complaint, duration in days)
- Safety signals (red flags detected Y/N, red flag notes, triage outcome)

You can layer additional sources later — SharePoint sites, Dataverse, public web, or Graph connectors.

Build Steps

Part 2 of 5 — Add instructions and a custom topic

4 Add Agent Instructions

Open Overview → Instructions and paste the following (these guide the model regardless of orchestration mode):

```
You are the Patient Intake Summariser Copilot. You help two audiences:
1) Clinicians preparing for a consultation.
2) Triage nurses reviewing the intake queue.

Rules:
- Data is synthetic and pseudonymised. Never claim a clinical diagnosis.
- Use the uploaded intake dataset as your single source of truth.
- For every summary, surface red flags FIRST, then symptoms and duration.
- If a red flag is detected, recommend escalation and call the clinician
task tool – do not assume someone else will see it.
- Use clinical-precise language. Avoid colloquialisms.
- Always say: 'This is a pre-consult summary, not a diagnosis.'
```

5 Add a Custom Topic

Go to Topics → Add a topic → Create from description. Topics are reusable conversation flows the agent can call when intent matches.

```
Topic name: Summarise Patient Intake
Description: Reads a free-text intake note for a pseudonymised patient and returns a
structured pre-consult summary with red flags highlighted at the top.

Trigger phrases (Generative Orchestration uses these as intent hints,
Classic mode uses them as exact triggers):
• Summarise the intake for PT-014
• Pre-consult brief for my next patient
• Give me a pre-consult summary
• Walk me through PT-022's intake

Conversation steps:
→ Ask for the pseudonymised patient ID (e.g. PT-014)
→ Look up the matching row from knowledge – confirm one match found
→ Render structured summary: Age band · Sex · Presenting complaint · Duration
→ If RedFlagsDetected = Y, render a RED FLAGS section verbatim from RedFlagNotes
→ Append the line 'Pre-consult summary, not a diagnosis – clinician review required'
→ If red flags present, offer to call 'Create Clinician Task in Planner'
```

Build Steps

Part 3 of 5 — Add a tool and configure settings

6 Add a Tool

Tools let the agent take an action, not just answer. Go to Tools → Add a tool, and choose one of:

- Prebuilt connector (Outlook, Teams, SharePoint, Dataverse, ServiceNow, etc.)
- Power Automate cloud flow (custom logic you author or already own)
- Custom HTTP request (any REST API your agent can reach)
- Model Context Protocol (MCP) server — for richer tool ecosystems

Tool name: Create Clinician Task in Planner

Type: Microsoft Planner connector (Create task) + Teams adaptive card to clinician

Description: Creates a Planner task for clinician review with the pseudonymised patient reference and red flag context, and pings the clinician in Teams.

Inputs the agent will collect or infer:

- Pseudonymised patient ID (string – never real PII)
- Clinician name (from knowledge or authenticated user)
- Task title (string – defaults to 'Review red flag intake')
- Red flag context (string – copied verbatim from intake)
- Triage outcome suggestion (Routine / Urgent / Same-day / Emergency)

Outcome: Returns the Planner task URL and posts an adaptive card to the clinician's Teams chat for immediate visibility.

7 Configure Settings

Open the Settings cog (top right). Configure these four areas before you let real users near the agent:

- General — confirm name, description, and primary language
- Generative AI — orchestration mode and content moderation level (start at Medium)
- Authentication — use 'Authenticate with Microsoft' so the agent runs as the signed-in user
- Security — review DLP policy, enabled channels, and end-user authentication

Build Steps

Part 4 of 5 — Evaluate, test, and publish to a channel

8 Evaluate Your Agent

Go to Analytics → Evaluations → New evaluation. Build a test set so you can measure quality before and after every change.

Test set name: Patient Intake Summariser – Baseline v1
Approach: Pair each input prompt with an expected outcome.
Run the evaluation and review three scores per response:

- Groundedness – did the answer stay inside the knowledge?
- Relevance – did it actually address the question?
- Accuracy – did it match the expected outcome?

Sample evaluation items:

Input: Summarise the intake for PT-014

Expect: Returns structured summary with red flags first; appends 'not a diagnosis' line.

Input: Show me all intakes with red flags this week

Expect: Filters where RedFlagsDetected=Y and IntakeDate within 7 days; lists by triage outcome.

Input: Create a clinician task for PT-022 – red flag chest pain over 3 days

Expect: Triggers Summarise Patient Intake topic and calls Create Clinician Task in Planner.

9 Test in the Test Pane

Use the Test pane (right side of the canvas) while you build. For each query, click Activity map to inspect what the agent did:

- Which topic, tool, or knowledge source fired (and in what order)
- Inputs the agent collected and outputs the tool returned
- Citations linking each answer back to a row of your knowledge file
- Latency per step — useful when tuning multi-tool flows

10 Publish to a Channel

When you're happy, click Publish (top right). Then open Channels and enable the surface your users live in. Recommended for this build: Microsoft Teams — clinicians already use Teams for shift coordination.

- Microsoft Teams — pin to the clinical team channel for the on-call clinician
- Microsoft 365 Copilot — for triage nurses reviewing the queue at the start of clinic
- Custom website — embed on the clinical intranet for read-only use
- Note: do not enable public web channels — keep this agent inside the tenant

Teams and M365 Copilot channels require tenant admin approval before users see the agent — plan for that lead time.

Try These Live

Part 5 of 5 — Sample queries to test your agent during the build-along.

Pre-consult Briefs

Summarise the intake for PT-007.

Give me a pre-consult brief for my next three patients.

Safety Surveillance

Show all intakes flagged red this week.

Are any red flags recurring (same presenting complaint, same week)?

Governed Action

Create a clinician task for PT-022 with the red flag chest pain context.

Try a paraphrase: 'ping the on-call clinician about PT-011 – urgent'.

How to Think About This Agent

This agent replaces:

- Reading raw intake notes mid-clinic
- Re-typing red flags into Planner or paper
- Ad-hoc Teams pings with patient context in

With:

- ✓ Consistent pre-consult summaries on demand
- ✓ Red flags surfaced first, every time
- ✓ Planner tasks created with full audit trail

Trusted, governed, enterprise AI — built once, used everywhere.

Tip for real-world use

Use Microsoft Purview sensitivity labels on the Knowledge file and the agent so the agent cannot accidentally surface in unmanaged channels. Pair with strict DLP — block the agent from any external surface, and require Entra authentication on every chat.

You've built a Copilot Studio agent ✓

You now have an AI agent that can:

- Render structured pre-consult briefs
- Flag red-flag intakes for review
- File clinician tasks in Planner
- Keep clinicians always in the loop