



COMET PINBALL

# Supplementary Specification

*Team Members:*

Patrick HARING  
Christian BÜRGI

*Client:*

Jean-Pierre CAILLOT

Revision hash: 3eea61a

Commit time: 2012-10-12 20:02:47 +0200

<https://github.com/boskoop/comet-pinball/>

# Contents

<b>1</b>	<b>Introduction</b>	<b>2</b>
<b>2</b>	<b>Non-functional requirements</b>	<b>2</b>
2.1	Usability . . . . .	2
2.2	Reliability . . . . .	2
2.3	Performance . . . . .	2
2.4	Supportability . . . . .	2
<b>3</b>	<b>Technical specifications</b>	<b>3</b>

## 1 Introduction

In Unified Process methodology, the document *Supplementary Specification* contains all the non-functional requirements. (The functional requirements are specified with *Use Cases*.)

Some additional non-functional requirements are currently covered in the Vision Document.

## 2 Non-functional requirements

### 2.1 Usability

U1 Avoid colors associated with common forms of color blindness.

U2 The interface should be as intuitive as possible.

U3 The key mapping should be customizable.

### 2.2 Reliability

R1 When the application is closed unexpectedly the data integrity should not be harmed.

### 2.3 Performance

P1 The application should run on entry-level computer with over 30 frames per second.

## **2.4 Supportability**

S1 The system has to run on Unix/GNU-Linux as well as on Microsoft Windows and Mac OS X.

## **3 Technical specifications**

T1 Java 6 is used.

T2 The cross-platform game development library libgdx (<http://code.google.com/p/libgdx/>) is used.