



COMET PINBALL

Domain Model

Team Members:

Patrick HARING
Christian BÜRGI

Client:

Jean-Pierre CAILLOT

Revision hash: c16b49d


Commit time: 2013-01-20 21:46:36 +0100

<https://github.com/boskoop/comet-pinball/>

Contents

1 Domain Model	2
2 Description	3
2.1 Classes	3
2.1.1 Game	3
2.1.2 Obstacle	3
2.1.3 Player	3
2.1.4 PlayField	3
2.1.5 Rule	3
2.1.6 Score	3
2.1.7 Simulation	3

1 Domain Model



powered by Astah

2 Description

2.1 Classes

2.1.1 Game

Each *Game* has exactly one *PlayField* it plays on and belongs to one *Simulation*.

2.1.2 Obstacle

Each *Obstacle* has a type, which identifies it as a Bumper, Slingshot or alike, and a position to store it's position on the play field.

2.1.3 Player

The *Player* is used to identify *Simulations* and *Scores* in order to map them to a physical player.

2.1.4 PlayField

The *PlayField* contains information about the physical play field on which a simulation takes place.

2.1.5 Rule

Each *PlayField* has a certain amount of *Rules* which describe how the *Player* will get *Scores* for hitting *Obstacles*.

2.1.6 Score

The *Score* keeps tracks of the points the *Player* scored.

2.1.7 Simulation

A *Simulation* is a self-contained process and consists a fixed amount of *Games* in which the *Player* can achieve a *Score*.