Visoka škola strukovnih studija za informacione i komunikacione tehnologije

# Aden Hotel

https://aden-tokyo.000webhostapp.com/index.php

Smer: Internet tehnologije

Modul: Web Programiranje

Predmet: Praktikum iz PHP-a

Student: Jovana Bosnić 90/18

# Contents

Aden Hotel	1
Uvod	3
Template	4
Opis funkcionalnosti	4
Organizacija	4
Organizaciona šema	4
Dijagram baze	4
Mapa sajta	5
Slike sajta	5
Kodovi	18
index.php	18
403.php	19
views/fixed/head/head.php	19
views/fixed/head/ head-accommodation.php	20
views/fixed/head/ head-contact.php	21
views/fixed/head/ head-gallery.php	21
views/fixed/head/ head-home.php	21
views/fixed/head/ head-login.php	21
views/fixed/head/ head-register.php	21
views/fixed/background.php	21
views/fixed/footer.php	22
views/fixed/header.php	23
views/pages/accommodation.php	25
views/pages/accommodations.php	29
views/pages/admin.php	32
views/pages/author.php	36
views/pages/contact.php	37
views/pages/gallery.php	38
views/pages/home.php	38
views/pages/login.php	44
views/pages/register.php	45
views/pages/reservations.php	46
models/messages/insert.php	48
models/messages/ showHomePageComm.php	49
models/messages/ updateVisibility.php	49

	models/rooms/delete.php	50
	models/rooms/export.php	50
	models/rooms/ filterAndSort.php	52
	models/rooms/insert.php	52
	models/rooms/update.php	55
	models/users/login.php	56
	models/users/logout.php	57
	models/users/register.php	57
	models/reservations/reservation.php	59
	models/reservations/cancel.php	60
	models/authorInfo.php	61
	models/ functions.php	62
	config/config.php	67
	config/connection.php	68
S		69
	main.js	69
<u> </u>	SS	77
	my-style css	77

# Uvod

# Korišćene tehnologije

- HTML 5
- CSS 3
- JavaScript
- jQuery
- JSON
- AJAX
- PHP
- MySQL
- Bootstrap
- Visual Studio Code

## **Template**

Template koji je korišćen se nalazi na sledećem linku: <a href="https://www.free-css.com/free-css-templates">https://www.free-css.com/free-css-templates</a> uz moje izmene.

## Opis funkcionalnosti


- 1. Dinamički ispis sadržaja iz baze.
- 2. Pravljenje korisničkog naloga, logovanje i odjava.
- 3. Mogućnost rezervisanja smeštaja ukoliko je korisnik ulogovan.
- 4. Takođe, korisnici mogu da ostave recenziju ili pošalju poruku administratoru sajta.
- 5. Admin panel gde se mogu modifikovati, brisati i dodavati sobe.
- 6. U admin panelu se ispisuju sve poruke korisnika, a na index strani samo određene + straničenje.

# Organizacija

Organizaciona šema


index.php

Dijagram baze




### Mapa sajta

# Slike sajta



index.php – slajder



Ostale stranice sa dinamičkim ispisivanjem h1 naslova i dodavanjem klase active u meniju za stranicu na kojoj smo.

TRANSACTIONS

RATING & REVIEW

### FEATURED ROOMS



### Deluxe Palace Garden Room

Deluxe Rooms are the largest entry-level rooms in the city, offering space and privacy at 71 square metres (764 square feet), overlooking the Tokyo skyline.

BOOK NOW

### Aden Suite

Positioned in the northwest corner of the Otemachi
Tower, Aden Suites are Aden
Tokyo's largest at 157 square metres (1,689 square feet).
Each offers a separate bedroom and a living room with dining area and pantry.

BOOK NOW



### Premier Room

Facing the Tokyo skyline, the 80-square-metre (861 square feet) Premier Rooms include a large foyer and expansive bathroom.

BOOK NOW



### HOTEL FACILITIES





### WORLD CLASS

### Restaurant

Whether you are planning a business meeting, seminar, team building session, presentation, press conference or gala dinner, both of our multipurpose event rooms will suit you perfectly. Our dedicated and experienced staff will make sure all the essentials for a successful event are handled with attention to every little detail.


SERVICE HOURS

7:30 AM - 8:00 PM




### HOTEL SERVICES






index.php?page=accommodation&idRoom=1

Na osnovu idRoom se ispisuje pojedinačna soba.




Dinamički sadržaj i forma za rezervaciju sobe, rezervacija je moguća ukoliko je korisnik ulogovan.

Deluxe Rooms are the largest entry-level rooms in the city, offering space and privacy at 71 square metres (764 square feet), overlooking the Tokyo skyline. Breakfast in Tokyo Retreat for Recovery The stay includes The stay includes · Daily breakfast at The Restaurant for up to two people · Daily breakfast at The Resturant per person. · One 120 min Tea Journey spa treatment. Two guests/night Three guests/night Two guests/night Three guests/night 96000 ¥ 111000 ¥ 179000 ¥ 238500¥ Reservation MAKE A RESERVATION




Prikaz svih soba sa cenama i tipovima smeštaja uz mogućnost filtriranja i sortiranja.

# index.php?page=gallery



index.php?page=contact - forma za slanje poruke je disabled, dok se korisnik ne uloguje.




index.php?page=register

First name	Last name
Phone number	Email
Password	Confirm password
Register	

index.php?page=login



## index.php?page=reservations



Stranica sa rezervacijama odredjenog korisnika, sabranom cenom po danu boravka i mogućnost otkazivanja rezervacije za one koje nisu prošle.

index.php?page=admin

### ROOMS - EXPORT ROOMS IN EXCEL FORMAT



Na admin panelu se nalazi tabela sa sobama i mogućnostima za delete, update, insert i export excel fajla. Izlistavaju se poruke korisnika koje mogu da se prikažu ili sakriju sa početne strane. Beleži se pristup stranicama u procentima i broj uspešno ulogovanih korisnika u toku današnjeg dana.

index.php?page=author



Jovana Bosnić 90/18 Internet technologies - Web programming

Download information about author

Slika strukture sajta



✓ fixed √ head m head-accommodation.php ✓ models m head-contact.php ✓ messages nead-gallery.php nsert.php nead-home.php showHomePageComm.php m head-login.php npdateVisibility.php m head-register.php reservations 💏 head.php encel.php m background.php m reservation.php n footer.php ∨ rooms m header.php delete.php ✓ pages export.php \* accommodation.php filterAndSort.php accommodations.php 💏 insert.php admin.php m update.php e author.php ✓ users contact.php 💏 login.php 💏 gallery.php logout.php nome.php m register.php login.php authorInfo.php m register.php m functions.php reservations.php

∨ views

### Kodovi

### index.php

```
<?php
    session_start();
    include "config/connection.php";
    include "models/functions.php";
    include "views/fixed/head/head.php";
    include "views/fixed/header.php";
    if(isset($_GET["page"])){
        switch($_GET["page"]){
            case 'home':
                include "views/pages/home.php";
                break;
            case 'accommodation':
                include "views/fixed/background.php";
                include "views/pages/accommodation.php";
                break:
            case 'accommodations':
                include "views/fixed/background.php";
                include "views/pages/accommodations.php";
                break;
            case 'gallery':
                include "views/fixed/background.php";
                include "views/pages/gallery.php";
                break;
            case 'contact':
                include "views/fixed/background.php";
                include "views/pages/contact.php";
                break:
            case 'register':
                include "views/fixed/background.php";
                include "views/pages/register.php";
                break;
            case 'login':
                include "views/fixed/background.php";
                include "views/pages/login.php";
                break;
            case 'reservations':
                include "views/fixed/background.php";
                include "views/pages/reservations.php";
                break;
            case 'author':
                include "views/fixed/background.php";
```

```
include "views/pages/author.php";
            break;
    if($page == "admin"){
        if(isset($_SESSION["user"])){
            if($_SESSION["user"]->id_role == 1){
                include "views/fixed/background.php";
                include "views/pages/admin.php";
            }
            else{
                header("Location: 403.php");
        }
        else{
            header("Location: 403.php");
        }
   }
  else {
    include "views/pages/home.php";
include "views/fixed/footer.php";
```

### 403.php

## views/fixed/head/head.php

```
<!--[if gt IE 8]><!--> <html class="no-js"> <!--<![endif]-->
<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <?php
        $pages = ["home","accommodation","gallery","contact","login","register"];
       $uri = $ SERVER['REQUEST URI'];
       foreach($pages as $page){
            if(strpos($uri, $page)){
                include_once("views/fixed/head/head-$page.php");
            //dodati za index bez home, ne radi else
       }
    ?>
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta name="author" content="Jovana Bosnić" />
    <link rel="shortcut icon" href="assets/images/aden.ico">
   <link rel="stylesheet" href="assets/css/superfish.css">
    <link rel="stylesheet" href="assets/css/bootstrap-datepicker.min.css">
   <link rel="stylesheet" href="assets/css/cs-select.css">
   <link rel="stylesheet" href="assets/css/cs-skin-border.css">
    <link rel="stylesheet" href="assets/css/themify-icons.css">
   <link rel="stylesheet" href="assets/css/flaticon.css">
    <link rel="stylesheet" href="assets/css/icomoon.css">
   <link rel="stylesheet" href="assets/css/flexslider.css">
   <link rel="stylesheet" href="assets/css/style.css">
    <link rel="stylesheet" href="assets/css/lightbox.min.css">
   <link rel="stylesheet" href="assets/css/my-style.css">
   <script src="assets/js/modernizr-2.6.2.min.js"></script>
   <!-- FOR IE9 below -->
    <!--[if lt IE 9]>
        <script src="js/respond.min.js"></script>
   <![endif]-->
</head>
<body>
```

# views/fixed/head/ head-accommodation.php

```
<title>Aden Tokyo | Accommodation</title>
<meta name="description" content="Aden Tokyo's Rooms and Suites are lofty urban sanctuaries d
rawing design inspiration from traditional Japanese residences." />
<meta name="keywords" content="Aden, Tokyo, Hotel, Accommodation, Suites, Rooms" />
```

### views/fixed/head/ head-contact.php

```
<title>Aden Tokyo | Contact</title>
<meta name="description" content="Get in touch with our hotel managers and ask any question."
/>
<meta name="keywords" content="Aden, Hotel, Contact, Message, Tokyo" />
```

### views/fixed/head/ head-gallery.php

```
<title>Aden Tokyo | Gallery</title>
<meta name="description" content="Enjoy the gallery of Aden Hotel with pictures of every corn
er to enjoy." />
<meta name="keywords" content="Aden, Hotel, Tokyo, Gallery, Pictures" />
```

### views/fixed/head/ head-home.php

```
<title>Aden Tokyo Hotel</title>
<meta name="description" content="Discover Aden Tokyo, a luxury hotel and sanctuary spread ac
ross the top six floors of the Otemachi Tower near the Imperial Gardens." />
<meta name="keywords" content="Aden, Tokyo, Hotel, Luxury hotel" />
```

### views/fixed/head/ head-login.php

```
<title>Aden Tokyo | Log in</title>
<meta name="description" content="Log in and you will be able to make reservation." />
<meta name="keywords" content="Aden, Hotel, Tokyo, Log in, Reservation" />
```

## views/fixed/head/ head-register.php

```
<title>Aden Tokyo | Register</title>
<meta name="description" content="Register and become member of Aden Hotel community." />
<meta name="keywords" content="Aden, Hotel, Tokyo, Register" />
```

# views/fixed/background.php

```
if($page == $m->href){
                                          echo $m->text;
                                      }
                                     if($page == "accommodations"){
                                          echo "All accommodations";
                                          break;
                                     }
                                 }
                             }
                         ?>
                    </h1>
                </div>
            </div>
        </div>
    </div>
</div>
```

### views/fixed/footer.php

```
<footer id="footer" class="fh5co-bg-color">
              <div class="container">
                  <div class="row">
                     <div class="col-md-6">
                         <div class="row">
                            <div class="col-md-6">
                                <h3>Company</h3>
                                <?php
                                       foreach($meni as $m){
                                           if($m->href != "admin.php"){
                                               echo "<a href='index.php?page=$m-
>href'>$m->text</a>";
                                           }
                                       }
                                    ?>
                                </div>
                            <div class="col-md-6">
                                <h3>Our Facilities</h3>
                                <?php
                                       $facilities = vratiSve("facilities");
                                       foreach($facilities as $fac){
                                           echo "<a href='#'>$fac->name</a>";
                                    ?>
                                </div>
```

```
</div>
                       </div>
                       <div class="col-md-6">
                           <1i>>
                                   <a href="https://twitter.com/"><i class="icon-twitter-</pre>
with-circle"></i></a>
                                   <a href="https://www.facebook.com/"><i class="icon-</pre>
facebook-with-circle"></i></a>
                                   <a href="https://www.instagram.com/"><i class="icon-</pre>
instagram-with-circle"></i></a>
                                   <a href="https://www.linkedin.com/"><i class="icon-</pre>
linkedin-with-circle"></i></a>
                               <a href='data/document.pdf'>Documentation</a>
                               <a href='index.php?page=author'>Author</a>
                           </div>
                   </div>
               </div>
           </footer>
        </div>
    </div>
        <script src="assets/js/lightbox-plus-jquery.min.js"></script>
        <script src="assets/js/jquery-2.1.4.min.js"></script>
        <script src="assets/js/hoverIntent.js"></script>
        <script src="assets/js/superfish.js"></script>
        <script src="assets/js/bootstrap.min.js"></script>
        <script src="assets/js/jquery.waypoints.min.js"></script>
        <script src="assets/js/jquery.countTo.js"></script>
        <script src="assets/js/jquery.stellar.min.js"></script>
        <script src="assets/js/bootstrap-datepicker.min.js"></script>
        <script src="assets/js/classie.js"></script>
        <script src="assets/js/selectFx.js"></script>
        <script src="assets/js/jquery.flexslider-min.js"></script>
        <script src="assets/js/custom.js"></script>
        <script src="assets/js/main.js"></script>
    </body>
</html>
```

### views/fixed/header.php

```
<header id="fh5co-header-section">
                  <div class="container">
                       <div class="nav-header">
                          <a href="#" class="js-fh5co-nav-toggle fh5co-nav-</pre>
toggle"><i></i></a>
                          <h1 id="fh5co-logo">
                              <a href="index.php">
                                  <span>Aden Tokyo</span>
                              </a>
                          </h1>
                          <nav id="fh5co-menu-wrap" role="navigation">
                              <?php
                                  $meni = vratiSve("menu");
                                  $sobe = vratiSve("rooms");
                                  if(isset($ GET["page"])){
                                      $page = $_GET["page"];
                                  $ispis = "";
                                  foreach($meni as $m){
                                         if($m->href != "admin"){
                                             if($m->href == "accommodation"){
                                                 $ispis .= "<a href='index.php?page=ac</pre>
commodations' class='fh5co-sub-ddown'>$m->text</a>
                                                            ";
                                                 foreach($sobe as $s){
                                                     $ispis .= "<a href='index.php?pag</pre>
e=$m->href&idRoom=$s->id room'>$s->room name</a>";
                                                 $ispis .= "<a href='index.php?page=ac</pre>
commodations'>All accommodations</a>";
                                                 $ispis .= "";
                                             else if($m-
>href == "login" && isset($_SESSION["user"])){
                                                 $ispis .= "<a href='models/users/logo</pre>
ut.php' class='btn btn-primary'>{$_SESSION['user']->first_name} - Log out</a>";
                                             else if(strpos($page, $m->href)){
                                                 $ispis .= "<a class='active' href='in</pre>
dex.php?page=$m->href'>$m->text</a>";
                                             }
                                             else{
                                                 $ispis .= "<a href='index.php?page=$m</pre>
->href'>$m->text</a>";
```

```
else{
                                                if(isset($_SESSION["user"])){
                                                    if($_SESSION["user"]->id_role == 1){
                                                        if(strpos($page, $m->href)){
                                                            $ispis .= "<a class='active'</pre>
href='index.php?page=$m->href'>$m->text</a>";
                                                        }else{
                                                           $ispis .= "<a href='index.php</pre>
?page=$m->href'>$m->text</a>";
                                                    }
                                                }
                                           }
                                    echo $ispis;
                                ?>
                                </nav>
                        </div>
                   </div>
                </header>
            </div>
```

### views/pages/accommodation.php

```
<div id="featured-hotel" class="fh5co-bg-color">
        <div class="containerImg">
            <div class="row">
                <div class="col-md-12">
                    <div class="section-title text-center">
                        <?php
                            if(isset($ GET["idRoom"])){
                                $id = $_GET["idRoom"];
                                $soba = pojedinacnaSoba($id);
                                echo '<h2>'.$soba->room name.'</h2>';
                            }
                        ?>
                    </div>
                    <div class="container">
                        Aden Tokyo's Rooms and Suites are lofty urban accommodations drawi
ng design inspiration from traditional Japanese residences.
                            <br/>br/>Blending wood, washi paper and stone with modern technology
and luxurious fabrics, they offer magnificent views including the <i>Imperial Palace Gardens<
/i> and <i>Mt Fuji</i> on the horizon on clearer days.
```

```
</div>
               </div>
           </div>
           <div class="container containerImg">
           <?php
                   $slike = roomPictures($id);
                   $putanjaFolder = $soba->album;
                   $ispis = "":
                   foreach($slike as $slika){
                        $ispis .= '<div class="mySlides">
                                   <img src="assets/images/'.$putanjaFolder.'/'.$slika-</pre>
>src.'" alt="'.$slika->alt.'" style="width:100%">
                               </div>';
                   }
                   $ispis .= '<a class="prev">(</a><a class="next">)</a></a>
                               <div class="row rowImg">';
                   $i = 1;
                   foreach($slike as $sl){
                       $ispis .= '<div class="column">
                        <img class="demo cursor" src="assets/images/'.$putanjaFolder.'/'.$sl-</pre>
>src.'" alt="'.$sl->alt.'" style="width:100%" data-id="'.$i.'">
                        </div>';
                       $i++;
                   $ispis .= '</div>';
                   echo $ispis;
            ?>
            </div>
           <div class="container-fluid bgWhite">
                <div class="container">
                   <div class="description my-auto">
                           <?php
                               echo $soba->description;
                        </div><hr/>
                   <div class="row">
                        <div class="col-lg-6">
                            <h3>Breakfast in Tokyo</h3>
                           The stay includes
                            <l
                                Daily breakfast at The Restaurant for up to two people.
li>
                           <br/>
```

```
<div class="row">
       <div class="col-lg-6">
           <h4>Two guests/night</h4>
           >
              <?php
                  $price = price($id, 2, 1);
                  echo($price->price);
              ?>
              ¥
           </div>
       <div class="col-lg-6">
           <h4>Three guests/night</h4>
           >
              <?php
                  $price = price($id, 3, 1);
                  echo($price->price);
              ?>
              ¥
           </div>
   </div>
</div>
<div class="col-lg-6">
   <h3>Retreat for Recovery</h3>
   The stay includes
   <l
       Daily breakfast at The Resturant per person.
       One 120 min Tea Journey spa treatment.
   <div class="row">
       <div class="col-lg-6">
           <h4>Two guests/night</h4>
           >
              <?php
                  $price = price($id, 2, 2);
                  echo($price->price);
              ¥
           </div>
       <div class="col-lg-6">
           <h4>Three guests/night</h4>
           >
              <?php
                  price = price($id, 3, 2);
                  echo($price->price);
```

```
?>
                                         ¥
                                     </div>
                             </div>
                         </div>
                    </div><hr/>
                    <div class="row">
                         <h2>Reservation</h2>
                         <div id="availability">
                             <form action="#">
                                 <div class="a-col">
                                     <section>
                                         <select id="tipSobe" name="tipSobe" class="cs-</pre>
select cs-skin-border">
                                              <option value="0" disabled selected>Select Type
option>
                                             <?php
                                                 $ispis = "";
                                                  $nizTipova = tipovi($id);
                                                 foreach($nizTipova as $tip){
                                                  $ispis .= "<option value='$tip-</pre>
>id_acc_type'>$tip->name_type</option>";
                                             echo($ispis);
                                         </select>
                                     </section>
                                 </div>
                                 <div class="a-col">
                                     <section>
                                         <select id="brojOsoba" name="brojOsoba" class="cs-</pre>
select cs-skin-border">
                                              <option value="" disabled selected>Select Number<</pre>
/option>
                                             <option value="2">Two</option>
                                              <option value="3">Three</option>
                                         </select>
                                     </section>
                                 </div>
                                 <div class="a-col alternate">
                                     <div class="input-field">
                                         <label for="date-start">Check In</label>
                                         <input type="text" class="form-control" id="date-</pre>
start" name="datumOd" />
                                     </div>
                                 </div>
                                 <div class="a-col alternate">
```

```
<div class="input-field">
                                         <label for="date-end">Check Out</label>
                                         <input type="text" class="form-control" id="date-</pre>
end" name="datumDo" />
                                     </div>
                                 </div>
                                 <div class="a-col action">
                                     <a id="reserve" data-idsobe="<?= $id ?>" href="#">
                                         <span>Make a</span>
                                         Reservation
                                     </a>
                                 </div>
                             </form>
                         </div>
                         <div class="row">
                             <br/>
                             <div class="col-lg-12" id="responseReserv">
                             </div>
                         </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
```

## views/pages/accommodations.php

```
<div id="featured-hotel" class="fh5co-bg-color">
        <div class="container">
            <div class="row">
                 <h2>Select Filters</h2>
                 <div id="availability">
                 <form action="#">
                     <div class="a-col">
                             <section>
                                  <select id="roomCat" name="roomCat" class="cs-select cs-skin-</pre>
border">
                                      <option value="0" disabled selected>Room Category</option</pre>
                                      <?php
                                          foreach($sobe as $soba):
                                      ?>
                                          <option value="<?= $soba->id_room ?>"><?= $soba-</pre>
>room_name ?></option>
                                      <?php
```

```
endforeach:
                                      ?>
                                 </select>
                             </section>
                         </div>
                         <div class="a-col">
                             <section>
                                 <select id="guestsNum" name="guestsNum" class="cs-select cs-</pre>
skin-border">
                                      <option value="" disabled selected>Guests Number</option>
                                      <option value="2">Two</option>
                                      <option value="3">Three</option>
                                 </select>
                             </section>
                         </div>
                         <div class="a-col">
                             <section>
                                 <select id="accType" name="accType" class="cs-select cs-skin-</pre>
border">
                                      <option value="0" disabled selected>Accommodation Type</o</pre>
ption>
                                      <?php
                                          $tipovi = vratiSve("accommodation_type");
                                          foreach($tipovi as $tip):
                                      ?>
                                          <option value="<?= $tip->id_acc_type ?>"><?= $tip-</pre>
>name_type ?></option>
                                      <?php
                                          endforeach;
                                      ?>
                                 </select>
                             </section>
                         </div>
                         <div class="a-col">
                             <section>
                                 <select id="sortPrice" name="sortPrice" class="cs-select cs-</pre>
skin-border">
                                      <option value="0" disabled selected>Sort By</option>
                                      <option value="asc" >Lowest Price</option>
                                      <option value="desc">Highest Price</option>
                                 </select>
                             </section>
                         </div>
                         <div class="a-col action">
                             <a id="roomsFilters" href="#">
                                 <span>Use</span>
                                 Filters
                             </a>
```

```
</div>
                </form>
                </div>
            </div>
            <div class="row">
                <div id='accommodations' class="col-lg-12">
                    $sobe = tipSlikaCenaZaSveSobe();
                    $imenaSoba = [];
                    foreach($sobe as $soba){
                        if(!in_array($soba->room_name, $imenaSoba)){
                            array push($imenaSoba, $soba->room name);
                        }
                    }
                    foreach($imenaSoba as $imeSobe){
                        foreach($sobe as $soba){
                            if($soba->room_name == $imeSobe){
                                echo "<div class='row'><div class='col-lg-5'>
                                <img width='100%' src='assets/images/$soba->album/$soba-
>src' alt='$soba->alt'></div>
                                <div class='col-lg-7'><h2>$imeSobe</h2>
                                $soba->description</div></div><hr>";
                                break:
                            }
                        foreach($sobe as $soba){
                            if($soba->room_name == $imeSobe){
                                echo "<div class='row'>
                                <div class='col-lg-4'>$soba->name_type</div>
                                <div class='col-lg-3'>$soba->number_ppl Gusets</div>
                                <div class='col-lg-3'>$soba->price &yen;</div>
                                <div class='col-lg-</pre>
2'><a href='index.php?page=accommodation&idRoom=$soba->id_room' class='btn btn-primary btn-
luxe-primary'>Book Now</a></div>
                                </div>
                                <hr>";
                            }
                        }
                    }
                ?>
                </div>
            </div>
        </div>
    </div>
```

```
<?php
   if(isset($_SESSION["user"])){
      if($_SESSION["user"]->id_role != 1){
         header("Location: 403.php");
   }
   else{
      header("Location: 403.php");
   }
?>
   <div id="fh5co-contact-section" class="container">
      <div class="row">
         <div class="col-md-12">
             <div class="section-title text-center">
                <h2>Rooms - <a href="models/rooms/export.php">Export rooms in excel forma
t</a> </h2>
             </div>
         </div>
         <div class="col-md-12 tableAdmin">
             Room id
                   Room name
                   Description
                   Album
                   Update
                   Delete
                <?php
                   $ispis ="";
                   foreach($sobe as $soba){
                      $ispis .= "
                       $soba->id_room
                          id_room'>$soba->room_name
                          id room'>$soba->description
                          id_room'>$soba->album
                          <a class='roomUpdate' href='#roomsInsertUpdateH' data-
id='$soba->id_room'>Update</a>
                          <a class='roomDelete' href='models/rooms/delete.php?id=$s
oba->id room'>Delete</a>
                       ";
                   echo $ispis;
```

```
?>
                </div>
            <div class="col-md-12">
                <div class="section-title text-center">
                    <h2 id="roomsInsertUpdateH">Insert or update room</h2>
                </div>
            </div>
            <div class="col-md-12 tableAdmin">
                <form action="#">
                    <div class="col-md-6">
                        <div class="col-md-12">
                             <div class="form-group">
                                 <input type="text" id="nameRoom" name="nameRoom" class="form-</pre>
control" placeholder="Room name">
                            </div>
                        </div>
                         <div class="col-md-12">
                            <div class="form-group">
                                 <input type="text" id="album" name="album" class="form-</pre>
control" placeholder="Album">
                            </div>
                        </div>
                        <div class="col-md-12">
                             <div class="form-group">
                                 <textarea id="description" name="description" rows="4" class=
"form-control" placeholder="Description"></textarea>
                            </div>
                        </div>
                        <div class="col-md-12">
                            <div class="form-group">
                             <label for="coverPhoto">Choose cover photo of room</label>
                             <input type="file" id="coverPhoto" name="coverPhoto" class="form-</pre>
control">
                             </div>
                        </div>
                    </div>
                    <div class="col-md-6">
                        <div class="col-md-12">
                             <div class="form-group">
                                <input type="number" id="priceBr2" name="priceBr2" class="for</pre>
m-control" placeholder="Breakfast in Tokyio 2 Guests - Price">
                            </div>
                        </div>
                        <div class="col-md-12">
                            <div class="form-group">
```

```
<input type="number" id="priceBr3" name="priceBr3" class="for</pre>
m-control" placeholder="Breakfast in Tokyio 3 Guests - Price">
                           </div>
                       </div>
                       <div class="col-md-12">
                           <div class="form-group">
                               <input type="number" id="priceRfr2" name="priceRfr2" class="f</pre>
orm-control" placeholder="Retreat for Recovery 2 Guests - Price">
                           </div>
                       </div>
                       <div class="col-md-12">
                           <div class="form-group">
                               <input type="number" id="priceRfr3" name="priceRfr3" class="f</pre>
orm-control" placeholder="Retreat for Recovery 3 Guests - Price">
                           </div>
                       </div>
                       <div id="errorInsertUpdate" class="col-md-12"></div>
                       <div class="col-md-12">
                           <div class="form-group">
                               <input type="button" value="Insert" id="insertUpdate" class="</pre>
btn btn-primary">
                           </div>
                       </div>
                   </div>
               </form>
           </div>
           <div class="col-md-12">
               <div class="section-title text-center">
                   <h2>Messages and recensions from users.</h2>
               </div>
           </div>
           <div class="col-md-12 tableAdmin">
                   First and last name
                           Message
                           Visibility on page
                       <?php
                           $ispis ="";
                           $poruke = messagesAndUsers();
                           foreach($poruke as $poruka){
                               $ispis .= "
                                   $poruka->first_name $poruka->last_name
                                   $poruka->message";
                               if($poruka->show on page == 1){
                                   $ispis .= "<a href='models/messages/updateVisibility.</pre>
php?id=$poruka->id message&visibility=0'>Hide</a>";
```

```
else{
                                  $ispis .= "<a href='models/messages/updateVisibility.</pre>
php?id=$poruka->id_message&visibility=1'>Show</a>";
                                  $ispis .= "";
                          echo $ispis;
                       ?>
                   </div>
           <div class="col-md-12">
               <div class="section-title text-center">
                   <h2>Site access statistics in the last 24 hours</h2>
               </div>
           </div>
           <div class="col-md-12 tableAdmin">
                   Page
                          Attendance in the last 24 hours as a percentage
                       <?php
                          $ispis ="";
                          $podaci = file(LOG_FILE);
                          $menu = vratiSve("menu");
                          $date = date("d-m-Y");
                          $rezultat = [];
                          br = 0;
                          \frac{\text{ukupno}}{0} = 0;
                          foreach($menu as $m){
                              foreach($podaci as $podatak){
                                  $niz = explode(SEPARATOR, $podatak);
                                  $dateLog = explode(" ", $niz[3]);
                                  $pageLog = explode("=", $niz[1]);
                                  @ $pageLog = explode("&", $pageLog[1]);
                                  if(date == datelog[0] \& m->href == @pagelog[0]){
                                      $br++;
                                      $ukupno++;
                                  }
                              array_push($rezultat, $br);
                              br = 0;
                          }
                          $i=0;
```

```
foreach($menu as $m){
                               $ispis .= "
                                          $m->text
                                          ". round($rezultat[$i]/$ukupno * 100, 2) ."%<
/td>
                                      ";
                               $i++;
                           }
                           echo $ispis;
                       ?>
                   </div>
           <div class="col-md-12">
               <div class="section-title text-center">
               <?php
                   $file = file(SUCCESS_LOG);
                   $date = date("d-m-Y");
                   $users = [];
                   foreach($file as $row){
                       $arr = explode(SEPARATOR, $row);
                       if($date == $arr[2]){
                           if(!in_array($arr[1], $users)){
                               array_push($users, $arr[1]);
                           }
                      }
                   }
               ?>
                   <h2>The number of different successfully logged in users for <?= $date ?>
is <?= count($users) ?></h2>
               </div>
           </div>
       </div>
   </div>
```

### views/pages/author.php

```
</div>
</div>
</div>
</div>
```

## views/pages/contact.php

```
<div id="fh5co-contact-section">
        <div class="container">
        <div class="row">
           <div class="col-md-6">
                <img style="width:100%" class="my-</pre>
auto" src="assets/images/map.png" alt="Map"/>
           </div>
           <div class="col-md-6">
                <div class="col-md-12">
                   <h3>Our Address</h3>
                   <i class="ti-
map"></i>198 West 21th Street, Suite 721 Tokyo 10016
                       <i class="ti-mobile"></i>+ 1235 2355 98
                   </div>
                <div class="col-md-12">
                   <div class="row">
                       <form action="#">
                           <?php
                               $ispis = "";
                               if(!isset($_SESSION["user"])){
                                   $ispis .= '<div class="col-md-</pre>
12"><h2 class="orange">Please log in to be able to write a message or recension.</h2></div>
                                   <div class="col-md-12">
                                   <div class="form-group">
                                       <textarea name="userMessage" class="form-</pre>
control" cols="30" rows="7" placeholder="Message" disabled></textarea>
                                   </div>
                                   </div>':
                               }
                               else{
                                   $ispis .= '
                                   <div class="col-md-12">
                                   <div class="form-group">
                                       <textarea name="userMessage" class="form-
control" id="userMessage" cols="30" rows="7" placeholder="Message"></textarea>
                                       <span></span>
                                   </div>
```

```
</div>';
                                  }
                                  echo $ispis;
                              ?>
                              <div class="col-md-12">
                                  <div class="form-group">
                                      <input type="button" id="message" name ="message" value="</pre>
Send Message" class="btn btn-primary"/>
                                  </div>
                             </div>
                         </form>
                     </div>
                 </div>
            </div>
        </div>
        </div>
    </div>
```

# views/pages/gallery.php

# views/pages/home.php

```
$ispis .= 'id room.'">
                                                                    <div class="overlay-gradient"></div>
                                                                           <div class="container">
                                                                                  <div class="col-md-12 col-md-offset-0 text-</pre>
center slider-text">
                                                                                         <div class="slider-text-inner js-</pre>
fullheight">
                                                                                                <div class="desc">
                                                                                                       <span>Aden Hotel</span>
                                                                                                      <h2>'.\$soba-\room_name.'</h2\
                                                                                                             <a href="index.php?page=accom">ta href=index.php?page=accom</a>
modation&idRoom='.$soba->id_room.'" class="btn btn-primary btn-lg">Book Now</a>
                                                                                                      </div>
                                                                                  </div>
                                                                           </div>
                                                                    </div>
                                                             ';
                                  echo $ispis;
                           ?>
                    </div>
       </aside>
       <div id="fh5co-counter-section" class="fh5co-counters">
             <div class="container">
                    <div class="row">
                    <?php
                           $niz = array (
                                  array("User Access" => 20356),
                                  array("Hotels" => 1550),
                                  array("Transactions" => 8200),
                                  array("Rating & Review" => 8763)
                               );
                              foreach($niz as $n){
                                  foreach($n as $text => $num){
                                         echo ("<div class='col-md-3 text-center'>
                                         <span class='fh5co-counter js-counter' data-from='0' data-</pre>
to='$num' data-speed='5000' data-refresh-interval='50'></span>
                                         <span class='fh5co-counter-label'>$text</span>
                                         </div>");
                                  }
                               }
                     ?>
                    </div>
```

```
</div>
    </div>
    <div id="featured-hotel" class="fh5co-bg-color">
        <div class="container">
            <div class="row">
                <div class="col-md-12">
                    <div class="section-title text-center">
                        <h2>Featured Rooms</h2>
                    </div>
                </div>
            </div>
            <div class="row">
                <div class="feature-full-1col">
                    <div class="image cover1">
                        <div class="descrip text-center">
                            <small>For as low as</small><span>96.000 &yen;/night</span></p
                        </div>
                    </div>
                    <div class="desc">
                            <?php
                                $soba = pojedinacnaSoba(1);
                                $ispis = "
                                <h3>$soba->room_name</h3>
                                $soba->description
                                <a href='accommodation.php?idRoom=$soba-</p>
>id_room' class='btn btn-primary btn-luxe-primary'>Book Now <i class='ti-angle-</pre>
right'></i></a>
                                ";
                                echo $ispis;
                            ?>
                    </div>
                </div>
                <div class="feature-full-2col">
                    <?php
                        $ispis = "";
                        foreach($sobe as $s){
                            if($s->id_room == 2 || $s->id_room == 3){
                                $ispis .= "<div class='f-hotel'>
                                   <div class='image cover$s->id room'>
                                       <div class='descrip text-center'>
                                           <small>For as low as</small><span>96.000 &yen;/
night</span>
                                       </div>
                                   </div>
                                   <div class='desc'>
                                       <h3>$s->room name</h3>
```

```
$s->description
                                       <a href='index.php?page=accommodation&idRoom=$s-
>id_room' class='btn btn-primary btn-luxe-primary'>Book Now <i class='ti-angle-</pre>
right'></i></a>
                                   </div>
                               </div>";
                            }
                        }
                        echo $ispis;
                    ?>
                </div>
            </div>
        </div>
    </div>
    <div id="hotel-facilities">
        <div class="container">
            <div class="row">
                <div class="col-md-12">
                    <div class="section-title text-center">
                        <h2>Hotel Facilities</h2>
                    </div>
                </div>
            </div>
            <div id="tabs">
                <nav class="tabs-nav">
                <?php
                    $facilities = vratiSve("facilities");
                    $ispis1 = "";
                    $i1 = 1;
                        foreach($facilities as $fac):
                            if($i1 == 1){
                                $ispis1 .= '<a href="#" class="active" data-</pre>
tab="tab'.$i1.'">';
                            }
                            else{
                                $ispis1 .= '<a href="#" data-tab="tab'.$i1.'">';
                            $ispis1 .='<i class="'.$fac->icon.'"></i>
                                         <span>'.$fac->name.'</span>
                                    </a>';
                            $i1++;
                        endforeach;
                        echo($ispis1);
                ?>
```

```
</nav>
               <div class="tab-content-container">
                   <?php
                       $ispis = "";
                       $i = 1;
                   foreach($facilities as $fac):
                       if($i == 1){}
                           $ispis .= '<div class="tab-content active show" data-tab-</pre>
content="tab'.$i.'">';
                       else{
                           $ispis .= '<div class="tab-content" data-tab-</pre>
content="tab'.$i.'">';
                       $ispis .= '<div class="container">
                                   <div class="row">
                                       <div class="col-md-6">
                                           <img src="assets/'. $fac->pic_src .'" class="img-
responsive" alt="'. $fac->name .'">
                                       </div>
                                       <div class="col-md-6">
                                           <span class="super-heading-sm">World Class</span>
                                           <h3 class="heading">'. $fac->name .'</h3>
                                           '. $fac->text .'
                                           <span>Service Hours</span>
                                               <strong>7:30 AM - 8:00 PM</strong>
                                           </div>
                                   </div>
                               </div>
                           </div>';
                   $i++;
                   endforeach;
                   echo($ispis);
                   ?>
               </div>
            </div>
       </div>
    </div>
    <div id="testimonial">
       <div class="container">
           <div class="row">
               <div class="col-md-12">
```

```
<div class="section-title text-center">
                      <h2>Happy Guests Says...</h2>
                  </div>
              </div>
           </div>
           <div id="topKomentari" class="row">
           <?php
              $poruke = topMessages();
              $ispis = "";
              foreach($poruke as $por){
                  $ispis .= "<div class='col-md-6'>
                      <div class='testimony'>
                         <blockquote>
                             "$por->message"
                         </blockquote>
                         <cite>$por->first_name $por-
>last name</cite>
                      </div>
                  </div>";
              echo($ispis);
           ?>
           </div>
           <nav aria-label="Page navigation example">
              <a class="page-link komentari" href="#" data-</pre>
limit="0">1</a>
                  <a class="page-link komentari" href="#" data-</pre>
limit="2">2</a>
              </nav>
       </div>
   </div>
   <div id="fh5co-services-section">
       <div class="container">
           <div class="row">
              <div class="col-md-12">
                  <div class="section-title text-center"><br/><br/><br/>
                      <h2>Hotel Services</h2>
                  </div>
              </div>
           </div>
           <div class="row">
           <?php
              $services = array (
                  array("TV" => "icon-tv"),
```

```
array("Open 24/7" => "ti-alarm-clock"),
                array("Reservation" => "ti-calendar"),
                array("Friendly Staff" => "ti-user"),
                array("Free Wifi" => "ti-signal"),
                array("Accessible Location" => "ti-location-pin")
              );
              foreach($services as $serv){
                foreach($serv as $text => $icon){
                    echo ("<div class='col-md-4 services'>
                            <div class='services'>
                                <span><i class='$icon'></i></span>
                                <div class='desc'><br/>
                                    <h3>$text</h3>
                                </div>
                            </div></div>");
        ?>
        </div>
    </div>
</div>
```

## views/pages/login.php

```
<div id="fh5co-contact-section" class="container">
        <div class="row">
            <div class="col-md-2"></div>
            <div class="col-md-8">
                <div class="row">
                    <form action="models/users/login.php" method="post">
                        <div class="col-md-12">
                            <div class="form-group">
                                <input type="text" id="emailLog" name="emailLog" class="form-</pre>
control" placeholder="Email">
                                </div>
                        </div>
                        <div class="col-md-12">
                            <div class="form-group">
                                <input type="password" id="passLog" name="passLog" class="for</pre>
m-control" placeholder="Password">
                                </div>
                        </div>
                        <div id="loginResponse" class="col-md-12">
                        </div>
```

## views/pages/register.php

```
<div id="fh5co-contact-section" class="container">
        <div class="row">
            <div class="col-md-12">
                <div class="row">
                    <form action="#">
                         <div class="col-md-6">
                             <div class="form-group">
                                 <input type="text" id="firstName" name="firstName" class="for</pre>
m-control" placeholder="First name">
                                 <span></span>
                             </div>
                         </div>
                         <div class="col-md-6">
                             <div class="form-group">
                                 <input type="text" id="lastName" name="lastName" class="form-</pre>
control" placeholder="Last name">
                                 <span></span>
                             </div>
                         </div>
                         <div class="col-md-6">
                             <div class="form-group">
                                 <input type="text" id="phone" name="phone" class="form-</pre>
control" placeholder="Phone number">
                                 <span></span>
                             </div>
                         </div>
                         <div class="col-md-6">
                             <div class="form-group">
```

```
<input type="text" id="email" name="email" class="form-</pre>
control" placeholder="Email">
                                  <span></span>
                             </div>
                         </div>
                         <div class="col-md-6">
                             <div class="form-group">
                                  <input type="password" id="pass" name="pass" class="form-</pre>
control "placeholder="Password">
                                  <span></span>
                             </div>
                         </div>
                         <div class="col-md-6">
                             <div class="form-group">
                                  <input type="password" id="confPass" name="confPass" class="f</pre>
orm-control" placeholder="Confirm password">
                                 <span></span>
                             </div>
                         </div>
                         <div id="regResult" class="col-md-6"></div>
                         <div class="col-md-12">
                             <div class="form-group">
                                  <input type="submit" value="Register" id="registerBtn" class=</pre>
"btn btn-primary">
                             </div>
                         </div>
                     </form>
                 </div>
            </div>
        </div>
    </div>
```

# views/pages/reservations.php

```
Accommodation type
                    Guests number
                    Check in
                    Check out
                     Price
                    Cancel reservation
                 <?php
                 $id = $_SESSION["user"]->id_user;
                 $reservations = getReservations($id);
                 if(count($reservations) > 0):
                    foreach($reservations as $res):
                        $chkIn = explode("-", $res->check_in);
                        $chkOut = explode("-", $res->check_out);
                        $chkInTime = mktime(0, 0, 0, $chkIn[1], $chkIn[2], $chkIn[0]);
                        $chkOutTime = mktime(0, 0, 0, $chkOut[1], $chkOut[2], $chkOut[0])
                        $days = floor(($chkOutTime - $chkInTime)/60/60/24);
              ?>
                    <?= $res->room_name ?>
                        <?= $res->name_type ?>
                        <?= $res->number_ppl ?>
                        <?= $res->check_in ?>
                        <?= $res->check_out ?>
                        <?= $res->price * $days ?>
                        <?php
                           $today = mktime();
                           if($chkInTime > $today){
                               echo "<a href='models/reservations/cancel.php?id=$res
->id_reservation'>Cancel</a>";
                           else{
                               echo "";
                        ?>
                     <?php
                    endforeach;
                 endif;
              ?>
              </div>
      </div>
   </div>
</div>
```

## models/messages/insert.php

```
<?php
    session_start();
   header("Content-type: application/json");
    if($_SERVER["REQUEST_METHOD"] == "POST"){
        if(isset($_SESSION['user'])){
            include "../../config/connection.php";
            include "../functions.php";
            try{
                $message = $_POST["message"];
                reMessage = "/^.{3,255}$/";
                if(!preg_match($reMessage, $message)){
                    http_response_code(409);
                else{
                    $userId = $_SESSION['user']->id_user;
                    $columns = "message, id_user";
                    $values = [$message, $userId];
                    $result = insert("users_messages", $columns, $values);
                    if($result){
                        $response = ["message" => "Message is sent."];
                        echo json_encode($response);
                        http_response_code(201);
                    }
            }
            catch(PDOException $exce){
                http_response_code(500);
            }
        else{
            http_response_code(401);
    }
   else{
        http_response_code(404);
```

#### models/messages/ showHomePageComm.php

#### models/messages/ updateVisibility.php

```
<?php
    session_start();
    header("Content-type: application/json");
    if(isset($_SESSION["user"])){
        if($_SESSION["user"]->id_role == 1){
            include "../../config/connection.php";
            include "../functions.php";
            if(isset($_GET["id"]) && isset($_GET["visibility"])){
                try{
                    $id = $_GET["id"];
                    $visibility = $_GET["visibility"];
                    $result = updateVisibilityMessages($id, $visibility);
                    if($result){
                        http_response_code(204);
                        header("Location: ../../index.php?page=admin");
                    }
                catch(PD0Exception $exce){
                    http_response_code(500);
```

```
}
    else{
        header("Location: ../../403.php");
    }
}
else{
    header("Location: ../../403.php");
}
```

# models/rooms/delete.php

```
<?php
    session_start();
    if(isset($_GET["id"])){
        if(isset($_SESSION["user"])){
            if($_SESSION["user"]->id_role == 1){
                include "../../config/connection.php";
                include "../functions.php";
                try{
                   $id = $_GET["id"];
                   $rezultat = deleteRoom($id);
                   if($rezultat){
                       header("Location: ../../index.php?page=admin");
                   }
                catch(PDOException $exce){
                    http_response_code(500);
            }
            else{
                header("Location: ../../403.php");
            }
        else{
            header("Location: ../../403.php");
    }
    else{
        http_response_code(404);
```

## models/rooms/export.php

```
include "../../config/connection.php";
include "../functions.php";
$excel_app = new COM("Excel.application");
$excel_app->Visible = 1;
$excel_app->DisplayAlerts = 1;
$\text{\text{Workbook} = \text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\tert{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{
$Worksheet = $Workbook->Worksheets("Sheet1");
$field = $Worksheet->Range("A1");
$field->activate;
$field->Value = "Room id:";
$field = $Worksheet->Range("B1");
$field->activate;
$field->Value = "Room name:";
$field = $Worksheet->Range("C1");
$field->activate;
$field->Value = "Description:";
$rooms = vratiSve("rooms");
num = 2;
foreach($rooms as $room){
            $field = $Worksheet->Range("A$num");
            $field->activate;
            $field->Value = $room->id_room;
            $field = $Worksheet->Range("B$num");
            $field->activate:
            $field->Value = $room->room_name;
            $field = $Worksheet->Range("C$num");
            $field->activate;
            $field->Value = $room->description;
            $num++;
}
$Workbook->_SaveAs(ABSOLUTE_PATH."/rooms.xlsx", -4143);
$Workbook->Save();
$Workbook->Saved = true;
$Workbook->Close;
unset($Worksheet);
```

```
unset($Workbook);

$excel_app->Workbooks->Close();
$excel_app->Quit();

unset($excel_app);

header("Location: ../../index.php?page=admin");
?>
```

## models/rooms/filterAndSort.php

```
<?php
    header("Content-type: application/json");
    if($_SERVER["REQUEST_METHOD"] == "POST"){
        include "../../config/connection.php";
        include "../functions.php";
        try{
            $roomCat = $_POST["roomCat"];
            $guestsNum = $_POST["guestsNum"];
            $accType = $_POST["accType"];
            $sortPrice = $_POST["sortPrice"];
            $rooms = filterSortSobe($roomCat, $guestsNum, $accType, $sortPrice);
            if(count($rooms) != 0){
                echo json_encode($rooms);
                http_response_code(200);
            }
        catch(PD0Exception $exce){
            http_response_code(500);
    }
    else{
        http_response_code(404);
    }
```

# models/rooms/insert.php

```
<?php
    session_start();
    header("Content-type: application/json");
    if(isset($_SESSION["user"])){</pre>
```

```
if($_SESSION["user"]->id_role == 1){
        include "../../config/connection.php";
        include "../functions.php";
        try{
            $konekcija->beginTransaction();
            $nameRoom = $_POST['nameRoom'];
            $album = $ POST['album'];
            $description = $_POST['description'];
            $priceBr2 = $_POST['priceBr2'];
            $priceBr3 = $ POST['priceBr3'];
            $priceRfr2 = $_POST['priceRfr2'];
            $priceRfr3 = $_POST['priceRfr3'];
            $errors = [];
            $colRoom = "room_name, description, album";
            $valRoom = [$nameRoom, $description, $album];
            insert("rooms", $colRoom, $valRoom);
            $idRoom = $konekcija->lastInsertId();
            $colType = "id_room, id_acc_type";
            insert("room_type", $colType, [$idRoom, 1]);
            $idBr = $konekcija->lastInsertId();
            insert("room_type", $colType, [$idRoom, 2]);
            $idRfr = $konekcija->lastInsertId();
            $colPrice = "number_ppl, id_room_type, price";
            insert("price", $colPrice, [2, $idBr, $priceBr2]);
            insert("price", $colPrice, [2, $idRfr, $priceRfr2]);
            insert("price", $colPrice, [3, $idBr, $priceBr3]);
            insert("price", $colPrice, [3, $idRfr, $priceRfr3]);
            if(isset($_FILES['photo'])){
                $photo = $_FILES['photo'];
                $photoType = $photo["type"];
                $photoTmp = $photo["tmp_name"];
                $types = ["image/jpg", "image/jpeg", "image/png"];
                if(!in_array($photoType, $types)){
                    array_push($errors, "File must have .jpg/.jpeg/.png extension.");
                if($photo["size"] > (5 * 1024)){
                    array_push($errors, "The maximum file size is 500KB.");
```

```
}
                        if(count($errors) == 0){
                            $newName = time()."_".$photo["name"];
                            $newPath = "../../assets/images/$album/$newName";
                            if(move_uploaded_file($photoTmp, $newPath)){
                                $alt = $nameRoom." Cover";
                                $colPicture = "src, alt, id_room";
                                insert("room_pic", $colPicture, [$newName, $alt, $idRoom]);
                            }
                            $uploadedPic = null;
                            switch($photoType){
                                case 'image/jpeg':
                                $uploadedPic = imagecreatefromjpeg($photoTmp);
                                break;
                                case 'image/png':
                                $uploadedPic = imagecreatefrompng($photoTmp);
                                break:
                            }
                            list($width, $height) = getimagesize($photo["tmp_name"]);
                            newWidth = 200;
                            $newHeight = $height * $newWidth / $width;
                            $newPic = imagecreatetruecolor($newWidth, $newHeight);
                            imagecopyresampled($newPic, $uploadedPic, 0, 0, 0, $newWidth,
$newHeight, $width, $height);
                            $thumbPic = "thumb_". $newName;
                            $pathThumbPic = "assets/images/thumb/$thumbPic";
                            switch($photoType){
                                case 'image/jpeg':
                                    imagejpeg($newPic, "../../".$pathThumbPic);
                                    break;
                                case 'image/png':
                                    imagepng($newPic, "../../".$pathThumbPic);
                                    break;
                            }
                        }
                    }
                    $konekcija->commit();
                    $response = ["message" => "Successfully inserted."];
                    echo json_encode($response);
                catch(PDOException $exce){
```

## models/rooms/update.php

```
<?php
    session_start();
    header("Content-type: application/json");
    if(isset($_SESSION["user"])){
        if($_SESSION["user"]->id_role == 1){
            if(isset($_POST['idRoom'])){
                include "../../config/connection.php";
                include "../functions.php";
                try{
                    $idRoom = $_POST['idRoom'];
                    $nameRoom = $_POST['nameRoom'];
                    $album = $_POST['album'];
                    $description = $_POST['description'];
                    $rezultat = updateRoom($idRoom, $nameRoom, $album, $description);
                    if($rezultat){
                        $response = ["message" => "Successfully updated."];
                        echo json_encode($response);
                catch(PD0Exception $exce){
                    http_response_code(500);
            }
        else{
            header("Location: ../../403.php");
        }
    else{
        header("Location: ../../403.php");
```

### models/users/login.php

```
<?php
    session_start();
    header("Content-type: application/json");
    if($_SERVER["REQUEST_METHOD"] == "POST"){
        include "../../config/connection.php";
        include "../functions.php";
        try{
            $email = $_POST["emailLog"];
            $password = $_POST["passLog"];
            reEmail = "/^[\w\.-]+\@([a-z\d]+\.)+[a-z]{2,3}$/";
            rePass = "/^.{5,40}$/";
            $errors = [];
            if(!preg_match($reEmail, $email)){
               array_push($errors, "Email must contain @, and it could only use lowercase let
ters, numbers, '.' and '-'.");
            if(!preg_match($rePass, $password)){
                array_push($errors, "Password must contain at least 5 character.");
            }
            if(count($errors) != 0){
                // $response = ["message" => $errors];
                // echo json_encode($response);
                errorLogFile($email, "Parameters didn't pass regular expressions.");
                emailWarning($email);
                http_response_code(409);
                header("Location: ../../index.php?page=login");
            }
            else{
                $pass = md5($password);
                $userObj = logovanje($email, $pass);
                if($userObj){
                    $_SESSION["user"] = $userObj;
                    successLogFile($email);
                    http response code(200);
                    if($_SESSION["user"]->id_role == 1){
                        header("Location: ../../index.php?page=admin");
```

```
else{
                    header("Location: ../../index.php");
                }
            else{
                errorLogFile($email, "The parameters do not match the database.");
                emailWarning($email);
                http_response_code(400);
                header("Location: ../../index.php?page=login");
            }
        }
    }
    catch(PD0Exception $exce){
        http_response_code(500);
    }
}
else{
    http_response_code(404);
```

#### models/users/logout.php

```
<?php
    session_start();
    if(isset($_SESSION["user"])){
        unset($_SESSION["user"]);
        header("Location: ../../index.php");
    }
}</pre>
```

## models/users/register.php

```
$reFirstLastName = "/^[A-ZŠĐŽČĆ][a-zšđžčć]{2,14}(\s[A-ZŠĐŽČĆ][a-
zšđžčć]{2,14})?$/";
            reEmail = "/^[\w\.-]+\@([a-z\d]+\.)+[a-z]{2,3}$/";
            rePhone = "/^(+381\s|0)6[0-69]\s[0-9]{3}\s[0-9]{3,4}$/";
            rePass = "/^.{5,40}$/";
            $errors = false;
            $errorPoruke = [];
            if(!preg_match($reFirstLastName, $firstName)){
                $errors= true;
            if(!preg_match($reFirstLastName, $lastName)){
                $errors = true;
            if(!preg_match($reEmail, $email)){
                $errors = true;
            if(!preg_match($rePhone, $phone)){
                $errors = true;
            }
            if(!preg_match($rePass, $password)){
                $errors = true;
            }
            if($errors){
                http_response_code(409);
            }
            else{
                $pass = md5($password);
                $role = 2;
                $columns = "first_name, last_name, phone, email, password, id_role";
                $userValues = [$firstName, $lastName, $phone, $email, $pass, $role];
                $insertUser = insert("users", $columns, $userValues);
                if($insertUser){
                    $response = ["message" => "You are now registered."];
                    echo json_encode($response);
                    http_response_code(201);
                }
            }
        catch(PD0Exception $exce){
            http_response_code(500);
        }
   else{
```

```
http_response_code(404);
}
?>
```

### models/reservations/reservation.php

```
<?php
        session_start();
        header("Content-type: application/json");
        if($_SERVER["REQUEST_METHOD"] == "POST"){
                 include "../../config/connection.php";
                 include "../functions.php";
                 try{
                          $tipSobe = $_POST["tipSobe"];
                          $brojOsoba = $ POST["brojOsoba"];
                          $datumOd = $_POST["datumOd"];
                          $datumOd = explode("/", $datumOd);
                          d=d=1, d=1, d=1,
                          $datumDo = $_POST["datumDo"];
                          $datumDo = explode("/", $datumDo);
                          $datumDo = mktime(00,00,00,$datumDo[0],$datumDo[1], $datumDo[2]);
                          $idSobe = $_POST["idSobe"];
                          $errors = false;
                          $errorMessages[] = [];
                          if($tipSobe != 1 && $tipSobe != 2){
                                   $errors = true;
                                   array_push($errorMessages, "Please select type of room.");
                          if($brojOsoba != 2 && $brojOsoba != 3){
                                   $errors = true;
                                   array_push($errorMessages, "Please select number of guests.");
                          if($datumOd - $datumDo > 0){
                                   $errors = true;
                                   array_push($errorMessages, "Check out can't be before check in.");
                          if($idSobe == null){
                                   $errors = true;
                          if(!$errors){
                                   $cena = price($idSobe, $brojOsoba, $tipSobe);
                                   $idCene = $cena->id_price;
                                   $datumOd = date("Y-m-d", $datumOd);
                                   $datumDo = date("Y-m-d", $datumDo);
                                   if(isset($_SESSION["user"])){
                                            $userId = $ SESSION["user"]->id_user;
```

```
$columns = "id_user, id_price, check_in, check_out";
                    $rezervacija = insert("reservation", $columns, [$userId, $idCene, $datumO
d, $datumDo]);
                   if($rezervacija){
                        $odgovor = ["message" => "You have successfully made a reservation."]
                        echo json_encode($odgovor);
                        http_response_code(201);
                   }
                else{
                    http_response_code(401);
            }
            else{
                echo json_encode($errorMessages);
        catch(PD0Exception $exce){
            http_response_code(500);
    }
    else{
        http_response_code(404);
```

#### models/reservations/cancel.php

```
<?php
    session_start();
    if(isset($_GET["id"])){
        if(isset($_SESSION["user"])){
            include "../../config/connection.php";
            include "../functions.php";
            try{
                $id = $_GET["id"];
                $result = cancelReservation($id);
                if($result){
                    http_response_code(200);
                    header("Location: ../../index.php?page=reservations");
                }
            catch(PDOException $exce){
                http_response_code(500);
            }
```

```
else{
          header("Location: ../../403.php");
    }
} else{
    http_response_code(404);
}
```

## models/authorInfo.php

```
<?php
    include "../config/config.php";
    $word = new COM("word.application") or die("Unable to instantiate Word");
    $word->Visible = 1;
    $word->Documents->Add();
    $word->Selection->TypeText("Jovana Bosnic
                                Date of birth: 18.12.1998.
                                Languages: Serbian, English
                                Current town: Kacarevo
                                Education
                                Internet Technologies at ICT college of applied studies 2018-
present
                                High school: Economic and trade schools, Pancevo 2013-2017
                                Skills\nHTML 5, CSS 3\nAdvanced CSS (SASS, LESS)\nJavaScript\
nC#\nPHP\nSQL\nResponsive design\nBootstrap, Materialize\nPhotoshop");
    $path = ABSOLUTE_PATH. "/data/author.docx";
    $word->Documents[1]->SaveAs($path);
    header("Content-Disposition: attachment; filename=author.docx");
    $word->Quit();
    $word = null;
    $file = file_get_contents($path);
    header("Content-type: application/vnd.ms-word");
    header("Content-Disposition: attachment; filename=author.docx");
    echo($file);
    if(file_exists($path)) {
        unlink($path);
    }
```

## models/functions.php

```
<?php
function vratiSve($tabela){
    global $konekcija;
   $upit = "SELECT * FROM $tabela";
    $dobijeniPodaci = $konekcija->query($upit)->fetchAll();
    return $dobijeniPodaci;
function pojedinacnaSoba($id){
    global $konekcija;
   $upit = "SELECT * FROM rooms WHERE id_room = :id";
   $priprema = $konekcija->prepare($upit);
   $priprema->bindParam(":id", $id);
   $priprema->execute();
    $rezultat = $priprema->fetch();
    return $rezultat;
function roomPictures($id){
   global $konekcija;
    $upit = "SELECT rp.src, rp.alt FROM rooms r INNER JOIN room_pic rp
                ON r.id_room = rp.id_room
                WHERE r.id room = ?";
    $priprema = $konekcija->prepare($upit);
    $priprema->execute([$id]);
    $dobijeniPodaci = $priprema->fetchAll();
    return $dobijeniPodaci;
function price($id, $number, $type){
   global $konekcija;
   $upit = "SELECT p.id_price, p.price FROM rooms r INNER JOIN room_type rt
   ON r.id_room = rt.id_room INNER JOIN accommodation_type acct
   ON acct.id acc type=rt.id acc type INNER JOIN price p
   ON rt.id_room_type=p.id_room_type
   WHERE r.id_room = ? AND p.number_ppl = ? AND acct.id_acc_type= ?
   ORDER BY p.date desc
   LIMIT 1";
   $priprema = $konekcija->prepare($upit);
   $priprema->execute([$id, $number, $type]);
    $dobijeniPodaci = $priprema->fetch();
    return $dobijeniPodaci;
function tipICenaZaSobu($id){
    global $konekcija;
   $upit = "SELECT p.id_room_type, acct.name_type, p.id_price, p.number_ppl, p.price
    FROM rooms r INNER JOIN room type rt
```

```
ON r.id_room = rt.id_room INNER JOIN accommodation_type acct
   ON acct.id_acc_type=rt.id_acc_type INNER JOIN price p
    ON rt.id_room_type=p.id_room_type
   WHERE r.id room = $id";
    $dobijeniPodaci = $konekcija->query($upit)->fetchAll();
    return $dobijeniPodaci;
function tipSlikaCenaZaSveSobe(){
    global $konekcija;
    $upit = "SELECT r.id_room, r.room_name, r.album, r.description, r.album, rp.src, rp.alt,
acct.name_type, p.number_ppl, p.price
    FROM rooms r INNER JOIN room pic rp ON r.id room = rp.id room
    INNER JOIN room_type rt ON r.id_room = rt.id_room
    INNER JOIN accommodation_type acct ON acct.id_acc_type=rt.id_acc_type
    INNER JOIN price p ON rt.id_room_type=p.id_room_type
   GROUP BY r.room_name, acct.name_type, p.number_ppl
   HAVING MIN(rp.id room pic)";
    $dobijeniPodaci = $konekcija->query($upit)->fetchAll();
    return $dobijeniPodaci;
function filterSortSobe($roomCat, $guestsNum, $accType, $sortPrice){
    global $konekcija;
    $upit = "SELECT r.id_room, r.room_name, r.album, r.description, r.album, rp.src, rp.alt,
acct.name type, p.number_ppl, p.price
        FROM rooms r INNER JOIN room_pic rp ON r.id_room = rp.id_room
        INNER JOIN room_type rt ON r.id_room = rt.id_room
        INNER JOIN accommodation_type acct ON acct.id_acc_type=rt.id_acc_type
        INNER JOIN price p ON rt.id_room_type=p.id_room_type ";
    if($roomCat != null){
        $upit .= "WHERE r.id_room = $roomCat ";
        if($guestsNum != null){
            $upit .= "AND p.number_ppl = $guestsNum ";
        if($accType != null){
            $upit .= "AND acct.id_acc_type = $accType ";
        }
    else if($guestsNum != null){
        $upit .= "WHERE p.number_ppl = $guestsNum ";
        if($accType != null){
            $upit .= "AND acct.id_acc_type = $accType ";
        }
    else if($accType != null){
        $upit .= "WHERE acct.id_acc_type = $accType ";
```

```
$upit .= "GROUP BY r.room_name, acct.name_type, p.number_ppl
        HAVING MIN(rp.id_room_pic) ";
     if($sortPrice != null){
        $upit .= "ORDER BY p.price $sortPrice";
    }
    $dobijeniPodaci = $konekcija->query($upit)->fetchAll();
    return $dobijeniPodaci;
function tipovi($id){
   global $konekcija;
   $upit = "SELECT DISTINCT acct.id_acc_type, acct.name_type
   FROM rooms r INNER JOIN room_type rt
   ON r.id room = rt.id room INNER JOIN accommodation type acct
   ON acct.id_acc_type=rt.id_acc_type
   WHERE r.id room = $id";
   $dobijeniPodaci = $konekcija->query($upit)->fetchAll();
    return $dobijeniPodaci;
function logovanje($email, $pass){
    global $konekcija;
    $upit = "SELECT * FROM users u INNER JOIN role r
            ON u.id role=r.id role
            WHERE u.email = :email AND u.password = :password";
    $priprema = $konekcija->prepare($upit);
    $priprema->bindParam(":email", $email);
   $priprema->bindParam(":password", $pass);
   $priprema->execute();
    $rezultat = $priprema->fetch();
    return $rezultat:
function errorLogFile($email, $message){
    $open = fopen(ERROR_LOG, "a");
    if($open){
        $date = date("d-m-Y");
        $time = date("H:i:s");
        fwrite($open, "{$_SERVER['REMOTE_ADDR']}".SEPARATOR."{$email}".SEPARATOR."{$date}".SE
PARATOR."{\$time}".SEPARATOR."{\$message}\n");
       fclose($open);
    }
function successLogFile($email){
    $open = fopen(SUCCESS LOG, "a");
    if($open){
       $date = date("d-m-Y");
```

```
$time = date("H:i:s");
        fwrite($open, "{$ SERVER['REMOTE ADDR']}".SEPARATOR."{$email}".SEPARATOR."{$date}".SE
PARATOR."{$time}\n");
        fclose($open);
    }
function emailWarning($email){
    global $konekcija;
    $upit = "SELECT * FROM users WHERE email = :email";
    $priprema = $konekcija->prepare($upit);
    $priprema->bindParam(":email", $email);
    $priprema->execute();
    $rezultat = $priprema->fetch();
    if(count($rezultat)){
        $podaci = file(ERROR_FILE);
        $now = mktime();
        foreach($podaci as $podatak){
            $niz = explode(SEPARATOR, $podatak);
            if(\$email == \$niz[1]){}
                $dateLog = explode("-", $niz[2]);
                $timeLog = explode(":", $niz[3]);
                $timestamp = mktime($timeLog[0], $timeLog[1], $timeLog[2], $dateLog[1], $date
Log[0], $dateLog[2]);
                $razlikaMinuti = ($now - $timestamp) / 60;
                if($razlikaMinuti < 5){</pre>
                    $br++:
            }
        if(\$br == 3){
            mail($email, "Warning - Aden Hotel Account", "Hello, someone is trying to access
your account with incorrect parameters.");
    }
function getReservations($idUser){
    global $konekcija;
    $upit = "SELECT *
    FROM rooms r INNER JOIN room type rt ON r.id room = rt.id room
    INNER JOIN accommodation type acct ON acct.id_acc_type=rt.id_acc_type
    INNER JOIN price p ON rt.id_room_type=p.id_room_type
    INNER JOIN reservation res ON res.id_price=p.id_price
    INNER JOIN users u ON res.id user=u.id user
    WHERE u.id_user = ?";;
    $priprema = $konekcija->prepare($upit);
    $priprema->execute([$idUser]);
    $dobijeniPodaci = $priprema->fetchAll();
```

```
return $dobijeniPodaci;
function cancelReservation($id){
    global $konekcija;
    $upit = "DELETE FROM reservation WHERE id_reservation = :id";
    $priprema = $konekcija->prepare($upit);
    $priprema->bindParam(":id", $id);
    $rezultat = $priprema->execute();
    return $rezultat;
function deleteRoom($id){
   global $konekcija;
   $upit = "DELETE FROM rooms WHERE id_room = :id";
   $priprema = $konekcija->prepare($upit);
   $priprema->bindParam(":id", $id);
   $rezultat = $priprema->execute();
    return $rezultat;
function updateRoom($idRoom, $nameRoom, $album, $description){
    global $konekcija;
    $upit = "UPDATE rooms
            SET room_name=:nameRoom, album=:album, description=:description
            WHERE id room=:id";
    $priprema = $konekcija->prepare($upit);
    $priprema->bindParam(":id", $idRoom);
    $priprema->bindParam(":nameRoom", $nameRoom);
    $priprema->bindParam(":album", $album);
    $priprema->bindParam(":description", $description);
    $rezultat = $priprema->execute();
    return $rezultat;
function insert($table, $columnsNames, $columnsValues){
   global $konekcija;
    $val = "?";
    for($i = 1; $i < count($columnsValues); $i++){</pre>
        $val .= ", ?";
    $query = "INSERT INTO $table ($columnsNames) VALUES($val)";
    $prep = $konekcija->prepare($query);
    $result = $prep->execute($columnsValues);
    return $result:
function topMessages($limit = 0){
    global $konekcija;
    fet = 2;
    $upit = "SELECT *
            FROM users messages um INNER JOIN users u
            ON um.id user=u.id user
```

```
WHERE um.show on page = 1
            LIMIT :limit, :offset";
     $priprema = $konekcija->prepare($upit);
     $priprema->bindParam(":limit", $limit, PDO::PARAM_INT);
     $priprema->bindParam(":offset", $offset, PDO::PARAM_INT);
     $priprema->execute();
     $rezultat = $priprema->fetchAll();
     return $rezultat;
function messagesAndUsers(){
   global $konekcija;
    $upit = "SELECT u.first name, u.last name, um.id message, um.message, um.show on page
            FROM users u INNER JOIN users_messages um
            ON u.id user=um.id user";
    $dobijeniPodaci = $konekcija->query($upit)->fetchAll();
    return $dobijeniPodaci;
function updateVisibilityMessages($id, $visibility){
    global $konekcija;
    $upit = "UPDATE users messages
            SET show_on_page = :visibility
            WHERE id_message = :id";
    $priprema = $konekcija->prepare($upit);
   $priprema->bindParam(":id", $id, PDO::PARAM_INT);
    $priprema->bindParam(":visibility", $visibility, PDO::PARAM_INT);
   $rezultat = $priprema->execute();
    return $rezultat;
```

config/config.php

```
define("ABSOLUTE_PATH", $_SERVER["DOCUMENT_ROOT"]."/aden");
define("ENV_FILE", ABSOLUTE_PATH."/config/.env");
define("LOG_FILE", ABSOLUTE_PATH."/data/log.txt");
define("ERROR_LOG", ABSOLUTE_PATH."/data/errorsLog.txt");
define("SUCCESS_LOG", ABSOLUTE_PATH."/data/successLog.txt");
define("SEPARATOR", "\t");

define("SEPARATOR", "\t");

define("SERVER", env("SERVER"));
define("DATABASE", env("DATABASE"));
define("USERNAME", env("USERNAME"));
define("PASSWORD", env("PASSWORD"));

function env($value){
```

## config/connection.php

```
<?php
require_once "config.php";
accessToPages();
try {
    $konekcija = new PDO("mysql:host=".SERVER.";dbname=".DATABASE.";charset=utf8", USERNAME,
PASSWORD);
    $konekcija->setAttribute(PDO::ATTR_DEFAULT_FETCH_MODE, PDO::FETCH_OBJ);
    $konekcija->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
catch(PDOException $ex){
    echo $ex->getMessage();
function accessToPages(){
    $open = fopen(LOG_FILE, "a");
    if($open){
        $date = date("d-m-Y H:i:s");
        fwrite($open, "{$_SERVER['PHP_SELF']}".SEPARATOR."{$_SERVER['QUERY_STRING']}".SEPARAT
OR."{$_SERVER['REMOTE_ADDR']}".SEPARATOR."{$date}\n");
        fclose($open);
    }
```

#### main.js

```
$(document).ready(function(){
    $("#registerBtn").click(registerUser);
    $("#reserve").click(reserveRoom);
    $(".roomUpdate").click(updateRoom);
    $("#insertUpdate").click(updateInsertRoom);
    $("#roomsFilters").click(filterSortRooms);
    $("#message").click(userMessage);
    $(".komentari").click(showComments);
    var lokacija = location.search;
    var slideIndex = 1;
    if(lokacija.indexOf("accommodation") != -1 && lokacija.indexOf("s") == -1){
        showSlides(slideIndex);
    $(".prev").on("click", function(){
        showSlides(slideIndex -= 1);
    });
    $(".next").on("click", function(){
        showSlides(slideIndex += 1);
    });
    $(".demo").click(currentSlide);
    function currentSlide() {
        let n = $(this).data("id");
        showSlides(slideIndex = n);
    }
    function showSlides(n) {
        var i;
        var slides = document.getElementsByClassName("mySlides");
        var dots = document.getElementsByClassName("demo");
        if (n > slides.length) {slideIndex = 1}
        if (n < 1) {slideIndex = slides.length}</pre>
        for (i = 0; i < slides.length; i++) {</pre>
            slides[i].style.display = "none";
```

```
for (i = 0; i < dots.length; i++) {</pre>
            dots[i].className = dots[i].className.replace(" active", "");
        slides[slideIndex-1].style.display = "block";
        dots[slideIndex-1].className += " active";
   }
   var reEmail = /^[\w\.-]+\@([a-z\d]+\.)+[a-z]{2,3}$/;
   var rePass = /^.{5,40}$/;
   var errEmail = "Email must contain @, and it could only use lowercase letters, numbers, '
.' and '-'.";
   var errPass = "Password must contain at least 5 character.";
function registerUser(e){
    e.preventDefault();
   let firstName = $("#firstName");
   let lastName = $("#lastName");
   let email = $("#email");
   let phone = $("#phone");
   let password = $("#pass");
   let confPass = $("#confPass");
   let reNameLast = /^[A-ZŠĐŽČĆ][a-zšđžčć]{2,14}(\s[A-ZŠĐŽČĆ][a-zšđžčć]{2,14})?$/;
   let rePhone = /^{+381} = 0)6[0-69] = [0-9]{3} = [0-9]{3,4}$/;
   let errName = "Please enter name with capital letter and at least 3 character.";
   let errLastname = "Please enter lastname with capital letter and at least 3 character.";
   let errPhone = "Correct format for phone number is +381 6x yyy yyy(y) or 06x yyy yyy(y)";
   let errPassConf = "Please enter same password.";
   var errors = 0;
   provera(firstName, reNameLast, errName);
    provera(lastName, reNameLast, errLastname);
    provera(email, reEmail, errEmail);
    provera(phone, rePhone, errPhone);
    provera(password, rePass, errPass);
    function provera(field, regEx, message){
        if(!regEx.test(field.val())){
            errors++;
            field.css("border-color", "#FF5722");
            field.next().html(message);
```

```
else{
           field.css("border-color", "#58a6a6");
           field.next().html("");
       }
   }
   if(password.val() != confPass.val() || confPass.val() == ""){
       errors++;
       confPass.css("border-color", "#FF5722");
       confPass.next().html(errPassConf);
   }
   else{
       confPass.css("border-color", "#58a6a6");
       confPass.next().html("");
   }
   if(errors == 0){
       $.ajax({
           url : "models/users/register.php",
           method : "POST",
           dataType : "json",
           data : {
               firstName : firstName.val(),
               lastName : lastName.val(),
               email : email.val(),
               phone : phone.val(),
               password : password.val()
           },
           success : function(result){
               $("#regResult").html(`${result.message}`);
               $("#email").css("border-color", "#58a6a6");
           },
           error : function(xhr){
               if(xhr.status == 500){
                   $("#regResult").html(`
danger">This email is already used. Try to
                   register with another one.`);
                   $("#email").css("border-color", "#FF5722");
           }
       });
   }
function showComments(e){
   e.preventDefault();
   let limit = $(this).data("limit");
   $.ajax({
```

```
url : "models/messages/showHomePageComm.php",
       method : "POST",
       dataType : "json",
       data : {
           limit : limit,
       },
       success : function(result){
           let ispis = "";
           for(let res of result){
               ispis += `<div class='col-md-6'>
                       <div class='testimony'>
                           <blockquote>
                              "${res.message}"
                           </blockquote>
                           <cite>${res.first_name} ${res.last_name}</cite>
</div>
                   </div>`;
         $("#topKomentari").html(ispis);
       },
       error : function(xhr){
       }
   });
function userMessage(){
    let message = $("#userMessage");
    let reMessage = /^.{3,255}$/;
    if(!reMessage.test(message.val())){
        message.css("border-color", "#FF5722");
        message.next().html("Please write something with min 3 and max 255 characters.");
    }else{
       message.css("border-color", "#58a6a6");
       $.ajax({
           url : "models/messages/insert.php",
           method : "POST",
           dataType : "json",
           data : {
               message : message.val()
           },
           success : function(result){
               message.next().html(`<br/>
success">${result.message}`);
           },
           error : function(xhr){
```

```
});
function reserveRoom(e){
   e.preventDefault();
   let tipSobe = $("#tipSobe").val();
   let brojOsoba = $("#brojOsoba").val();
   let danas = Date.now();
   let datumOd = Date.parse($("#date-start").val());
   let datumDo = Date.parse($("#date-end").val());
   let idSobe = $(this).data("idsobe");
   let brojGresaka = 0;
   let poruka = [];
   if(tipSobe == null){
       brojGresaka++;
       poruka.push("Please select type of room.");
   if(brojOsoba == null){
       brojGresaka++;
       poruka.push("Please select number of guests.");
   if((datumOd - datumDo) > 0){
       brojGresaka++;
       poruka.push("Check out can't be before check in.");
   if((danas - datumOd) > 0 || (danas - datumDo) > 0){
       brojGresaka++;
       poruka.push("You selected dates that are in past.");
   if(isNaN(datumOd) || isNaN(datumDo)){
       brojGresaka++;
       poruka.push("Please select dates.");
   let ispis = "";
   if(brojGresaka){
       for(let por of poruka){
           ispis += `${por}``
       $("#responseReserv").html(ispis);
   }
   else{
       $.ajax({
           url : "models/reservation.php",
           method : "POST",
```

```
dataType : "json",
           data : {
               tipSobe : tipSobe,
               brojOsoba : brojOsoba,
               datumOd : $("#date-start").val(),
               datumDo : $("#date-end").val(),
               idSobe : idSobe
           },
           success : function(result){
              $("#responseReserv").html(`
success">${result.message}`);
           },
           error : function(xhr){
               if(xhr.status == 401){
                   $("#responseReserv").html(`
danger">You must be logged in to make a reservation.`);
            }
       });
   }
function updateRoom(){
   let id = $(this).data("id");
   $("#nameRoom").val($("#room"+id).text());
   $("#album").val($("#album"+id).text());
   $("#description").val($("#description"+id).text());
   $("#insertUpdate").val("Update");
   localStorage.setItem("idRoom", id);
function updateInsertRoom(){
   var idRoom = localStorage.getItem("idRoom");
   var nameRoom = $("#nameRoom").val();
   var album = $("#album").val();
   var description = $("#description").val();
   var priceBr2 = parseInt($("#priceBr2").val());
   var priceRfr2 = parseInt($("#priceRfr2").val());
   var priceBr3 = parseInt($("#priceBr3").val());
   var priceRfr3 = parseInt($("#priceRfr3").val());
   var photo = $("#coverPhoto")[0].files[0];
   var button = $("#insertUpdate").val();
   var message = "";
   if(nameRoom == "" || album == "" || description.val() == ""){
       message += "Name, description and album fields are required.<br/>>";
   if(priceBr2 <= 0 || priceBr3 <= 0 || priceRfr2 <= 0 || priceBr3 <= 0
       || isNaN(priceBr2) || isNaN(priceBr3) || isNaN(priceRfr2) || isNaN(priceRfr3)){
       message += "Prices must be number above zero.<br/>";
```

```
}
   if(message != ""){
           $("#errorInsertUpdate").html(`${message}`);
   }
   else{
       let dataRoom = new FormData();
       dataRoom.append("nameRoom", nameRoom);
       dataRoom.append("album", album);
       dataRoom.append("description", description);
       dataRoom.append("priceBr2", priceBr2);
       dataRoom.append("priceBr3", priceBr3);
       dataRoom.append("priceRfr2", priceRfr2);
       dataRoom.append("priceRfr3", priceRfr3);
       dataRoom.append("photo", photo);
       dataRoom.append("idRoom", idRoom);
       $.ajax({
           url : button == "Update" ? "models/rooms/update.php" : "models/rooms/insert.php",
           method : "POST",
           dataType : "json",
           data : dataRoom,
           contentType:false,
           processData: false,
           success : function(result){
               $("#errorInsertUpdate").html(`<br/>
success">${result.message}`);
           },
           error : function(xhr){
               if(xhr.status == 500){
                  $("#errorInsertUpdate").html(`
danger">Internal Server Error`);
       });
   }
function filterSortRooms(e){
   e.preventDefault();
   let roomCat = $("#roomCat").val();
   let guestsNum = $("#guestsNum").val();
   let accType = $("#accType").val();
   let sortPrice = $("#sortPrice").val();
   $.ajax({
```

```
url: "models/rooms/filterAndSort.php",
        method: "POST",
        dataType: "json",
        data: {
            roomCat : roomCat,
            guestsNum : guestsNum,
            accType : accType,
            sortPrice : sortPrice
        },
        success: function(rooms){
            let ispis = "";
            let roomNames = [];
            for(let room of rooms){
                if(!roomNames.includes(room.room_name)){
                    roomNames.push(room.room_name);
            }
            for(let roomName of roomNames){
                for(let room of rooms){
                    if(roomName == room.room_name){
                        ispis += `<div class='row'><div class='col-lg-5'>
                        <img width='100%' src='assets/images/${room.album}/${room.src}' alt='</pre>
${room.alt}'></div>
                        <div class='col-lg-7'><h2>${roomName}</h2>
                        ${room.description}</div></div><hr>`;
                        break;
                for(let room of rooms){
                    if(roomName == room.room name){
                        ispis += `<div class='row'>
                        <div class='col-lg-4'>${room.name_type}</div>
                        <div class='col-lg-3'>${room.number_ppl} Gusets</div>
                        <div class='col-lg-3'>${room.price} &yen;</div>
                        <div class='col-lg-
2'><a href='index.php?page=accommodation&idRoom=${room.id_room}' class='btn btn-primary btn-
luxe-primary'>Book Now</a></div>
                        </div>
                        <hr>>`;
            }
            $("#accommodations").html(ispis);
        },
        error : function(xhr){
            console.log(xhr);
```

```
});

function ajaxCallBack(url, method, data, result, error){
    $.ajax({
        url: url,
        method: method,
        data: data,
        dataType: "json",
        success: result,
        error: error
    });
}
```

# **CSS**

## my-style.css

```
.img-grid-1{
    background-image: url(../images/resturant.png);
   grid-area: img-grid-1;
   min-height: 51.5rem;
.img-grid-2{
    background-image: url(../images/swimming_pool.jpg);
   grid-area: img-grid-2;
.img-grid-3{
   background-image: url(../images/the_restaurant.jpg);
   grid-area: img-grid-3;
.img-grid-4{
   background-image: url(../images/inner_garden.jpg);
   grid-area: img-grid-4;
.img-grid-5{
    background-image: url(../images/suite_bathroom.jpg);
    grid-area: img-grid-5;
   min-height: 51.5rem;
.img-grid-6{
```

```
background-image: url(../images/coctails.png);
    grid-area: img-grid-6;
.img-grid-7{
    background-image: url(../images/lobi.png);
    grid-area: img-grid-7;
.img-grid-8{
    background-image: url(../images/sushi.png);
    grid-area: img-grid-8;
.img-grid-9{
    background-image: url(../images/fumoir.jpg);
    grid-area: img-grid-9;
.img-grid-10{
    background-image: url(../images/lemon.png);
    grid-area: img-grid-10;
    min-height: 51.5rem;
}
.img-grid-11{
    background-image: url(../images/restaurant-by-aman.jpg);
    grid-area: img-grid-11;
.img-grid-12{
    background-image: url(../images/lobby_high_res.jpg);
    grid-area: img-grid-12;
    min-height: 51.5rem;
.img-grid-13{
    background-image: url(../images/spa_high_res.jpg);
    grid-area: img-grid-13;
.container-gall{
    width: 100%;
    max-width: 120rem;
    margin: auto;
    padding: 0 1.5rem;
.gallery{
    display: grid;
    grid-template-columns: 1fr 1fr 1fr;
    grid-template-rows: auto;
    grid-gap: 2vmin;
    grid-template-areas:
    "img-grid-1 img-grid-2 img-grid-3 img-grid-3"
    "img-grid-1 img-grid-4 img-grid-5 img-grid-6"
    "img-grid-7 img-grid-8 img-grid-5 img-grid-9"
```

```
"img-grid-10 img-grid-11 img-grid-12 img-grid-12"
    "img-grid-10 img-grid-13 img-grid-12 img-grid-12";
@media (max-width: 767px) {
    .gallery{
        grid-template-columns: 1fr 1fr 1fr;
        grid-template-areas:
        "img-grid-1 img-grid-3 img-grid-3"
        "img-grid-1 img-grid-2 img-grid-4"
        "img-grid-5 img-grid-6 img-grid-4"
        "img-grid-5 img-grid-7 img-grid-8"
        "img-grid-9 img-grid-10 img-grid-11"
        "img-grid-12 img-grid-10 img-grid-13";
    }
    .img-grid-12{
        min-height: 0px;
    .img-grid-4{
        min-height: 51.5rem;
.gallery a{
    width: 100%;
    height: 25rem;
    background-position: center;
    background-repeat: no-repeat;
    background-size: cover;
    position: relative;
    display: flex;
    align-items: center;
    justify-content: center;
.gallery a::before{
    content: "";
    position: absolute;
    width: 100%;
    height: 100%;
    top: 0;
    left: 0;
    background-color: rgba(0,0,0,.8);
    opacity: 0;
    transition: opacity .5s;
.gallery a:hover::before{
    opacity: 1;
#logo{
```

```
width: 20px !important;
.cover1{
    background-image: url(../images/deluxe-room/deluxe_palace.jpg);
.cover2{
    background-image: url(../images/suite/suite.jpg);
.cover3{
    background-image: url(../images/premier/premier_palace.jpg);
img {
    vertical-align: middle;
  /* Position the image container (needed to position the left and right arrows) */
.containerImg {
    position: relative;
  .mySlides {
    display: none;
.cursor {
    cursor: pointer;
.prev, .next {
    cursor: pointer;
    position: absolute;
   top: 40%;
    width: auto;
    padding: 16px;
    color: #fff;
    font-weight: bold;
    font-size: 20px;
    border-radius: 0 3px 3px 0;
    user-select: none;
    -webkit-user-select: none;
.next {
    right: 0;
    border-radius: 3px 0 0 3px;
    margin-right: 20px;
  .prev:hover,
  .next:hover {
    background-color: rgba(0, 0, 0, 0.8);
```

```
.rowImg:after {
    content: "";
    display: table;
    clear: both;
.rowImg{
    margin-left: 0px !important;
.column {
    float: left;
    width: 16.66%;
.demo {
    opacity: 0.6;
.active, .demo:hover {
    opacity: 1;
.description{
   width: 100%;
   padding-top: 100px;
   padding-bottom: 50px;
.bgWhite{
    background-color: #fff;
.orange{
    color: #FF5722;
.tableAdmin{
    margin-bottom: 100px;
#accommodations{
    background-color: #fff;
    margin-top: 80px;
    padding-top: 20px;
#insertUpdate{
    float: right !important;
```