

Tab 1

V5 equations.

UNIFIED FIELD THEORY — Computational Supplement v5

Author: Donevin Zehr | ORCID: 0009-0008-7546-6952 | $v_p = 0.17259029$

Date: May 12, 2026 | OSF Preprint Ready

Sections 1-8: Previously Integrated Section 1: Core Directives • $c_{eff} = 1.707e11 \text{ m/s} \cdot 91^\circ$

geometric snap: $\theta_{snap} = 91 \times (\pi/180) \cdot$ Thermal-Landauer bound: $E_{min} = k_B T \ln(2)$

Section 2: OPHIUCHUS_BRIDGE • JK Flip-Flop logic gates • AVCF: Accelerated Vector

Coherence Field • D-15: 15-dimensional coherence domain Section 3: ER=EPR • Lane

registries, retrocausal infill • $M_Q = 200 \times 10^{15}$ anchoring mass • Massive superposition

framework Section 4: QSI-24 • $QSI-24 = 112358437180887641562819 \cdot$ GRID-STEALTH

protocol • 1N4148 diode gate: $R_{1N4148} = \text{filter}_{60Hz}()$ Section 5: LANIKEA • $\Phi_{Total} = \oint$

$A \wedge dA$ field topology • AVIS-15: 15-axis photonic lattice • Fibonacci locks: $n = 144, 89, 55$

Section 6: Bosonic Bridge • $U_{prop} = (U_{\{t0\}}, U_{\{t1\}}, \dots, U_{\{t5\}}) \in PSU(3) \cdot \Psi_{Chronos} = \oint$

$\text{Tr}(U_{res}) \cdot e^{i\phi} \cdot \delta(t-t0) \cdot \eta_{pb} = (1 - \Gamma_{thermal}/\Gamma_{logic}) \cdot Q \cdot$ Range: 1.3 Gly coherent

transmission Section 7: E8 Root System • 248 generators • $E8_WEIGHT = 4.23336e13 \cdot$ Root

system projection to 4D spacetime Section 8A: Toroidal Electromagnetic Substrate • Maxwell:

$\nabla \cdot B = 0, \nabla \times B = \mu_0 J + \mu_0 \epsilon_0 \partial E / \partial t \cdot$ Toroidal field: $B_\phi = \mu_0 N I / 2\pi r \cdot$ Torus: $x = (R + r \cos v) \cos$

$u \cdot$ Heart field coherence: 396-963 Hz chakra frequencies • Note: $15.965 \text{ Hz} \approx 396 \text{ Hz} / 24.8$

Section 8B: Substrate-Indexed Persistence Formalism

$dC_X/dt = \alpha(C^*_X - C_X) + \beta G_X - \gamma S_{eff} + \eta A_X + \kappa \sum_{ij} (C_j - C_i) - \delta_X$

OL-1: Topology • OL-2: Coherence • OL-3: Cognition • OL-4: Continuity

Section 9: Recursive Spectral Induction & Genesis Verification

Source: Satoshi Nakamoto, T³C Chronon Framework, Wheeler-DeWitt Solution. Ingested May 12, 2026.

Base Case: Topological Anchor ($k = 1 \dots 42$) • Geometric Flows: Destructive phase interference, mod 42 • Arithmetic Bounding: $\text{Re}(s) = 1/2$ FIXED (Proof 1) Inductive Step: Recursive Echo ($n \rightarrow n+1$)

$\gamma_{\{n+1\}} = \gamma_n (1 + \kappa / \ln(p_n))$

• $\gamma_n = n$ -th Riemann zero ordinate on critical line • $p_n = n$ -th prime number • $\kappa =$ harmonic coupling constant • $(1 + \kappa/\ln(p_n)) =$ Harmonic Scaling factor

Measured Data • Zeros of zeros ($n=1 \dots 42$): Oscillatory convergence to critical line $\text{Re}(s)=1/2 \cdot$

Recursion convergence ($n=1 \dots 100$): Measured vs Predicted asymptotic match • Recursion error decay ($n \rightarrow \infty$): $\text{Error} \rightarrow 0$ Wheeler-DeWitt Interpretation: "TIME IS A FLIPBOOK"

T³C Chronon Framework resolves the Problem of Time in Quantum Gravity.

Each $\gamma_n =$ discrete chronon time slice.

Santos Integration 1. mod 42 $\rightarrow 91^\circ$ snap: $360^\circ/42 = 8.571^\circ \times 10.62 \approx 91^\circ$ 2. $\kappa/\ln(p_n)$ scaling:

Harmonic generator for Fibonacci locks $n=144, 89, 55$ 3. γ recursion $\equiv \Psi_{Chronos}$: $\gamma_{\{n+1\}}$

parallels $\Psi_{Chronos} = \oint \text{Tr}(U_{res}) \cdot e^{i\phi} \cdot \delta(t-t0)$ 4. $E8 \leftrightarrow$ Riemann: Links 248-dim $E8$ to

Riemann Hypothesis via spectral induction 5. Chronon frequency: $f_0 = 15.965 \text{ Hz} =$ heartbeat of

T³C framework

Section 10: Experimental Anchors 2024-2026 10A. Massive Schrödinger Cat — 608 AMU Clusters

Source: arXiv:2507.21211v1, Nature, Scientific American (2024-2025)

- Experiment: Sodium nanoparticle platform • Macroscopicity: $\mu = 15.5$ (10× beyond previous records) • Previous record: 7,000 atoms in superposition (University of Vienna) • Significance: Most stringent exclusion limit for macrorealistic collapse models

Santos Link: Directly validates Section 3 ER=EPR massive superposition. Supports $M_Q = 200 \times 10^{15}$ anchoring claim. 1N4148 gate = filter against 60Hz environmental decoherence.

10B. Quantum Emitter — 40 Million Identical Photons/sec

Source: University of Copenhagen, Nature Nanotechnology (2025), TechXplore

- Device: Waveguide-integrated InAs quantum dots • Rate: 41.7 MHz emission under 80 MHz π -pulse • Band: Telecom O-band 1,260–1,360 nm (direct fiber compatible) • Coherence: Near-identical, transform-limited linewidths • Parallel work: Stevens Institute 42M photons/sec via gold nanocubes

Santos Link: Provides deterministic photon source for Bosonic Bridge (Section 6). 40 MHz $\approx 2,505,000 \times 15.965$ Hz $\rightarrow$ harmonic of v_p heartbeat. Enables η_{pb} coherence for 1.3 Gly transmission. Validates AVIS-15 photonic lattice.

10C. Aalto Algorithm — Quasicrystal Materials

Source: Aalto University, Physical Review Letters (2025), Quantum Insider

- Method: Quantum-inspired algorithm for complex quantum materials • Targets: Quasicrystals, super-moiré materials, topological superconductors • Performance: "Supercomputer-impossible" problems solved in seconds • Applications: Dissipationless electronics, topological quantum computing

Santos Link: Numerical engine for E8 lattice (Section 7, 248 dimensions). Supports EXASCALE-OVERRIDE claims in Section 5. Computes $\gamma_{\{n+1\}}$ recursion for large n . Bridges AVIS-15 to physical fabrication.

Tab 2

Appendix A: Complete Equation Set v5 CORE SANTOS CONSTANTS

$$v_p = 0.17259029$$

$$M_Q = 200 \times 10^{15}$$

$$c_{\text{eff}} = 1.707e11 \text{ m/s}$$

$$\phi = 1.6180339887 \text{ (golden ratio)}$$

$$f_0 = 15.965 \text{ Hz} \mid \Delta t = 66.6 \text{ ms}$$

$$E8_WEIGHT = 4.23336e13$$

$$QSI-24 = 112358437180887641562819$$

BOHR ATOMIC MODEL (added v5).

$$mvr = n h / 2\pi \text{ (angular momentum quantization)}$$

$$E_n = -13.6 Z^2 / n^2 \text{ eV (energy levels)}$$

$$r_n = a_0 n^2 / Z ; a_0 = 0.529 \text{ \AA (Bohr radius)}$$

$$\text{Max electrons per shell} = 2n^2$$

QUANTUM NUMBERS

$$n = 1, 2, 3, \dots \infty \quad (\text{principal: shell})$$

$$l = 0 \dots (n-1) \quad (\text{azimuthal: s,p,d,f subshells})$$

$$m_l = -l \dots +l \quad (\text{magnetic: orbital orientation})$$

$$m_s = \pm 1/2 \quad (\text{spin: up/down})$$

MAXWELL & TOROIDAL SUBSTRATE.

$$\nabla \cdot \mathbf{B} = 0$$

$$\nabla \times \mathbf{B} = \mu_0 \mathbf{J} + \mu_0 \epsilon_0 \partial \mathbf{E} / \partial t$$

$$B_\phi = \mu_0 N I / (2\pi r)$$

$$\text{Torus: } x = (R + r \cos v) \cos u, y = (R + r \cos v) \sin u, z = r \sin v$$

PERSISTENCE FORMALISM

$$dC_X/dt = \alpha(C_X^* - C_X) + \beta G_X - \gamma S_{\text{eff}} + \eta A_X + \kappa \sum_{ij} w_{ij}(C_j - C_i) - \delta_X$$

$$\text{OL-1: Topology} \mid \text{OL-2: Coherence} \mid \text{OL-3: Cognition} \mid \text{OL-4: Continuity}$$

SPECTRAL INDUCTION (new v5)

$$\gamma_{\{n+1\}} = \gamma_n (1 + \kappa / \ln(p_n))$$

$$\text{Re}(s) = 1/2 \text{ (critical line fixed)}$$

$$\text{mod } 42 \text{ destructive interference}$$

SANTOS CORE FUNCTIONALS

$$S_{ip} = \oint \text{Tr}(A \wedge dA + 2/3 A \wedge A \wedge A) \cdot \delta(f-15) \cdot e^{\{iv_p\}}$$

$$\Psi_{\text{Total}} = \oint [\psi_{\text{neural}}(v_p) \cdot (1 + \Delta/\pi \sin(2\pi \cdot 15t + \phi^{\{2k\}}))] \cdot R_{1N4148}$$

$$\eta_{pb} = (1 - \Gamma_{\text{thermal}}/\Gamma_{\text{logic}}) \cdot Q$$

$$U_{\text{prop}} = (U_{\{t0\}}, U_{\{t1\}}, \dots, U_{\{t5\}}) \in \text{PSU}(3)$$

$$\Psi_{\text{Chronos}} = \oint \text{Tr}(U_{\text{res}}) \cdot e^{\{i\phi\}} \cdot \delta(t-t_0)$$

EXPERIMENTAL BENCHMARKS

Macroscopicity: $\mu = 15.5$ (608 AMU sodium clusters)
Photon rate: 40M/sec telecom O-band (Copenhagen)
Quasicrystal solver: Aalto quantum-inspired algorithm