




คู่มือสำหรับสร้าง OFFSITE BACKUP ด้วย VEEAM CLOUD CONNECT


User Guide
May, 2017

ก่อนเริ่มโปรดดูที่ลิงค์ด้านล่างก่อน: การตั้งค่าฝั่ง Client-Side ของ Veeam Cloud Connect

ลงชื่อเข้าสู่ระบบ แล้ว ไปที่แท็บ "Backup & Replication" แล้วคลิกที่ "Backup Job"



ทำการตั้งชื่อของ Backup Job ด้วยชื่อที่คุณต้องการ




ทำการเลือก VM ของคุณจากแท็บ "Virtual Machines"

[illegible]

เมื่อเลือกแล้ว คลิก "Add"

ตรวจสอบความถูกต้องของ VM ที่เลือก เมื่อถูกต้องแล้ว คลิก "Next"



New Backup Job

Virtual Machines
Select virtual machines to process via container, or granularly. Container provides dynamic selection that automatically changes as you add new VM into container.

Virtual machines to backup:


Name	Type	Size
DC11-SKYPE015_IP10.50.41.200	Virtual M...	60.0 GB

Buttons: Add..., Remove, Exclusions..., Up, Down, Recalculate

Total size: 60.0 GB

Navigation: < Previous, Next >, Finish, Cancel

ทำการเลือก Backup Repository (VCCnnnnnnn_Rep)



New Backup Job

Storage
Specify processing proxy server to be used for source data retrieval, backup repository to store the backup files produced by this job and customize advanced job settings if required.

Backup proxy:
Automatic selection [Choose...]

Backup repository:
Default Backup Repository (Created by Veeam Backup) [v]
Default Backup Repository (Created by Veeam Backup)
VCC100001_Rep (Cloud repository)


Retention policy
Restore points to keep on disk: 14 [i]

☐ Configure secondary destinations for this job
Copy backups produced by this job to another backup repository, or to tape. Best practices recommend maintaining at least 2 backups of production data, with one of them being off-site.

Advanced job settings include backup mode, compression and deduplication, block size, notification settings, automated post-job activity and other settings. [Advanced]

Navigation: < Previous, Next >, Finish, Cancel

ตรวจสอบความถูกต้องของ VM ที่เลือก เมื่อถูกต้องแล้ว คลิก "Next"



New Backup Job

Storage
Specify processing proxy server to be used for source data retrieval, backup repository to store the backup files produced by this job and customize advanced job settings if required.

Name

Virtual Machines

Storage

Guest Processing

Schedule

Summary

Backup proxy:
Automatic selection Choose...

Backup repository:
VCC100001_Rep (Cloud repository) Map backup

500 GB free of 500 GB


Retention policy
Restore points to keep on disk: 14 i

☐ **Configure secondary destinations for this job**
Copy backups produced by this job to another backup repository, or to tape. Best practices recommend maintaining at least 2 backups of production data, with one of them being off-site.

Advanced job settings include backup mode, compression and deduplication, block size, notification settings, automated post-job activity and other settings. Advanced

< Previous Next > Finish Cancel

คลิก "Next"



New Backup Job

Guest Processing
Choose guest OS processing options available for running VMs.

Name

Virtual Machines

Storage

Guest Processing

Schedule

Summary

☐ **Enable application-aware processing**
Detects and prepares applications for consistent backup, performs transaction logs processing, and configures the OS to perform required application restore steps upon first boot.
Customize application handling options for individual VMs and applications Applications...

☐ **Enable guest file system indexing**
Creates catalog of guest files to enable browsing, searching and 1-click restores of individual files. Indexing is optional, and is not required to perform instant file level recoveries.
Customize advanced guest file system indexing options for individual VMs Indexing...


Guest OS credentials
Add...

Manage accounts
Customize guest OS credentials for individual VMs and operating systems Credentials...

Guest interaction proxy:
Automatic selection Choose... Test Now

< Previous Next > Finish Cancel

คุณสามารถตั้งค่าการทำงานโดยระยะเวลาการทำงานได้สำหรับการทำ Backup jobs เมื่อตั้งค่าเสร็จแล้วคลิก "Apply"



New Backup Job

Schedule
Specify the job scheduling options. If you do not set the schedule, the job will need to be controlled manually.

Name

Virtual Machines

Storage

Guest Processing

Schedule

Summary

☐ Run the job automatically

☒ Daily at this time: 10:00 PM Everyday Days...

☐ Monthly at this time: 10:00 PM Fourth Saturday Months...

☐ Periodically every: 1 Hours Schedule...

☐ After this job: [dropdown]

Automatic retry

☒ Retry failed VMs processing: 3 times

Wait before each retry attempt for: 10 minutes


Backup window

☐ Terminate job if it exceeds allowed backup window Window...

If the job does not complete within allocated backup window, it will be terminated to prevent snapshot commit during production hours.

< Previous Apply Finish Cancel

คุณสามารถติ๊กเลือก "Run the job when I click Finish" สำหรับการเริ่มต้นทำงานตามที่คุณได้ตั้งค่าไว้ หลังจากนั้น คลิก "Finish"



New Backup Job

Summary
The job's settings have been saved successfully. Click Finish to exit the wizard.

Name

Virtual Machines

Storage

Guest Processing

Schedule

Summary

Summary:

Name: MyBackupJob
Type: VMware Backup
Source items:
DC11-SKYPE015_IP10.50.41.200 (10.50.41.19)

Command line to start the job on backup server:
"C:\Program Files\Veeam\Backup and Replication\Backup\Veeam.Backup.Manager.exe" backup 1cec6fa1-0a84-479f-be2b-ebd7070ec625

☒ Run the job when I click Finish

< Previous Next > Finish Cancel

หลังจากนั้น คุณจะพบ Job ที่คุณสร้าง ใน Jobs list

HOMEVIEW

Backup Job

Replication Job

Backup Copy

VM Copy

File Copy

Restore

Import Backup

Failover Plan

Primary Jobs

Auxiliary Jobs

Restore

Failover Plans

BACKUP & REPLICATION

Jobs

Backup

Last 24 Hours

NAME ↑

MyBackupJob

TYPE

VMware Backup

OBJECTS

1

STATUS

Stopped

LAST RES.

NEXT RUN

<not scheduled>

TARGET

VCC100001_Rep

DESCRIPTION

Created by WIN-EQ3LL4CQD01\Administrator at...