

TestSuite1

Execution Environment

Host name	yovchev.m - DEW-YOVCHEV.ik.local
OS	Windows 10 64bit
Katalon version	7.1.0.1
Browser	

Summary

ID	Test Suites/TestSuite1		
Description			
Total	1		
Passed	0	Failed	1
Error	0	Incomplete	0
Start	2019-12-11 18:44:57	End	2019-12-11 18:45:00
Elapsed	2.927s		

#	ID	Description	Status
1	Test Cases/Login/Test3		FAILED

Test3

Information

ID	Test Cases/Login/Test3		
Description			
Tag			
Start	2019-12-11 18:44:57	End	2019-12-11 18:45:00
Elapsed	2.537s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	Start listener action : onTestCaseStart	0.005s	PASSED

Test3

#	Description	Elapsed	Status
2	<p>openBrowser("http://lifecharger.org/")</p> <p>Unable to open browser with url: 'http://lifecharger.org/' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: 'http://lifecharger.org/' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:60) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:60) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at Test3.run(Test3:17) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1576086292790.run(TempTestSuite1576086292790.groovy:36) Caused by: org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 77 Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DEW-YOVCHEV', ip: '192.168.56.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: driver.version: CChromeDriver remote stacktrace: Backtrace: Ordinal0 [0x00D6EB13+1501971] Ordinal0 [0x00CEF6D1+980689] Ordinal0 [0x00C7765F+489055] Ordinal0 [0x00C0F2F4+62196] Ordinal0 [0x00C0BCDA+48346] Ordinal0 [0x00C29800+169984] Ordinal0 [0x00C2942D+169005] Ordinal0 [0x00C278EB+162027]</p>	2.053s	FAILED

Test3

#	Description	Elapsed	Status
	Ordinal0 [0x00C10AC7+68295] Ordinal0 [0x00C11B40+72512] Ordinal0 [0x00C11AD9+72409] Ordinal0 [0x00D08F37+1085239] GetHandleVerifier [0x00E0D7ED+503293] GetHandleVerifier [0x00E0D580+502672] GetHandleVerifier [0x00E146AC+531644] GetHandleVerifier [0x00E0DFFA+505354] Ordinal0 [0x00D00606+1050118] Ordinal0 [0x00D0047F+1049727] Ordinal0 [0x00D0AF9B+1093531] Ordinal0 [0x00D0B103+1093891] Ordinal0 [0x00D0A095+1089685] BaseThreadInitThunk [0x74FD0419+25] RtlGetAppContainerNamedObjectPath [0x777A662D+237] RtlGetAppContainerNamedObjectPath [0x777A65FD+189] at org.openqa.selenium.remote.W3CHandshakeResponse. lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse. lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0 (ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java: 131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:147) at com.kms.katalon.selenium.driver.CChromeDriver.<init>(CChromeDriver.java: 13) at com.kms.katalon.core.webui.driver.DriverFactory.createHeadlessChromeDriver (DriverFactory.java:391) at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:329) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:207) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute		

Test3

#	Description	Elapsed	Status
	(OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:60) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:60) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at Script1564751544622.run(Script1564751544622.groovy:17) ... 13 more)		

Test3

#	Description	Elapsed	Status
3	<p>click(findTestObject("Object Repository/Test3_OR/h2_Make the rest of your life the best of your life"))</p> <p>Unable to click on object 'Object Repository/Test3_OR/h2_Make the rest of your life the best of your life' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Test3_OR/h2_Make the rest of your life the best of your life'</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:103)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:43)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:60)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$0.call (Unknown Source)</p> <p>at Test3.run(Test3:20)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:91)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157)</p> <p>at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)</p> <p>at TempTestSuite1576086292790.run(TempTestSuite1576086292790.groovy:36)</p> <p>Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened</p> <p>Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'</p> <p>System info: host: 'DEW-YOVCHEV', ip: '192.168.56.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'</p> <p>Driver info: driver.version: unknown</p> <p>at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:786)</p> <p>at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:771)</p> <p>at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.java:757)</p>	0.100s	FAILED

Test3

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:712) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1109) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:68) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:103) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:43) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:60) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$0.call (Unknown Source) at Script1564751544622.run(Script1564751544622.groovy:20) ... 13 more)		

Test3

#	Description	Elapsed	Status
4	<p>setText(findTestObject("Object Repository/Test3_OR/input_Search for_s"), "life")</p> <p>Unable to set text 'life' of object 'Object Repository/Test3_OR/input_Search for_s' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to set text 'life' of object 'Object Repository/Test3_OR/input_Search for_s'</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:60)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:950)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$setText\$1.call (Unknown Source)</p> <p>at Test3.run (Test3:23)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run (ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:337)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:328)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:233)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:91)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:157)</p> <p>at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call (Unknown Source)</p> <p>at TempTestSuite1576086292790.run (TempTestSuite1576086292790.groovy:36)</p> <p>Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened</p> <p>Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'</p> <p>System info: host: 'DEW-YOVCHEV', ip: '192.168.56.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'</p> <p>Driver info: driver.version: unknown</p> <p>at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:786)</p> <p>at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:771)</p> <p>at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver (DriverFactory.java:757)</p> <p>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:712)</p>	0.075s	FAILED

Test3

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1109) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:51) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:60) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:950) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$setText\$1.call (Unknown Source) at Script1564751544622.run(Script1564751544622.groovy:23) ... 13 more)</pre>		

Test3

#	Description	Elapsed	Status
5	<p>verifyElementPresent(findTestObject("Object Repository/Test3_OR/a_Home"), 4)</p> <p>Unable to verify object 'Object Repository/Test3_OR/a_Home' is present (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/Test3_OR/a_Home' is present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.verifyElementPresent(VerifyElementPresentKeyword.groovy:92) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.execute(VerifyElementPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:60) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.verifyElementPresent(WebUiBuiltInKeywords.groovy:1434) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$verifyElementPresent\$2.call(Unknown Source) at Test3.run(Test3:26) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase(TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1576086292790.run(TempTestSuite1576086292790.groovy:36) Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DEW-YOVCHEV', ip: '192.168.56.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: driver.version: unknown at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:786) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:771) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.java:757) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:712)</p>	0.060s	FAILED

Test3

#	Description	Elapsed	Status
	<pre> at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1109) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementPresentKeyword\$_verifyElementPresent_closure1.doCall (VerifyElementPresentKeyword.groovy:79) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementPresentKeyword\$_verifyElementPresent_closure1.call (VerifyElementPresentKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword. verifyElementPresent(VerifyElementPresentKeyword.groovy:92) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword. execute(VerifyElementPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:60) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementPresent(WebUiBuiltInKeywords.groovy:1434) at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$verifyElementPresent\$2.call(Unknown Source) at Script1564751544622.run(Script1564751544622.groovy:26) ... 13 more)</pre>		
6	closeBrowser() Browser is closed	0.010s	PASSED
7	Start listener action : sampleAfterTestCase	0.009s	PASSED
8	Start listener action : sampleAfterTestCase	0.002s	PASSED