



Advanced Features of xts





Finding Endpoints

endpoints() indexes last observation per interval



Apply by Period


period.apply() extends apply functions to time






Sports Data

• Boston sports games, 2010 through 2015









Let's practice!





Indexing Commands in xts





Extracting the Index

.index() extracts raw time index

```
> .index(unemployment)

[1] 189302400 191980800 194486400 197164800
[5] 199756800 202435200 205027200 207705600
[9] 210384000 212976000 215654400 218246400
[13] 220924800 223603200 226022400 228700800
[17] 231292800 233971200 236563200 239241600
```





Weekday Observations

• .indexwday() gives the weekday of each observation

```
> .indexwday(sports)

[1] 0 2 3 5 6 0 1 3 4 5 6 0 1 2 3 4 5 6 0 1 2 3 5 6

[25] 0 1 2 3 4 5 6 0 1 2 3 5 6 0 1 2 3 4 5 6 0 1 2 3

[49] 4 5 6 0 2 3 4 5 6 0 1 2 3 4 5 6 ...
```

Select only Sunday games

```
> sunday_games <- which(.indexwday(sports) == 0)</pre>
```





Let's practice!





Congratulations!






Time Series Data

- Weather patterns
- Sports scores
- Portfolio returns
- Commodity prices
- User data

Dow Jones Industrial Average







Thank you!