

Advanced August Playbook (Midas_V2 v0.3.21)

****Last updated:**** 2025-09-20 15:28 (America/Chicago)

This playbook adds the missing pieces you asked for: ****TopN testing****, plus the ****exact one-liners**** we've been using so you can run August ranges without workflow changes.

A. Run August (Baseline, then D, then E) From `C:\Users\boydp\Desktop\midas\_V2`:

****Scenario B (baseline):**** ``powershell python scripts/run\_range\_and\_summarize.py --start 2025-08-05 --end 2025-08-31 --scenario B ``

****Scenario D (strict):**** ``powershell python scripts/run\_range\_and\_summarize.py --start 2025-08-05 --end 2025-08-31 --scenario D ``

****Scenario E (dip reclaim):**** ``powershell python scripts/run\_range\_and\_summarize.py --start 2025-08-05 --end 2025-08-31 --scenario E ``

Outputs appear per day under `out\YYYYMMDD\<Scenario>` and a range summary under `out\range\_summaries`.

B. TopN by Gap — How to Test (without changing scripts)

****Goal:**** Try a small TopN (e.g., 8–12) *after* you finish the vanilla August runs so you can isolate the effect.

****Step 1 — Build the day's universe (normal):**** ``powershell python scripts/topgappers.py --date 2025-08-06 `` This writes the canonical daily universe (e.g., `data\universe\_topgappers\_2025-08-06.txt` and updates your active universe file per your current wiring).

****Step 2 — Trim the universe file to TopN (Python-only one-liner):**** > Replace `data\universe\_active.txt` with your actual active-universe path if different.

``powershell python -c "import io,sys; p=r'data\universe\_active.txt'; s=io.open(p,'r',encoding='utf-8').read().splitlines(); io.open(p,'w',encoding='utf-8').write('\n'.join(s[:10])+'\n')" `` - Change `[:10]` to your desired N (e.g., `[:8]`, `[:12]`). - This simply keeps the first N symbols already sorted by your existing gap logic.

****Step 3 — Run the normal day or range using the trimmed universe:**** ``powershell python scripts/run\_day\_simple.py --date 2025-08-06 --scenario B `` (or use the range runner for Aug once you've applied trimming for each day during preprocessing).

****Reverting:**** Re-run `scripts/topgappers.py` for that date to regenerate a full universe, or restore from Git if the universe is tracked.

C. Opening RVOL Gate (plan it after August replication) Keep this off until the August baseline is complete. When ready, introduce a single knob: - Concept: compare first 10–15 min volume vs prior-day same window; require $\geq 1.5\times$. - Add as an optional flag in your runner; start at 1.5 and only then re-run Aug for A/B.

D. Catalyst Universe Quick Pass (optional after TopN) - Use `scripts/enrich\_universe\_catalyst.py` to score news. - Prefer **A-grade** symbols; allow **B-grade** only to fill TopN on quiet days. - Keep the rest of the guards the same (EMA/VWAP/MACD, rise_bars=3).

E. Hygiene & Guardrails Recap - Price band: **\$1–\$20**; Gap: **10–40%**; Min PM vol: **$\geq 30k$** . - Denylist known trouble tickers if needed. - TP/SL $\sim 2.0 / 2.5$; daily stop $\sim -\$1,000$.

F. What “Good” Looks Like for August - Consistent **WR $\geq 60\%$** on B or D across Aug (2025-08-05 $\rightarrow$ 2025-08-31). - Stable PnL with a reasonable trade count (avoid over-fitting via too-small N). - If it holds, validate on **July** with the same knobs before adding new ones.