

Midas_V2 — A–E Robustness & Integration Plan (v0.3.9 roadmap draft)

Date: 2025-09-07

Scope: Make Scenarios A–E robust first; then integrate them with a simple router. No new strategies until this phase is complete.

1) Objectives

- Revalidate A–E on **September 2025 (01 → 30)** using *existing scripts only*.
- Confirm **D_strict** as anchor; **E_dip** as complementary alpha.
- Document **pass/fail gates** per scenario with objective thresholds.
- Tag a stable baseline (**v0.3.9baselinesept**) when gates pass.
- Next: dryrun the **scenario router** (integration) before enabling.

2) Current baselines (recap)

D_strict (anchor)

- Guardrails: gate=5, min_pm_vol≥30k, price \$1–20, gap 10–40, EMA+VWAP confirm, MACD rising (rise_bars≈2), TP=2.0, SL=2.5.
- Aug result (for reference): **WR≈63.29%**, **PnL +167.57** over 2025-08-05→2025-08-31 (79 trades, 50/29).

E_dip (complement)

- Dip to EMA/VWAP → **reclaim** + MACD rising; conservative TP/SL 2.0/2.5; gate=15; rise_bars≈3.
- Aug result (for reference): **WR≈52%**, **positive PnL**; strong winners but fewer.

B / A / C

- Keep as configured in your repo (baseline confirmations). They must be **non-negative** on the month or clearly informative.

3) September verification — commands (pure Python; one line each)

> Range: 2025-09-01 → 2025-09-30

D (anchor)

```

```
python scripts\run_range_and_summarize.py --start 2025-09-01 --end 2025-09-30 --scenario D
python scripts\show_latest_range.py --root out\auto --scenario D
python scripts\analyze_range_explained.py --csv
out\auto\range_summary_20250901_20250930_D.csv
```

```

E (dip)

```
python scripts\run_range_and_summarize.py --start 2025-09-01 --end 2025-09-30 --scenario E
python scripts\show_latest_range.py --root out\auto --scenario E
python scripts\analyze_range_explained.py --csv
out\auto\range_summary_20250901_20250930_E.csv
```

B, A, C

```
python scripts\run_range_and_summarize.py --start 2025-09-01 --end 2025-09-30 --scenario B
python scripts\show_latest_range.py --root out\auto --scenario B
python scripts\analyze_range_explained.py --csv
out\auto\range_summary_20250901_20250930_B.csv
```

```
python scripts\run_range_and_summarize.py --start 2025-09-01 --end 2025-09-30 --scenario A
python scripts\show_latest_range.py --root out\auto --scenario A
python scripts\analyze_range_explained.py --csv
out\auto\range_summary_20250901_20250930_A.csv
```

```
python scripts\run_range_and_summarize.py --start 2025-09-01 --end 2025-09-30 --scenario C
python scripts\show_latest_range.py --root out\auto --scenario C
python scripts\analyze_range_explained.py --csv
out\auto\range_summary_20250901_20250930_C.csv
```

> If you see `ModuleNotFoundError: midas\_v2` in this PowerShell window, run once and re■try:
> `env:PYTHONPATH="\$PWD\src`"

4) Pass/Fail gates (objective)

- **D_strict**: $WR \geq 58-60\%$, **positive PnL** on the month.
- **E_dip**: $WR \geq 50-55\%$, **positive PnL**, decent expectancy.
- **B/A/C**: non■negative month, or justified by diagnostics (keep notes).
- **Hygiene sanity**: no warrants/units/leveraged■ETF outliers; if seen, note for the hygiene step.

If a gate fails

- 1) capture analyzer output + a few day details;
- 2) tweak only one knob (e.g., gate minutes or rise_bars) and re■run that scenario;
- 3) keep a brief `WHY.md` in Docs for what changed and why.

5) Optional after baseline — hygiene + opening RVOL gate

- Hygiene: exclude `WS`/`.U` and UVXY/UVIX/VIXI/SOXS/SSG/FNGD in universe building.
 - Opening RVOL gate: first 10–15m vs prior day $\geq 1.5\%$ (tunable).
- Plan: run once without, then once with, and compare WR/PnL/expectancy and loser count.

6) Tagging & artifacts

- When D/E (and B/A/C) pass gates, tag: ****v0.3.9■baseline■sept****.
- Save analyzer CSVs and brief notes under:
`Docs\versions\6. version v0.3.9 plans\baseline\_september\`

7) Integration (router) — next phase

Goal: Run scenarios together without double■dipping capital.

- ****Rules:**** one open position ****per symbol**** at a time; precedence ****D → E → B → A → C****; shared risk budget.
- ****Dry■run**** first (router logs “skip due to in■position” etc.) over the full month; evaluate:
- overlap frequency, number of router skips, net PnL vs solo D/E, drawdown.
- If clean, enable router for real and tag ****v0.3.9■router■enabled****.

8) Metrics to watch

- WR, Expectancy, Total PnL, Max DD, Avg hold time, Max favorable/adverse excursion.
- Trade count and loser distribution after hygiene/RVOL gate.
- Router “skips” and per■symbol overlap (if/when enabled).

9) Quick viewer (optional)

```
python scripts\view_results.py --date 2025-09-02 --scenario D --preview 20 --top 5
```

10) Notes & risks

- Do not enable multiple new features at once; ****A/B**** each change.
- Seconds data is optional; use only at the ****trigger**** (break/reclaim) if tested later.
- Keep `.env`` in repo root; our runners autoload it (v0.3.8■envfix).

Filing

Place this doc (and any September screenshots/CSVs) under:

`Docs\versions\6. version v0.3.9 plans\`