

Midas_V2 – Test Commands Cheat Sheet (v0.3.23)

****Last updated:**** 2025-09-20 19:35 (America/Chicago)

> One-liners only (your preference). Default: Python scripts, no PowerShell wrappers necessary.

Single Day ****Scenario B (baseline):**** ``powershell python scripts/run\_day\_simple.py --date 2025-08-05 --scenario B ``

****Scenario D (strict):**** ``powershell python scripts/run\_day\_simple.py --date 2025-08-05 --scenario D ``

****Scenario E (dip reclaim):**** ``powershell python scripts/run\_day\_simple.py --date 2025-08-05 --scenario E ``

Range (August 2025) ``powershell python scripts/run\_range\_and\_summarize.py --start 2025-08-05 --end 2025-08-31 --scenario B python scripts/run\_range\_and\_summarize.py --start 2025-08-05 --end 2025-08-31 --scenario D python scripts/run\_range\_and\_summarize.py --start 2025-08-05 --end 2025-08-31 --scenario E ``

Analyzer (Range Summaries) Use the CSVs in `out/auto/` folders (not `out/range\_summaries`).

****Scenario B:**** ``powershell python scripts/analyze\_range\_explained.py --csv out\auto\range\_summary\_20250805\_20250831\_B.csv ``

****Scenario D:**** ``powershell python scripts/analyze\_range\_explained.py --csv out\auto\range\_summary\_20250805\_20250831\_D.csv ``

****Scenario E:**** ``powershell python scripts/analyze\_range\_explained.py --csv out\auto\range\_summary\_20250805\_20250831\_E.csv ``

Quick Paths - Per-day CSVs: `out\YYYYMMDD\<Scenario>\results\_YYYY-MM-DD.csv` - Per-day summary: `out\YYYYMMDD\<Scenario>\summary\_only\_YYYY-MM-DD.txt` - Range summary CSVs: `out\auto\range\_summary\_YYYYMMDD\_YYYYMMDD\_<Scenario>.csv`

Notes - Current gates: `riseBars=3` (on), `macd\_riseBars=0` (off). - Keep B as baseline; run D and E after to compare.