LAB LOCATION:	**VIETNAM**	**REPORT NUMBER:**	**EFUZ26020830-CG-01**
DATE IN:	**Feb. 06, 2026**	**DATE OUT:**	**Feb. 10, 2026**

Applicant:	JELLYCAT LIMITED		
Supplier:	IF		
Attention:	Fiona Horsnell / Grace Nguyen		
Address:	WESTWORKS BUILDING, 195 WOOD LANE, LONDON, W12 7FQ, UNITED KINGDOM		
TEL:	+44 20 7603 9383	**FAX:**	
E-mail:	fhorsnell@jellycat.com grace.nguyen@jellycat.com		
Copy To:	-		

OVERALL RATING

PASS	**X**
FAIL	**-**
DATA	**-**

SAMPLE INFORMATION			
Sample Description	Amuseables Cherry Gelato		
Jelly Cat code	A2CHICE		
Quantity of sample	5 pcs		
Buyer's Name	Jelly Cat Ltd		
Country of Origin	VIETNAM	**Country of Destination**	Global
Age Grade	- Label age grade: 0+ - Vendor specific age grade: Not Present - Appropriate age grade: All Ages - Tested age grade: All Ages	**Season**	JELLY11567FS (PROJECT ESPRESSO EXCLUSIVE)
Color Name/ Code	-	**Style Number/SKU#**	-

TEST INFORMATION			
Testing Laboratory:	Vietnam Lab	**Previous Report No.:**	-
Date of Submission:	February 06, 2026		
Test Performance Date:	February 06, 2026 – February 10, 2026		
Remark:	-		

Sample Photos

EFUZ26020830-CG-01

For and on behalf of
Eurofins Consumer Product Testing Vietnam Co. Ltd.

Henry Nguyen
General Manager SL & AN

EXECUTIVE SUMMARY:

TEST REQUEST	CONCLUSION
1. ASTM F963-23 Standard Consumer Safety Specification for Toy Safety	**PASS**
2. Soluble Heavy Metals Content in Similar Surface Coating Materials And Toys Substrate Materials	**PASS**
3. Phthalates Content	**PASS**
4. Lead (Pb) Content in Substrate (Non - Metal)	**PASS**
********** For further details, please refer to the following page(s) **********	

TEST RESULT:

1. ASTM F963-23 Standard Consumer Safety Specification for Toy Safety

SUB-CLAUSE	REQUIREMENT	RESULT(S)
4	Safety Requirement	PASS
4.1	Material Quality	PASS
4.2	Flammability	PASS
4.3.7	Stuffing materials	PASS
4.4	Electrical/Thermal Energy	NA
4.5	Sound Producing Toys	NA
4.6	Small Objects	PASS
4.7	Accessible Edges	PASS
4.8	Projections	NA
4.9	Accessible Points	PASS
4.10	Wires or rods	NA
4.11	Nails and Fasteners	NA
4.12	Plastic Film	NA
4.13	Folding Mechanisms and Hinges	NA
4.14	Cords, straps and Elastics in Toys	NA
4.15	Stability and Over-Load Requirements	NA
4.16	Confined Spaces	NA
4.17	Wheels, Tires, and Axles	NA
4.18	Holes, Clearance, and Accessibility of Mechanisms	NA
4.19	Simulated Protective Devices	NA
4.20	Pacifiers	NA
4.21	Projectile Toys	NA
4.22	Teethers and Teething Toys	NA
4.23	Rattles	NA
4.24	Squeeze Toys	NA
4.25	Battery-Operated Toys (exclude 4.25.10 and 4.25.11)	NA
4.26	Toys Intended to be Attached to a Crib or Playpen	NA
4.27	Stuffed and Beanbag Type Toys	PASS
4.28	Stroller and Carriage Toys	NA
4.29	Art Materials	NA
4.30	Toy Gun Marking	NA
4.31	Balloons	NA
4.32	Certain Toys with Nearly Spherical Ends	NA
4.33	Marbles	NA
4.34	Balls (16 CFR 1500.18 (a)(17))	NA
4.35	Pompoms	NA
4.36	Hemispheric – Shaped Objects	NA
4.37	Yo Yo Elastic Tether Toys	NA
4.38	Magnets	NA
4.39	Jaw Entrapment in Handles and Steering Wheels	NA
4.40	Expanding Materials	NA
4.41	Toy Chests	NA
5	Labeling Requirements	PASS
5.1	Federal Government Requirements	PASS
5.2	Age Grading Labeling	PASS
5.3	Safety labeling Requirements	NA

SUB-CLAUSE	REQUIREMENT	RESULT(S)
5.4	Aquatic Toys	NA
5.5	Crib and Playpen Toys	NA
5.6	Mobiles	NA
5.7	Stroller and Carriage Toys	NA
5.8	Toys Intended to be Assembled by an Adult	NA
5.9	Simulated Protective Devices	NA
5.10	Toys with Functional Sharp Edges or Points	NA
5.11	Small Objects, Small Balls, Marbles, and Balloons (16 CFR 1500.19)	NA
5.12	Art Materials *(16CFR1500.14) (b)(8)*	NA
5.13	Electric Toys	NA
5.14	Battery-Operated Toys (exclude 5.15.1 and 5.15.2)	NA
5.15	Promotional Materials	PASS
5.16	Magnets	NA
6	Instructional Literature	PASS
6.1	Definition and Description	PASS
6.2	Crib and Playpen Toys	NA
6.3	Mobiles	NA
6.4	Toy intended to be Assembled by an Adult	NA
6.5	Battery-Operated Toys	NA
6.6	Battery Powered Ride-on Toys	NA
6.7	Toys in Contact with Food	NA
6.8	Toy Chests	NA
7	Producer's Markings	PASS
7.1	Name and address of the Producer or the Distributer	PASS
7.2	Battery-Powered Ride-On Toys	NA
7.3	Toy Chests	NA

Remark: *NA=Not Applicable*

USE AND ABUSE TESTS (16 CFR 1500)		
The samples were undergoing the tests in accordance with section 8.6 through 8.16, whichever is applicable		
Test	**Test Parameters**	**Standard Reference**
Impact Test	10 x 4.5 ft	1500.51(b), 1500.52(b), 1500.53(b)
Torque Test	4 in-lbs	1500.51(e), 1500.52(e), 1500.53(e)
Tension Test	15 lbs	1500.51(f), 1500.52(f), 1500.53(f)
Compression Test	30 lbs	1500.51(g), 1500.52(g), 1500.53(g)

Clause 4.2 Flammability of Solid (According to Annex A5)

Requirement	Test Method Reference	Results
Burn rate no greater than 0.1 of an inch per second	ASTM F963-23 section 4.2 according to Annex A5	PASS (Burn rate: 0.04 in/s)

***CHEMICAL COMPONENT BREAKDOWN LIST**

Component No.	Material	Color	Sample Location
Sample A			
A1	Textile	Green	Green fabric (Leaf)
A2	Textile	Purple	Purple plush fabric (Cherry)
A3	Textile	Pink/ Dark pink	Pink fur fabric with dark pink embroidery (Ice cream)
A4	Textile	Dark pink	Dark pink fur fabric (Ice cream)
A5	Textile	Brown	Brown fabric (Ice cream cones/ Legs)
A6	Textile	Dark pink/ Black	Dark pink fabric with black embroidery (Cover ice cream cones/ Mouth)
A7	Plastic	Black	Black plastic (Eyes)
A8	Textile	Dark pink/ Pink/ Red	Dark pink fabric with pink/red embroidery (Logo of cover ice cream cones)
A9	Textile	White/ Multi-color	White fabric with multi-color printing (Brand name label)
A10	Textile	White/ Black	White fabric with black printing (Care label)
A11	Textile	White/ Black	White fabric with black printing (Tracking label)
A12	Textile	White	White fabric (String tape inner sample)
A13	Textile	White	White mesh fabric (Inner cherry/ Beads bag)
A14	Textile	White	White fiber (Stuffing)
A15	Plastic	White	White foam (Inner ice cream cones)
A16	Textile	White	White mesh fabric (Inner ice cream cones)
A17	Textile	White	White mesh fabric (Inner cover of ice cream cones)
A18	Plastic	White	White plastic (Back of eyes)
A19	Textile + Adhesive	White	White non-woven fabric with glue (Eyes washer)
A20	Plastic	White	White plastic (Beads)
A21	Textile	White	White non-woven fabric (Inner Leaf)

2. Soluble Heavy Metals Content In Similar Surface Coating Materials And Toys Substrate Materials

Test Method: ASTM F963:2023

Tested item(s)	CAS No.	Reporting Limit (mg/kg)	Limit (mg/kg)	Test result(s) (mg/kg)	
				A1	A2
Chromium (Cr)	7440-47-3	5	60	ND	ND
Antimony (Sb)	7440-36-0	5	60	ND	ND
Lead (Pb)	7439-92-1	5	90	ND	ND
Cadmium (Cd)	7440-43-9	5	75	ND	ND

Tested item(s)	CAS No.	Reporting Limit (mg/kg)	Limit (mg/kg)	Test result(s) (mg/kg)	
				A1	A2
Mercury (Hg)	7439-97-6	5	60	ND	ND
Barium (Ba)	7440-39-3	5	1000	ND	ND
Selenium (Se)	7782-49-2	5	500	ND	ND
Arsenic (As)	7440-38-2	5	25	ND	ND
CONCLUSION				PASS	PASS

Tested item(s)	CAS No.	Reporting Limit (mg/kg)	Limit (mg/kg)	Test result(s) (mg/kg)	
				A3	A4
Chromium (Cr)	7440-47-3	5	60	ND	ND
Antimony (Sb)	7440-36-0	5	60	ND	ND
Lead (Pb)	7439-92-1	5	90	ND	ND
Cadmium (Cd)	7440-43-9	5	75	ND	ND
Mercury (Hg)	7439-97-6	5	60	ND	ND
Barium (Ba)	7440-39-3	5	1000	ND	ND
Selenium (Se)	7782-49-2	5	500	ND	ND
Arsenic (As)	7440-38-2	5	25	ND	ND
CONCLUSION				PASS	PASS

Tested item(s)	CAS No.	Reporting Limit (mg/kg)	Limit (mg/kg)	Test result(s) (mg/kg)	
				A5	A6
Chromium (Cr)	7440-47-3	5	60	ND	ND
Antimony (Sb)	7440-36-0	5	60	ND	ND
Lead (Pb)	7439-92-1	5	90	ND	ND
Cadmium (Cd)	7440-43-9	5	75	ND	ND
Mercury (Hg)	7439-97-6	5	60	ND	ND
Barium (Ba)	7440-39-3	5	1000	ND	ND
Selenium (Se)	7782-49-2	5	500	ND	ND
Arsenic (As)	7440-38-2	5	25	ND	ND
CONCLUSION				PASS	PASS

Tested item(s)	CAS No.	Reporting Limit (mg/kg)	Limit (mg/kg)	Test result(s) (mg/kg)	
				A7	A8
Chromium (Cr)	7440-47-3	5	60	ND	ND
Antimony (Sb)	7440-36-0	5	60	ND	ND
Lead (Pb)	7439-92-1	5	90	ND	ND
Cadmium (Cd)	7440-43-9	5	75	ND	ND
Mercury (Hg)	7439-97-6	5	60	ND	ND

Tested item(s)	CAS No.	Reporting Limit (mg/kg)	Limit (mg/kg)	Test result(s) (mg/kg)	
				A7	A8
Barium (Ba)	7440-39-3	5	1000	ND	ND
Selenium (Se)	7782-49-2	5	500	ND	ND
Arsenic (As)	7440-38-2	5	25	ND	ND
CONCLUSION				PASS	PASS

Tested item(s)	CAS No.	Reporting Limit (mg/kg)	Limit (mg/kg)	Test result(s) (mg/kg)	
				A9	A10
Chromium (Cr)	7440-47-3	5	60	ND	ND
Antimony (Sb)	7440-36-0	5	60	ND	ND
Lead (Pb)	7439-92-1	5	90	ND	ND
Cadmium (Cd)	7440-43-9	5	75	ND	ND
Mercury (Hg)	7439-97-6	5	60	ND	ND
Barium (Ba)	7440-39-3	5	1000	ND	ND
Selenium (Se)	7782-49-2	5	500	ND	ND
Arsenic (As)	7440-38-2	5	25	ND	ND
CONCLUSION				PASS	PASS

Tested item(s)	CAS No.	Reporting Limit (mg/kg)	Limit (mg/kg)	Test result(s) (mg/kg)	
				A11	A12
Chromium (Cr)	7440-47-3	5	60	ND	ND
Antimony (Sb)	7440-36-0	5	60	ND	ND
Lead (Pb)	7439-92-1	5	90	ND	ND
Cadmium (Cd)	7440-43-9	5	75	ND	ND
Mercury (Hg)	7439-97-6	5	60	ND	ND
Barium (Ba)	7440-39-3	5	1000	ND	ND
Selenium (Se)	7782-49-2	5	500	ND	ND
Arsenic (As)	7440-38-2	5	25	ND	ND
CONCLUSION				PASS	PASS

Tested item(s)	CAS No.	Reporting Limit (mg/kg)	Limit (mg/kg)	Test result(s) (mg/kg)	
				A13	A14
Chromium (Cr)	7440-47-3	5	60	ND	ND
Antimony (Sb)	7440-36-0	5	60	6.00	ND
Lead (Pb)	7439-92-1	5	90	ND	ND
Cadmium (Cd)	7440-43-9	5	75	ND	ND
Mercury (Hg)	7439-97-6	5	60	ND	ND
Barium (Ba)	7440-39-3	5	1000	ND	ND

Tested item(s)	CAS No.	Reporting Limit (mg/kg)	Limit (mg/kg)	Test result(s) (mg/kg)	
				A13	A14
Selenium (Se)	7782-49-2	5	500	ND	ND
Arsenic (As)	7440-38-2	5	25	ND	ND
CONCLUSION				PASS	PASS

Tested item(s)	CAS No.	Reporting Limit (mg/kg)	Limit (mg/kg)	Test result(s) (mg/kg)	
				A15	A16
Chromium (Cr)	7440-47-3	5	60	ND	ND
Antimony (Sb)	7440-36-0	5	60	ND	ND
Lead (Pb)	7439-92-1	5	90	ND	ND
Cadmium (Cd)	7440-43-9	5	75	ND	ND
Mercury (Hg)	7439-97-6	5	60	ND	ND
Barium (Ba)	7440-39-3	5	1000	ND	ND
Selenium (Se)	7782-49-2	5	500	ND	ND
Arsenic (As)	7440-38-2	5	25	ND	ND
CONCLUSION				PASS	PASS

Tested item(s)	CAS No.	Reporting Limit (mg/kg)	Limit (mg/kg)	Test result(s) (mg/kg)	
				A17	A18
Chromium (Cr)	7440-47-3	5	60	ND	ND
Antimony (Sb)	7440-36-0	5	60	8.00	ND
Lead (Pb)	7439-92-1	5	90	ND	ND
Cadmium (Cd)	7440-43-9	5	75	ND	ND
Mercury (Hg)	7439-97-6	5	60	ND	ND
Barium (Ba)	7440-39-3	5	1000	ND	ND
Selenium (Se)	7782-49-2	5	500	ND	ND
Arsenic (As)	7440-38-2	5	25	ND	ND
CONCLUSION				PASS	PASS

Tested item(s)	CAS No.	Reporting Limit (mg/kg)	Limit (mg/kg)	Test result(s) (mg/kg)	
				A19	A20
Chromium (Cr)	7440-47-3	5	60	ND	ND
Antimony (Sb)	7440-36-0	5	60	ND	ND
Lead (Pb)	7439-92-1	5	90	ND	ND
Cadmium (Cd)	7440-43-9	5	75	ND	ND
Mercury (Hg)	7439-97-6	5	60	ND	ND
Barium (Ba)	7440-39-3	5	1000	ND	ND

Tested item(s)	CAS No.	Reporting Limit (mg/kg)	Limit (mg/kg)	Test result(s) (mg/kg)	
				A19	A20
Selenium (Se)	7782-49-2	5	500	ND	ND
Arsenic (As)	7440-38-2	5	25	ND	ND
CONCLUSION				PASS	PASS

Tested item(s)	CAS No.	Reporting Limit (mg/kg)	Limit (mg/kg)	Test result(s) (mg/kg)
				A21
Chromium (Cr)	7440-47-3	5	60	ND
Antimony (Sb)	7440-36-0	5	60	ND
Lead (Pb)	7439-92-1	5	90	ND
Cadmium (Cd)	7440-43-9	5	75	ND
Mercury (Hg)	7439-97-6	5	60	ND
Barium (Ba)	7440-39-3	5	1000	ND
Selenium (Se)	7782-49-2	5	500	ND
Arsenic (As)	7440-38-2	5	25	ND
CONCLUSION				PASS

Note:
ND = not detected, the result is less than reporting limit
mg/kg = milligram per kilogram
-The accessibility of the submitted sample is verified according to ASTM F963-23 before and after abuse.
-The received sample(s) contained component(s) of less than 10mg on one single sample, therefore such component(s) was not tested for soluble heavy metals content as specified in clause 8.3.3.6 (2) / 8.3.5.3 (2) of this standard
- All the reported results are adjusted analytical results with the analytical correction shown in the following table.

Element	Sb	As	Ba	Cd	Cr	Pb	Hg	Se
Analytical correction (%)	60	60	30	30	30	30	50	60

3. Phthalates Content

Test Method: CPSC-CH-C1001-09.4:2018

Regulation: 16CFR part 1307, amended U.S. Consumer Product Safety Improvement Act of 2008 (CPSIA), Title I, Section 108

Tested item(s)	CAS No.	Reporting Limit (mg/kg)	Limit (mg/kg)	Test result(s) (mg/kg)	
				A7	A15+A18+A20
Dibutylphthalate (DBP)	84-74-2	50	1000	ND	ND
Diethylhexylphthalate (DEHP)	117-81-7	50	1000	ND	ND
Butylbenzylphtalate (BBP)	85-68-7	50	1000	ND	ND
Diisononylphthalate (DINP)	28553-12-0	50	1000	ND	ND
Phthalic acid, bis-hexyl ester (DnHP)	84-75-3	50	1000	ND	ND

Tested item(s)	CAS No.	Reporting Limit (mg/kg)	Limit (mg/kg)	Test result(s) (mg/kg)	
				A7	A15+A18+A20
Di-isobutyl phthalate (DiBP)	84-69-5	50	1000	ND	ND
Dicyclohexyl phthalate (DCHP)	84-61-7	50	1000	ND	ND
Dipentylphtalate (DPP)	131-18-0	50	1000	ND	ND
CONCLUSION				PASS	PASS

Tested item(s)	CAS No.	Reporting Limit (mg/kg)	Limit (mg/kg)	Test result(s) (mg/kg)
				A19
Dibutylphthalate (DBP)	84-74-2	50	1000	ND
Diethylhexylphthalate (DEHP)	117-81-7	50	1000	ND
Butylbenzylphtalate (BBP)	85-68-7	50	1000	ND
Diisononylphthalate (DINP)	28553-12-0	50	1000	ND
Phthalic acid, bis-hexyl ester (DnHP)	84-75-3	50	1000	ND
Di-isobutyl phthalate (DiBP)	84-69-5	50	1000	ND
Dicyclohexyl phthalate (DCHP)	84-61-7	50	1000	ND
Dipentylphtalate (DPP)	131-18-0	50	1000	ND
CONCLUSION				PASS

Note:
ND = not detected, the result is less than reporting limit
mg/kg = milligram per kilogram

4. <u>Lead (Pb) Content in Substrate (Non - Metal)</u>

Test Method: CPSC-CH-E1002-08.3:2012

Tested item(s)	CAS No.	Reporting Limit (mg/kg)	Limit (mg/kg)	Test result(s) (mg/kg)	
				A7	A15+A18+A20
Lead (Pb)	7439-92-1	5	100	ND	ND
CONCLUSION				PASS	PASS

Tested item(s)	CAS No.	Reporting Limit (mg/kg)	Limit (mg/kg)	Test result(s) (mg/kg)
				A19
Lead (Pb)	7439-92-1	5	100	ND
CONCLUSION				PASS

Note:
ND = not detected, the result is less than reporting limit
mg/kg = milligram per kilogram

PHOTO(S) OF THE SAMPLE(S)

Exhibit 1.	Exhibit 2.
Exhibit 3.	**Exhibit 4.**
Exhibit 5.	**Exhibit 6.**

Exhibit 7.	Exhibit 8.
Exhibit 9.	**Exhibit 10.**
Exhibit 11.	**Exhibit 12.**

Exhibit 13.	Exhibit 14.

Exhibit 15.

NOTE:

The test results are considered as conform to specification based on the general consideration simple acceptance as stated in ISO/IEC GUIDE 98-4:2012.

If there is question or concern regarding the above results, please contact the appropriate lab person below:

Technical questions:

Primary Contact: Green Nguyen **Email: Green.nguyen@cpt.eurofinsasia.com**
Back-up Contact: James Huynh **Email: James.huynh@cpt.eurofinsasia.com**

CS Contact:

Primary Contact: Thuyen Nguyen Thi Thanh **Email: Thuyen.NguyenThiThanh@cpt.eurofinsasia.com**

This test report is governed by the Terms and Conditions, available on request or attached to the end of this test report. Attention is especially drawn to the limitations of liability, indemnification and jurisdictional provisions defined therein. This report is issued strictly based on the testing of the samples submitted by you. The test results in this report refer only to the sample(s) actually tested and do not refer or be deemed to refer to any bulk production from which such sample(s) may be said to have been obtained. In the event that* Eurofins Consumer Product Testing VietNam Ltd. *("EUR") was requested to survey and test any bulk production quantity of samples, EUR, in the absence of any contrary written instructions, performed random sampling of bulk production for testing purposes. Variations in the conditions under which samples are stored, transported, etc., may lead to variations in the test results. EUR cannot anticipate and shall not be held responsible for variations in test results that may be due to factors beyond EUR control, such as, sample cross-contamination, evaporation of volatile substances due to storage temperature, humidity, etc. This report does not constitute a recommendation, actual or implied, for any specific course of action. Other than the expressed warranties made in the Terms and Conditions of the EUR Test Request Form, EUR makes no warranties or representations either express or implied with respect to this report. In no circumstances whatsoever shall EUR be liable for any consequential, special or incidental damages arising out of, or in connection with, this report.