LAB LOCATION:	**VIETNAM**	**REPORT NUMBER:**	**EFUZ26020831-CG-01**
DATE IN:	**Feb. 06, 2026**	**DATE OUT:**	**Feb. 10, 2026**

Applicant:	JELLYCAT LIMITED		
Supplier:	IF		
Attention:	Fiona Horsnell / Grace Nguyen		
Address:	WESTWORKS BUILDING, 195 WOOD LANE, LONDON, W12 7FQ, UNITED KINGDOM		
TEL:	+44 20 7603 9383	**FAX:**	
E-mail:	fhorsnell@jellycat.com grace.nguyen@jellycat.com		
Copy To:	-		

OVERALL RATING

PASS	**X**
FAIL	**-**
DATA	**-**

SAMPLE INFORMATION			
Sample Description	Amuseables Cherry Gelato		
Jelly Cat code	A2CHICE		
Quantity of sample	5 pcs		
Buyer's Name	Jelly Cat Ltd		
Country of Origin	VIETNAM	**Country of Destination**	Global
Age Grade	- Label age grade: 0+ - Vendor specific age grade: Not Present - Appropriate age grade: All Ages - Tested age grade: All Ages	**Season**	JELLY11567FS (PROJECT ESPRESSO EXCLUSIVE)
Color Name/ Code	-	**Style Number/SKU#**	-

TEST INFORMATION			
Testing Laboratory:	Vietnam Lab	**Previous Report No.:**	-
Date of Submission:	February 06, 2026		
Test Performance Date:	February 06, 2026 – February 10, 2026		
Remark:	-		

Sample Photos

EFUZ26020831-CG-01

For and on behalf of
Eurofins Consumer Product Testing Vietnam Co. Ltd.

Henry Nguyen
General Manager SL & AN

EXECUTIVE SUMMARY:

TEST REQUEST	CONCLUSION
1. BS EN 71-1:2014+A1:2018 Safety of Toys - Mechanical and physical properties	**PASS**
2. BS EN 71-2:2020+A1:2025 Safety of Toys - Flammability	**PASS**
3. BS EN 71-3:2019+A2:2024 European Standard on Safety of Toys - Migration of certain elements	**PASS**
********** For further details, please refer to the following page(s) **********	

TEST RESULT:

1. **BS EN 71-1:2014+A1:2018 Safety of Toys - Mechanical and physical properties**

Sub-clause	Requirement	Result(s)
4	General requirements	PASS
4.1	Material cleanliness	PASS
4.2	Assembly	NA
4.3	Flexible plastic sheeting	NA
4.4	Toy bags	NA
4.5	Glass	NA
4.6	Expanding materials	NA
4.7	Edges	PASS
4.8	Points and metallic wires	PASS
4.9	Protruding parts	NA
4.10	Parts moving against each other	NA
4.11	Mouth-actuated toys and other toys intended to be put in the mouth	NA
4.12	Balloons	NA
4.13	Cords of toy kites and other flying toys	NA
4.14	Enclosures	NA
4.15	Toys intended to bear the mass of a child	NA
4.16	Heavy immobile toys	NA
4.17	Projectile toys	NA
4.18	Aquatic toys and inflatable toys	NA
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	NA
4.20	Acoustics	NA
4.21	Toys containing a non-electrical heat source	NA
4.22	Small balls	NA
4.23	Magnets	NA
4.24	Yo-yo balls	NA
4.25	Toys attached to food	NA
4.26	Toy Disguise Costumes	NA
4.27	Flying toys	NA
5	Toys intended for children under 36 months	PASS
5.1	General requirements	PASS
5.2	Soft-filled toys and soft-filled parts of a toy	PASS
5.3	Plastic sheeting	NA
5.4	Cords, chains and electrical cables in toys	NA
5.5	Liquid-filled toys	NA
5.6	Speed limitation of electrically-driven ride-on toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size of certain toys	NA
5.9	Toys comprising monofilament fibers	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric-shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15	Sledges with cords for pulling	NA
6	Packing	NA
7	Warning, marking and instructions for use	PASS

7.1	General	PASS
7.2	Toys not intended for children under 36 months	NA
7.3	Latex balloons	NA
7.4	Aquatic toys	NA
7.5	Functional toys	NA
7.6	Hazardous sharp functional edges and points	NA
7.7	Projectiles	NA
7.8	Imitation protective mask and helmets	NA
7.9	Toy kites	NA
7.10	Roller skates, inline skates, skateboards and certain other ride- on toys	NA
7.11	Toys intended to be attached to or strung across a cradle, cot, or perambulator	NA
7.12	Liquid-filled teethers	NA
7.13	Percussion caps specifically designed for use in toys	NA
7.14	Acoustics	NA
7.15	Toy bicycles	NA
7.16	Toys intended to bear the mass of a child	NA
7.17	Toy comprising monofilament fibers	NA
7.18	Toys scooters	NA
7.19	Rocking horses and similar toys	NA
7.20	Magnetic/electrical experimental sets	NA
7.21	Toys with electrical cables exceeding 300 mm in length	NA
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	NA
7.23	Toys intended to be attached to a cradle, cot or perambulator	NA
7.24	Sedges with cord for pulling	NA
7.25	Flying Toys	NA
7.26	Improvised projectiles	NA
CE Marking	Shall comply with the requirements as specified in regulation 2009/48/EC General Labeling requirement & Turkey Toy Regulation (29847) labeling	PASS
UKCA Marking	Shall comply with the requirements as specified in UKCA mark & UK Toys (Safety) Regulation 2011 labeling / Brexit transition: new rules for 2021 – UKCA marking	PASS

Remark: *NA = Not Applicable*

The submitted samples were undergone the following abuse tests, whichever is applicable:

Clause	Testing items	Parameter
8.3	Torque test	0.34 Nm or 180°
8.4.2.1	Tension test	90 (± 2) N
8.4.2.2	Seams and materials	70 (± 2) N
8.5	Drop test	5 x (850 ± 50) mm
8.7	Impact test	(1 ±0.02) kg from (100±2) mm
8.8	Compression test	110 (± 5) N
8.13	Flexibility of metallic wires	30 cycles/ (70 ± 2) N/more than 60°

2. BS EN 71-2:2020+A1:2025 Safety of toys - Flammability

Sub-clause	Requirement	Result(s)	Remark(s)
4.1	General requirement	PASS	- Cellulose nitrate not present - Highly flammable solids not present - Surface flash on a piled surface not present
4.2	Toys to be worn on the head	NA	
4.3	Toy disguise costumes and toys intended to be worn by a child in play	NA	
4.4	Toys intended to be entered by a child	NA	
4.5	Soft-filled toys	PASS	Ignited but Self-Extinguished

Remark: *NA = Not Applicable*

3. CHEMICAL COMPONENT BREAKDOWN LIST

Component No.	Material	Color	Sample Location
Sample A			
A1	Textile	Green	Green fabric (Leaf)
A2	Textile	Purple	Purple plush fabric (Cherry)
A3	Textile	Pink/ Dark pink	Pink fur fabric with dark pink embroidery (Ice cream)
A4	Textile	Dark pink	Dark pink fur fabric (Ice cream)
A5	Textile	Brown	Brown fabric (Ice cream cones/ Legs)
A6	Textile	Dark pink/ Black	Dark pink fabric with black embroidery (Cover ice cream cones/ Mouth)
A7	Plastic	Black	Black plastic (Eyes)
A8	Textile	Dark pink/ Pink/ Red	Dark pink fabric with pink/red embroidery (Logo of cover ice cream cones)
A9	Textile	White/ Multi-color	White fabric with multi-color printing (Brand name label)
A10	Textile	White/ Black	White fabric with black printing (Care label)
A11	Textile	White/ Black	White fabric with black printing (Tracking label)

Migration of Certain Elements – EN 71-3:2019 + A2:2024

Test Method: EN 71-3:2019 + A2:2024

Tested item(s)	CAS No.	Reporting Limit (mg/kg)	Limit (mg/kg)	Test result(s) (mg/kg)	
				A1	A2
Aluminium (Al)	7429-90-5	10	28130	ND	ND
Antimony (Sb)	7440-36-0	10	560	ND	ND
Arsenic (As)	7440-38-2	10	47	ND	ND
Barium (Ba)	7440-39-3	10	18750	ND	ND
Boron (B)	7440-42-8	100	15000	ND	ND
Cadmium (Cd)	7440-43-9	5	17	ND	ND
Chromium (III) (Cr III)	7440-47-3	10	460	ND	ND
Chromium (VI)	18540-29-9	0.04	0.053	ND	ND
Cobalt (Co)	7440-48-4	10	130	ND	ND
Copper (Cu)	7440-50-8	10	7700	ND	ND
Lead (Pb)	7439-92-1	10	23	ND	ND
Manganese (Mn)	7439-96-5	10	15000	ND	ND
Mercury (Hg)	7439-97-6	10	94	ND	ND

Tested item(s)	CAS No.	Reporting Limit (mg/kg)	Limit (mg/kg)	Test result(s) (mg/kg)	
				A1	A2
Nickel (Ni)	7440-02-0	10	930	ND	ND
Selenium (Se)	7782-49-2	10	460	ND	ND
Strontium (Sr)	7440-24-6	10	56000	ND	ND
Tin (Sn)	7440-31-5	0.8	180000	ND	ND
Organic Tin	-	3	12	ND	ND
Zinc (Zn)	7440-66-6	10	46000	ND	ND
CONCLUSION				PASS	PASS

Tested item(s)	CAS No.	Reporting Limit (mg/kg)	Limit (mg/kg)	Test result(s) (mg/kg)	
				A3	A4
Aluminium (Al)	7429-90-5	10	28130	ND	ND
Antimony (Sb)	7440-36-0	10	560	ND	ND
Arsenic (As)	7440-38-2	10	47	ND	ND
Barium (Ba)	7440-39-3	10	18750	ND	ND
Boron (B)	7440-42-8	100	15000	ND	ND
Cadmium (Cd)	7440-43-9	5	17	ND	ND
Chromium (III) (Cr III)	7440-47-3	10	460	ND	ND
Chromium (VI)	18540-29-9	0.04	0.053	ND	ND
Cobalt (Co)	7440-48-4	10	130	ND	ND
Copper (Cu)	7440-50-8	10	7700	ND	ND
Lead (Pb)	7439-92-1	10	23	ND	ND
Manganese (Mn)	7439-96-5	10	15000	ND	ND
Mercury (Hg)	7439-97-6	10	94	ND	ND
Nickel (Ni)	7440-02-0	10	930	ND	ND
Selenium (Se)	7782-49-2	10	460	ND	ND
Strontium (Sr)	7440-24-6	10	56000	12.0	ND
Tin (Sn)	7440-31-5	0.8	180000	ND	ND
Organic Tin	-	3	12	ND	ND
Zinc (Zn)	7440-66-6	10	46000	ND	ND
CONCLUSION				PASS	PASS

Tested item(s)	CAS No.	Reporting Limit (mg/kg)	Limit (mg/kg)	Test result(s) (mg/kg)	
				A5	A6
Aluminium (Al)	7429-90-5	10	28130	ND	ND
Antimony (Sb)	7440-36-0	10	560	ND	ND
Arsenic (As)	7440-38-2	10	47	ND	ND
Barium (Ba)	7440-39-3	10	18750	ND	ND
Boron (B)	7440-42-8	100	15000	ND	ND
Cadmium (Cd)	7440-43-9	5	17	ND	ND
Chromium (III) (Cr III)	7440-47-3	10	460	ND	ND
Chromium (VI)	18540-29-9	0.04	0.053	ND	ND
Cobalt (Co)	7440-48-4	10	130	ND	ND
Copper (Cu)	7440-50-8	10	7700	ND	ND
Lead (Pb)	7439-92-1	10	23	ND	ND
Manganese (Mn)	7439-96-5	10	15000	ND	ND
Mercury (Hg)	7439-97-6	10	94	ND	ND
Nickel (Ni)	7440-02-0	10	930	ND	ND
Selenium (Se)	7782-49-2	10	460	ND	ND
Strontium (Sr)	7440-24-6	10	56000	ND	ND
Tin (Sn)	7440-31-5	0.8	180000	ND	ND
Organic Tin	-	3	12	ND	ND
Zinc (Zn)	7440-66-6	10	46000	ND	ND
CONCLUSION				PASS	PASS

Tested item(s)	CAS No.	Reporting Limit (mg/kg)	Limit (mg/kg)	Test result(s) (mg/kg)	
				A7	A8
Aluminium (Al)	7429-90-5	10	28130	ND	ND
Antimony (Sb)	7440-36-0	10	560	ND	ND
Arsenic (As)	7440-38-2	10	47	ND	ND
Barium (Ba)	7440-39-3	10	18750	ND	ND
Boron (B)	7440-42-8	100	15000	ND	ND
Cadmium (Cd)	7440-43-9	5	17	ND	ND
Chromium (III) (Cr III)	7440-47-3	10	460	ND	ND
Chromium (VI)	18540-29-9	0.04	0.053	ND	ND
Cobalt (Co)	7440-48-4	10	130	ND	ND
Copper (Cu)	7440-50-8	10	7700	ND	ND
Lead (Pb)	7439-92-1	10	23	ND	ND
Manganese (Mn)	7439-96-5	10	15000	ND	ND

Tested item(s)	CAS No.	Reporting Limit (mg/kg)	Limit (mg/kg)	Test result(s) (mg/kg)	
				A7	A8
Mercury (Hg)	7439-97-6	10	94	ND	ND
Nickel (Ni)	7440-02-0	10	930	ND	ND
Selenium (Se)	7782-49-2	10	460	ND	ND
Strontium (Sr)	7440-24-6	10	56000	ND	26.0
Tin (Sn)	7440-31-5	0.8	180000	ND	2.0
Organic Tin	-	3	12	ND	ND
Zinc (Zn)	7440-66-6	10	46000	ND	ND
CONCLUSION				PASS	PASS

Tested item(s)	CAS No.	Reporting Limit (mg/kg)	Limit (mg/kg)	Test result(s) (mg/kg)	
				A9	A10
Aluminium (Al)	7429-90-5	10	28130	ND	ND
Antimony (Sb)	7440-36-0	10	560	ND	ND
Arsenic (As)	7440-38-2	10	47	ND	ND
Barium (Ba)	7440-39-3	10	18750	ND	ND
Boron (B)	7440-42-8	100	15000	ND	ND
Cadmium (Cd)	7440-43-9	5	17	ND	ND
Chromium (III) (Cr III)	7440-47-3	10	460	ND	ND
Chromium (VI)	18540-29-9	0.04	0.053	ND	ND
Cobalt (Co)	7440-48-4	10	130	ND	ND
Copper (Cu)	7440-50-8	10	7700	ND	ND
Lead (Pb)	7439-92-1	10	23	ND	ND
Manganese (Mn)	7439-96-5	10	15000	ND	ND
Mercury (Hg)	7439-97-6	10	94	ND	ND
Nickel (Ni)	7440-02-0	10	930	ND	ND
Selenium (Se)	7782-49-2	10	460	ND	ND
Strontium (Sr)	7440-24-6	10	56000	ND	ND
Tin (Sn)	7440-31-5	0.8	180000	ND	ND
Organic Tin	-	3	12	ND	ND
Zinc (Zn)	7440-66-6	10	46000	ND	ND
CONCLUSION				PASS	PASS

Tested item(s)	CAS No.	Reporting Limit (mg/kg)	Limit (mg/kg)	Test result(s) (mg/kg)
				A11
Aluminium (Al)	7429-90-5	10	28130	ND
Antimony (Sb)	7440-36-0	10	560	ND
Arsenic (As)	7440-38-2	10	47	ND
Barium (Ba)	7440-39-3	10	18750	ND
Boron (B)	7440-42-8	100	15000	ND
Cadmium (Cd)	7440-43-9	5	17	ND
Chromium (III) (Cr III)	7440-47-3	10	460	ND
Chromium (VI)	18540-29-9	0.04	0.053	ND
Cobalt (Co)	7440-48-4	10	130	ND
Copper (Cu)	7440-50-8	10	7700	ND
Lead (Pb)	7439-92-1	10	23	ND
Manganese (Mn)	7439-96-5	10	15000	ND
Mercury (Hg)	7439-97-6	10	94	ND
Nickel (Ni)	7440-02-0	10	930	ND
Selenium (Se)	7782-49-2	10	460	ND
Strontium (Sr)	7440-24-6	10	56000	ND
Tin (Sn)	7440-31-5	0.8	180000	ND
Organic Tin	-	3	12	ND
Zinc (Zn)	7440-66-6	10	46000	ND
CONCLUSION				PASS

Note:
ND = not detected, the result is less than reporting limit
mg/kg = milligram per kilogram
Category III: Scraped-off materials
- Unless specified, determination of Chromium (III) and Chromium (VI) was based on elemental analysis.
- The reported soluble organic tin value was calculated by summation of the migration values of Methyltin, Butyltin, Dibutyltin, Tributyltin, Tetrabutyltin, Monooctyltin, Dioctyltin, Dipropyltin, Diphenyltin, Triphenyltin and Dimethyltin.
-Δ Chromium (III) and Chromium (VI) confirmation test were performed on the tested component.
- Confirmation test of soluble organic tin is not required in case of soluble tin, after conversion, does not exceed the soluble organic tin requirement as specified in EN 71 – 3: 2019+A2:2024.
-The received sample(s) contained component(s) of less than 10mg on one single sample, therefore such component(s) was not tested for extractable heavy metals content as specified in clause 7.1 of this standard

********** For further details, please refer to the following page(s) **********

Photo(s) of the sample(s)

Exhibit 1.	Exhibit 2.
Exhibit 3.	**Exhibit 4.**
Exhibit 5.	**Exhibit 6.**

Exhibit 7.	Exhibit 8.
Exhibit 9.	**Exhibit 10.**
Exhibit 11.	**Exhibit 12.**

Exhibit 13.	Exhibit 14.

Exhibit 15.

NOTE:

The test results are considered as conform to specification based on the general consideration simple acceptance as stated in ISO/IEC GUIDE 98-4:2012.

If there is question or concern regarding the above results, please contact the appropriate lab person below:

Technical questions:

Primary Contact: Green Nguyen **Email: Green.nguyen@cpt.eurofinsasia.com**
Back-up Contact: James Huynh **Email: James.huynh@cpt.eurofinsasia.com**

CS Contact:

Primary Contact: Thuyen Nguyen Thi Thanh **Email: Thuyen.NguyenThiThanh@cpt.eurofinsasia.com**

This test report is governed by the Terms and Conditions, available on request or attached to the end of this test report. Attention is especially drawn to the limitations of liability, indemnification and jurisdictional provisions defined therein. This report is issued strictly based on the testing of the samples submitted by you. The test results in this report refer only to the sample(s) actually tested and do not refer or be deemed to refer to any bulk production from which such sample(s) may be said to have been obtained. In the event that* Eurofins Consumer Product Testing VietNam Ltd. *("EUR") was requested to survey and test any bulk production quantity of samples, EUR, in the absence of any contrary written instructions, performed random sampling of bulk production for testing purposes. Variations in the conditions under which samples are stored, transported, etc., may lead to variations in the test results. EUR cannot anticipate and shall not be held responsible for variations in test results that may be due to factors beyond EUR control, such as, sample cross-contamination, evaporation of volatile substances due to storage temperature, humidity, etc. This report does not constitute a recommendation, actual or implied, for any specific course of action. Other than the expressed warranties made in the Terms and Conditions of the EUR Test Request Form, EUR makes no warranties or representations either express or implied with respect to this report. In no circumstances whatsoever shall EUR be liable for any consequential, special or incidental damages arising out of, or in connection with, this report.