LAB LOCATION:	**VIET NAM**	**REPORT NUMBER:**	**EFUZ26020993-CG-01**
DATE IN:	**Feb. 09, 2026**	**DATE OUT:**	**Feb. 10, 2026**

Applicant:	JELLYCAT LIMITED		
Supplier:	IF		
Attention:	Fiona Horsnell		
Address:	WESTWORKS BUILDING, 195 WOOD LANE, LONDON, W12 7FQ, UNITED KINGDOM		
TEL:	+44 20 7603 9383	**FAX:**	-
E-mail:	fhorsnell@jellycat.com		
Copy To:	-		

OVERALL RATING

PASS	**X**
FAIL	**-**
DATA	**-**

SAMPLE INFORMATION			
Sample Description	Amuseables Shakshuka		
Jelly Cat code	A4SHAK		
Quantity of sample	6 pcs		
Buyer's Name	Jelly Cat Ltd		
Country of Origin	VIETNAM	**Country of Destination**	Global
Age Grade	- Label age grade: 0+ - Vendor specific age grade: 0+ - Appropriate age grade: All Ages - Tested age grade: All Ages	**Season**	-
Color Name/ Code	-	**Style Number/SKU#**	A4SHAK

TEST INFORMATION			
Testing Laboratory:	Vietnam Lab	**Previous Report No.:**	-
Date of Submission:	February 09, 2026		
Test Performance Date:	February 09, 2026 – February 10, 2026		
Remark:	-		

Sample Photos

EFUZ26020993-CG-01

For and on behalf of
Eurofins Consumer Product Testing Vietnam Co. Ltd.

Henry Nguyen
General Manager SL & AN

EXECUTIVE SUMMARY:

TEST REQUESTED	RESULT
Jelly Cat Enhanced Requirements	PASS

********** For further details, please refer to the following page(s) **********

TEST RESULT(S):

JELLYCAT REQUIREMENT	COMMENTS	REQUIREMENTS	RATING
Impact test for rigid components (Aim of test – replicate standing on the toy)	Applies to rigid components such as plastic eyes, rattles, musical pull, etc Applicable to internal and external components. Does not apply to pellet bags or shaping boards	1 kg weight dropped 3 times from 100mm/10cm height onto rigid component • Use EN71/ASTM test equipment Purpose: Safety / perceived safety / quality	PASS
Deadweight test for external rigid plastic components (Aim of test – check attachment strength over time)	Applies to rigid components eg plastic eyes	Attach the claw hook to the eye or nose Support the disk with the 25.4 mm diameter hole in a horizontal position. Determine if the disk provides sufficient clearance for the passage of the claw with the eye or nose attached. If not, use the disk with the 38.1 mm diameter hole. Attach the 10 kg weight to the claw hook and gradually release the weight over a period of approximately 5 seconds. Leave the weight suspended for 5 minutes. Repeat §1 to § 5 for each eye or nose. Purpose: Safety / perceived safety / quality	PASS
Pull tests (Various tests to ensure strength of toys)	Plastic eyes	All plastic eyes to be subject to 120N parallel pull test	PASS
	Any component that could fit into the small parts cylinder if detached. Examples: zipper pulls, bag attachments, logo discs, pom poms, stuffed fabric balls, SILs Ignore any EN71/ASTM material exemptions eg fabric components Does not apply to large attachments (see below)	120N tension test in most onerous direction Pull in the direction most likely to produce a failure. Purpose: Safety / perceived safety / quality	PASS
	Non-detachable components which will not fit into small parts cylinder	90N tension test in most onerous direction Pull in the direction most likely to produce a failure. Purpose: perceived safety / quality	PASS
	Giant size products: ears, arms & legs only Any other attachments follow the 120N pull as above	Drag under own weight for 2m/s. Use smooth lab floor, not carpet. Use lab dynamic strength equipment. Giant designation – following product naming conventions from JC. Purpose: quality	NA

JELLYCAT REQUIREMENT	COMMENTS	REQUIREMENTS	RATING
Seam strength	All seams	Secure the clamp attached to one side of the seam and attach the force gauge to the clamp on the opposite side of the seam. Apply a 90 ± 2 N (20.2 ± 0.5 lbf) pull force perpendicular to the seam. While applying a 10 N (2.25 lbf) compression force, attempt to insert the 12 mm (0.47 in) diameter rod to a depth of 6 mm (0.24 in.) through any seam failure or tear in the outer cover material. Fail = any damage due to seam or material failure. Need to specify the failure type Purpose: Safety / perceived safety / quality	PASS
Items with straps eg Handbag, Totebag, Cross body bag, rucksack	Load test	Imitation iPad model to be used by the lab: 250mm x 180mm x 7mm If the model does not fit into the bag class as Small & apply 5 kg If the model fits into the bag class as Large & apply 10 kg Hang the sample with prescribed load suspended evenly by the straps: Rucksack – test using 1 strap, then the second strap Tote bags – test using 2 straps together Leave in place for 24 hours, check for visible damage to the strap, bag and stitching Purpose: quality	NA
	Jerk test – handle test	Load with weight as per load test: Small bags – 5kg Large bags – 10kg The loaded bag shall sustain a 10cm jerk for 1000 cycles without structural damage. Test straps individually 1000 cycles used as an initial trial number Purpose: quality	NA
Musical pull mechanisms	Function test	Retraction and sound functioning correctly after 300 cycles. Mechanically performed. Purpose: quality	NA

Remark: *NA = NOT APPLICABLE*

PHOTO(S) OF SAMPLE(S)

Exhibit 1.	Exhibit 2.
Exhibit 3.	**Exhibit 4.**
Exhibit 5.	**Exhibit 6.**

Exhibit 7.	Exhibit 8.
Exhibit 9.	**Exhibit 10.**
Exhibit 11.	**Exhibit 12.**

Exhibit 13.

NOTE:

The test results are considered as conform to specification based on the general consideration simple acceptance as stated in ISO/IEC GUIDE 98-4:2012.

If there is question or concern regarding the above results, please contact the appropriate lab person below:

Technical questions:

Primary Contact: Green Nguyen **Email: Green.nguyen@cpt.eurofinsasia.com**
Back-up Contact: James Huynh **Email: James.huynh@cpt.eurofinsasia.com**

CS Contact:

Primary Contact: Thuyen Nguyen Thi Thanh **Email: Thuyen.NguyenThiThanh@cpt.eurofinsasia.com**

This test report is governed by the Terms and Conditions, available on request or attached to the end of this test report. Attention is especially drawn to the limitations of liability, indemnification and jurisdictional provisions defined therein. This report is issued strictly based on the testing of the samples submitted by you. The test results in this report refer only to the sample(s) actually tested and do not refer or be deemed to refer to any bulk production from which such sample(s) may be said to have been obtained. In the event that Eurofins Consumer Product Testing Vietnam Co. Ltd. ("EUR") was requested to survey and test any bulk production quantity of samples, EUR, in the absence of any contrary written instructions, performed random sampling of bulk production for testing purposes. Variations in the conditions under which samples are stored, transported, etc., may lead to variations in the test results. EUR cannot anticipate and shall not be held responsible for variations in test results that may be due to factors beyond EUR control, such as, sample cross-contamination, evaporation of volatile substances due to storage temperature, humidity, etc. This report does not constitute a recommendation, actual or implied, for any specific course of action. Other than the expressed warranties made in the Terms and Conditions of the EUR Test Request Form, EUR makes no warranties or representations either express or implied with respect to this report. In no circumstances whatsoever shall EUR be liable for any consequential, special or incidental damages arising out of, or in connection with, this report.