



BUYER: Justin SysAdmin-Pope	DESIGNER:	SALES COUNSELOR:	CATALOG DATE: 06/09/2026 7:11 AM	JOB NUMBER:
---------------------------------------	------------------	-------------------------	--	--------------------

COMMUNITY: Lakes of Pine Forest	SERIES: SERIES 1	PLAN: Aransas	ELEV: A	LOT / BLOCK:
---	----------------------------	-------------------------	-------------------	---------------------

REFRIGERATORS

VCMS visualizable descriptionBB

Vendor: GE Model: GZS22DSJSS Id: 3454353543 Price: **\$850** (x) 1 Extended Price: **\$850**

 *THIS IS A NOTE SENT FROM CATALOG MANAGER.*

KitchenAid Fridge VCMS Description Description Dn Description Description Description Description
 Description Description Description Description Description KitchenAid Fridge VCMS Description
 Description Dn Description Description Description Description Description Description Description
 Description Description KitchenAid Fridge VCMS Description Description Dn Description Description
 Description Description Description Description Description Description Description Description
 Area: Kitchen/Breakfast Vendor: Kitchenaid Model: KRF704FBS Id: WhirlpoolFridge Price: \$55 (x) 1
 Extended Price: \$55

Appliances Total: \$905

SPACE VEHICLES



Descends of the z-95 headhunter class of star fighter, the X-wing class star fighter boast a well-rounded design with hyperdrive, S-foils, four laser cannons and proton torpedo launchers to effectively accomidate dog fighting and long missions.

Model: T-65 Id: xwing-t65 Price: \$25,000,000 (x) 5 Extended Price: \$125,000,000

Selected Attributes:

Astromech None

Hull Color



Stealth
Matte Black

Primary Weapons




+2x MG7
Proton
Torepedoe
s

S-Foil Config



4 wing (t65)

👉📋 User wants to purchase the A-wing and B-wing models, we need to implement more of the catalog provided by the vendor.



The TIE/Ln space superiority starfighter, commonly referred to as the TIE/LN starfighter, TIE/line starfighter, TIE Fighter or T/F, was the signature starfighter of the Galactic Empire and symbol of its superiority. It was seen in massive numbers throughout most of the Galactic Civil War and onward. Occasionally, due to their distinct shape, Rebel and New Republic pilots referred to the craft as "eyeballs."

Model: LN Id: TIE-LN Price: \$25,000,000 (x) 5 Extended Price: \$125,000,000

Selected Attributes:

Hull Color Crimson

Primary Weapons +Concussion Missile Pod

Solar Panel Pattern Bent Hex (TIE/sa)

👉📋 *User wants to purchase more than just the basic LN model, we need to implement more of the catalog provided by the vendor.*

SPACE VEHICLES SUBTOTAL:\$250,000,000

Flying Things Total:\$250,000,000



Buyer Selections Summary

STAGGERED-QA - 06/10/2026 2:52 PM
A VEO Inspired Home

BUYER: Justin SysAdmin-Pope	DESIGNER:	SALES COUNSELOR:	CATALOG DATE: 06/09/2026 7:11 AM	JOB NUMBER:
--------------------------------	-----------	------------------	-------------------------------------	-------------

ADDRESS: test address, Houston, TX 12345
--

COMMUNITY: Lakes of Pine Forest	SERIES: SERIES 1	PLAN: Aransas	ELEV: A	LOT / BLOCK:
------------------------------------	---------------------	------------------	------------	--------------

SELECTIONS SUMMARY	TOTAL: \$250,000,905
--------------------	----------------------

Appliances	\$905
Flying Things	\$250,000,000

GRAND TOTAL	TOTAL: \$273,125,989
-------------	----------------------

Selections	\$250,000,905
Sales Tax (9.25%)	\$23,125,084

NOT FINAL



Additional Product Documents

STAGGERED-QA - 06/10/2026 2:52 PM
A VEO Inspired Home




PDF BOOKMARK SAMPLE

Sample Date:	May 2001
Prepared by:	Accelio Present Applied Technology
Created and Tested Using:	- Accelio Present Central 5.4 - Accelio Present Output Designer 5.4
Features Demonstrated:	- Primary bookmarks in a PDF file. - Secondary bookmarks in a PDF file.

Overview

This sample consists of a simple form containing four distinct fields. The data file contains eight separate records.

By default, the data file will produce a PDF file containing eight separate pages. The selective use of the bookmark file will produce the same PDF with a separate pane containing bookmarks. This screenshot of the sample output shows a PDF file with bookmarks.



The left pane displays the available bookmarks for this PDF. You may need to enable the display of bookmarks in Adobe® Acrobat® Reader by clicking **Window > Show Bookmarks**. Selecting a date from the left pane displays the corresponding page within the document.

Note that the index has been sorted according to the specification in the bookmark file, and that pages within the file are created according to the original order in the data file.



ACCELIO.

Sample Data File

```
^reformat trunc
^symbolset WINLATIN1
^field trans_date
2000-01-1
^field description
Description for item #1
^field trans_type
TYPE1
^field trans_amount
11.00
^page 1
^field trans_date
2000-01-2
^field description
Description for item #2
^field trans_type
TYPE2
^field trans_amount
11.00
^page 1
^field trans_date
2000-01-3
^field description
Description for item #3
^field trans_type
TYPE3
```

The example bookmark file includes three distinct sections:

- Invoices sorted, ascending, by date.
- Invoices sorted, ascending, by item type.
- Invoices sorted, descending, by transaction amount.

Sample Bookmark File

```
[invoices]
Invoices by Date=0
trans_date=1,A
[type]
Invoices by Item Type=0
trans_type=1,A
[amount]
Invoices by Transaction Amount=0
trans_amount=1,D
```



Sample Files

This sample package contains:

Filename	Description
ap_bookmark.IFD	The template design.
ap_bookmark.mdf	The template targeted for PDF output.
ap_bookmark.dat	A sample data file in DAT format.
ap_bookmark.bmk	A sample bookmark file.
ap_bookmark.pdf	Sample PDF output.
ap_bookmark_doc.pdf	A document describing the sample.

Deploying the Sample

To deploy this sample in your environment:

1. Open the template design **ap_bookmark.IFD** in Output Designer and recompile the template for the appropriate presentment target.
2. Modify the **-z** option in the **^job** command in the data file **ap_bookmark.dat** to:
 - Identify the target output device.
 - Identify the bookmark file using the **-abmk** command.
 - Identify the section for which to generate bookmarks, if desired, using the **-abms** command.

For example,

To bookmark by ...	Use the command line parameter ...
Invoices	-abmk ap_bookmark.bmk -abms invoices
Type	-abmk ap_bookmark.bmk -abms type
Amount	-abmk ap_bookmark.bmk -abms amount



ACCELIO.

3. Place the accompanying files in directories consistent with your implementation:

- Place **ap_bookmark.IFD** in the **Designs** subdirectory for Output Designer.
- Place **ap_bookmark.mdf** in the forms subdirectory accessible to Central.
- Place **ap_bookmark.bmk** in an addressable directory.

Running the Sample

- To run this sample, place **ap_bookmark.dat** in the collector directory scanned by Central.

NOT FINAL

PDF Bookmark Sample

Page 4 of 4


PDF BOOKMARK SAMPLE

Sample Date:	May 2001
Prepared by:	Accelio Present Applied Technology
Created and Tested Using:	- Accelio Present Central 5.4 - Accelio Present Output Designer 5.4
Features Demonstrated:	- Primary bookmarks in a PDF file. - Secondary bookmarks in a PDF file.

Overview

This sample consists of a simple form containing four distinct fields. The data file contains eight separate records.

By default, the data file will produce a PDF file containing eight separate pages. The selective use of the bookmark file will produce the same PDF with a separate pane containing bookmarks. This screenshot of the sample output shows a PDF file with bookmarks.



The left pane displays the available bookmarks for this PDF. You may need to enable the display of bookmarks in Adobe® Acrobat® Reader by clicking **Window > Show Bookmarks**. Selecting a date from the left pane displays the corresponding page within the document.

Note that the index has been sorted according to the specification in the bookmark file, and that pages within the file are created according to the original order in the data file.



ACCELIO.

Sample Data File

```
^reformat trunc
^symbolset WINLATIN1
^field trans_date
2000-01-1
^field description
Description for item #1
^field trans_type
TYPE1
^field trans_amount
11.00
^page 1
^field trans_date
2000-01-2
^field description
Description for item #2
^field trans_type
TYPE2
^field trans_amount
11.00
^page 1
^field trans_date
2000-01-3
^field description
Description for item #3
^field trans_type
TYPE3
```

Sample Bookmark File

```
[invoices]
Invoices by Date=0
trans_date=1,A
[type]
Invoices by Item Type=0
trans_type=1,A
[amount]
Invoices by Transaction Amount=0
trans_amount=1,D
```

The example bookmark file includes three distinct sections:

- Invoices sorted, ascending, by date.
- Invoices sorted, ascending, by item type.
- Invoices sorted, descending, by transaction amount.



ACCELIO.

Sample Files

This sample package contains:

Filename	Description
ap_bookmark.IFD	The template design.
ap_bookmark.mdf	The template targeted for PDF output.
ap_bookmark.dat	A sample data file in DAT format.
ap_bookmark.bmk	A sample bookmark file.
ap_bookmark.pdf	Sample PDF output.
ap_bookmark_doc.pdf	A document describing the sample.

Deploying the Sample

To deploy this sample in your environment:

1. Open the template design **ap_bookmark.IFD** in Output Designer and recompile the template for the appropriate presentment target.
2. Modify the **-z** option in the **^job** command in the data file **ap_bookmark.dat** to:
 - Identify the target output device.
 - Identify the bookmark file using the **-abmk** command.
 - Identify the section for which to generate bookmarks, if desired, using the **-abms** command.

For example,

To bookmark by ...	Use the command line parameter ...
Invoices	-abmk ap_bookmark.bmk -abms invoices
Type	-abmk ap_bookmark.bmk -abms type
Amount	-abmk ap_bookmark.bmk -abms amount



ACCELIO.

3. Place the accompanying files in directories consistent with your implementation:

- Place **ap_bookmark.IFD** in the **Designs** subdirectory for Output Designer.
- Place **ap_bookmark.mdf** in the forms subdirectory accessible to Central.
- Place **ap_bookmark.bmk** in an addressable directory.

Running the Sample

- To run this sample, place **ap_bookmark.dat** in the collector directory scanned by Central.

NOT FINAL

PDF Bookmark Sample

Page 4 of 4


PDF BOOKMARK SAMPLE

Sample Date:	May 2001
Prepared by:	Accelio Present Applied Technology
Created and Tested Using:	- Accelio Present Central 5.4 - Accelio Present Output Designer 5.4
Features Demonstrated:	- Primary bookmarks in a PDF file. - Secondary bookmarks in a PDF file.

Overview

This sample consists of a simple form containing four distinct fields. The data file contains eight separate records.

By default, the data file will produce a PDF file containing eight separate pages. The selective use of the bookmark file will produce the same PDF with a separate pane containing bookmarks. This screenshot of the sample output shows a PDF file with bookmarks.



The left pane displays the available bookmarks for this PDF. You may need to enable the display of bookmarks in Adobe® Acrobat® Reader by clicking **Window > Show Bookmarks**. Selecting a date from the left pane displays the corresponding page within the document.

Note that the index has been sorted according to the specification in the bookmark file, and that pages within the file are created according to the original order in the data file.



ACCELIO.

Sample Data File

```
^reformat trunc
^symbolset WINLATIN1
^field trans_date
2000-01-1
^field description
Description for item #1
^field trans_type
TYPE1
^field trans_amount
11.00
^page 1
^field trans_date
2000-01-2
^field description
Description for item #2
^field trans_type
TYPE2
^field trans_amount
11.00
^page 1
^field trans_date
2000-01-3
^field description
Description for item #3
^field trans_type
TYPE3
```

The example bookmark file includes three distinct sections:

- Invoices sorted, ascending, by date.
- Invoices sorted, ascending, by item type.
- Invoices sorted, descending, by transaction amount.

Sample Bookmark File

```
[invoices]
Invoices by Date=0
trans_date=1,A
[type]
Invoices by Item Type=0
trans_type=1,A
[amount]
Invoices by Transaction Amount=0
trans_amount=1,D
```



Sample Files

This sample package contains:

Filename	Description
ap_bookmark.IFD	The template design.
ap_bookmark.mdf	The template targeted for PDF output.
ap_bookmark.dat	A sample data file in DAT format.
ap_bookmark.bmk	A sample bookmark file.
ap_bookmark.pdf	Sample PDF output.
ap_bookmark_doc.pdf	A document describing the sample.

Deploying the Sample

To deploy this sample in your environment:

1. Open the template design **ap_bookmark.IFD** in Output Designer and recompile the template for the appropriate presentment target.
2. Modify the **-z** option in the **^job** command in the data file **ap_bookmark.dat** to:
 - Identify the target output device.
 - Identify the bookmark file using the **-abmk** command.
 - Identify the section for which to generate bookmarks, if desired, using the **-abms** command.

For example,

To bookmark by ...	Use the command line parameter ...
Invoices	-abmk ap_bookmark.bmk -abms invoices
Type	-abmk ap_bookmark.bmk -abms type
Amount	-abmk ap_bookmark.bmk -abms amount



ACCELIO.

3. Place the accompanying files in directories consistent with your implementation:

- Place **ap_bookmark.IFD** in the **Designs** subdirectory for Output Designer.
- Place **ap_bookmark.mdf** in the forms subdirectory accessible to Central.
- Place **ap_bookmark.bmk** in an addressable directory.

Running the Sample

- To run this sample, place **ap_bookmark.dat** in the collector directory scanned by Central.

NOT FINAL

PDF Bookmark Sample

Page 4 of 4


PDF BOOKMARK SAMPLE

Sample Date:	May 2001
Prepared by:	Accelio Present Applied Technology
Created and Tested Using:	- Accelio Present Central 5.4 - Accelio Present Output Designer 5.4
Features Demonstrated:	- Primary bookmarks in a PDF file. - Secondary bookmarks in a PDF file.

Overview

This sample consists of a simple form containing four distinct fields. The data file contains eight separate records.

By default, the data file will produce a PDF file containing eight separate pages. The selective use of the bookmark file will produce the same PDF with a separate pane containing bookmarks. This screenshot of the sample output shows a PDF file with bookmarks.



The left pane displays the available bookmarks for this PDF. You may need to enable the display of bookmarks in Adobe® Acrobat® Reader by clicking **Window > Show Bookmarks**. Selecting a date from the left pane displays the corresponding page within the document.

Note that the index has been sorted according to the specification in the bookmark file, and that pages within the file are created according to the original order in the data file.



ACCELIO.

Sample Data File

```
^reformat trunc
^symbolset WINLATIN1
^field trans_date
2000-01-1
^field description
Description for item #1
^field trans_type
TYPE1
^field trans_amount
11.00
^page 1
^field trans_date
2000-01-2
^field description
Description for item #2
^field trans_type
TYPE2
^field trans_amount
11.00
^page 1
^field trans_date
2000-01-3
^field description
Description for item #3
^field trans_type
TYPE3
```

The example bookmark file includes three distinct sections:

- Invoices sorted, ascending, by date.
- Invoices sorted, ascending, by item type.
- Invoices sorted, descending, by transaction amount.

Sample Bookmark File

```
[invoices]
Invoices by Date=0
trans_date=1,A
[type]
Invoices by Item Type=0
trans_type=1,A
[amount]
Invoices by Transaction Amount=0
trans_amount=1,D
```



ACCELIO.

Sample Files

This sample package contains:

Filename	Description
ap_bookmark.IFD	The template design.
ap_bookmark.mdf	The template targeted for PDF output.
ap_bookmark.dat	A sample data file in DAT format.
ap_bookmark.bmk	A sample bookmark file.
ap_bookmark.pdf	Sample PDF output.
ap_bookmark_doc.pdf	A document describing the sample.

Deploying the Sample

To deploy this sample in your environment:

1. Open the template design **ap_bookmark.IFD** in Output Designer and recompile the template for the appropriate presentment target.
2. Modify the **-z** option in the **^job** command in the data file **ap_bookmark.dat** to:
 - Identify the target output device.
 - Identify the bookmark file using the **-abmk** command.
 - Identify the section for which to generate bookmarks, if desired, using the **-abms** command.

For example,

To bookmark by ...	Use the command line parameter ...
Invoices	-abmk ap_bookmark.bmk -abms invoices
Type	-abmk ap_bookmark.bmk -abms type
Amount	-abmk ap_bookmark.bmk -abms amount



ACCELIO.

3. Place the accompanying files in directories consistent with your implementation:

- Place **ap_bookmark.IFD** in the **Designs** subdirectory for Output Designer.
- Place **ap_bookmark.mdf** in the forms subdirectory accessible to Central.
- Place **ap_bookmark.bmk** in an addressable directory.

Running the Sample

- To run this sample, place **ap_bookmark.dat** in the collector directory scanned by Central.

NOT FINAL

PDF Bookmark Sample

Page 4 of 4


PDF BOOKMARK SAMPLE

Sample Date:	May 2001
Prepared by:	Accelio Present Applied Technology
Created and Tested Using:	- Accelio Present Central 5.4 - Accelio Present Output Designer 5.4
Features Demonstrated:	- Primary bookmarks in a PDF file. - Secondary bookmarks in a PDF file.

Overview

This sample consists of a simple form containing four distinct fields. The data file contains eight separate records.

By default, the data file will produce a PDF file containing eight separate pages. The selective use of the bookmark file will produce the same PDF with a separate pane containing bookmarks. This screenshot of the sample output shows a PDF file with bookmarks.



The left pane displays the available bookmarks for this PDF. You may need to enable the display of bookmarks in Adobe® Acrobat® Reader by clicking **Window > Show Bookmarks**. Selecting a date from the left pane displays the corresponding page within the document.

Note that the index has been sorted according to the specification in the bookmark file, and that pages within the file are created according to the original order in the data file.



ACCELIO.

Sample Data File

```
^reformat trunc
^symbolset WINLATIN1
^field trans_date
2000-01-1
^field description
Description for item #1
^field trans_type
TYPE1
^field trans_amount
11.00
^page 1
^field trans_date
2000-01-2
^field description
Description for item #2
^field trans_type
TYPE2
^field trans_amount
11.00
^page 1
^field trans_date
2000-01-3
^field description
Description for item #3
^field trans_type
TYPE3
```

Sample Bookmark File

```
[invoices]
Invoices by Date=0
trans_date=1,A
[type]
Invoices by Item Type=0
trans_type=1,A
[amount]
Invoices by Transaction Amount=0
trans_amount=1,D
```

The example bookmark file includes three distinct sections:

- Invoices sorted, ascending, by date.
- Invoices sorted, ascending, by item type.
- Invoices sorted, descending, by transaction amount.



ACCELIO.

Sample Files

This sample package contains:

Filename	Description
ap_bookmark.IFD	The template design.
ap_bookmark.mdf	The template targeted for PDF output.
ap_bookmark.dat	A sample data file in DAT format.
ap_bookmark.bmk	A sample bookmark file.
ap_bookmark.pdf	Sample PDF output.
ap_bookmark_doc.pdf	A document describing the sample.

Deploying the Sample

To deploy this sample in your environment:

1. Open the template design **ap_bookmark.IFD** in Output Designer and recompile the template for the appropriate presentment target.
2. Modify the **-z** option in the **^job** command in the data file **ap_bookmark.dat** to:
 - Identify the target output device.
 - Identify the bookmark file using the **-abmk** command.
 - Identify the section for which to generate bookmarks, if desired, using the **-abms** command.

For example,

To bookmark by ...	Use the command line parameter ...
Invoices	-abmk ap_bookmark.bmk -abms invoices
Type	-abmk ap_bookmark.bmk -abms type
Amount	-abmk ap_bookmark.bmk -abms amount



ACCELIO.

3. Place the accompanying files in directories consistent with your implementation:

- Place **ap_bookmark.IFD** in the **Designs** subdirectory for Output Designer.
- Place **ap_bookmark.mdf** in the forms subdirectory accessible to Central.
- Place **ap_bookmark.bmk** in an addressable directory.

Running the Sample

- To run this sample, place **ap_bookmark.dat** in the collector directory scanned by Central.

NOT FINAL

PDF Bookmark Sample

Page 4 of 4


PDF BOOKMARK SAMPLE

Sample Date:	May 2001
Prepared by:	Accelio Present Applied Technology
Created and Tested Using:	- Accelio Present Central 5.4 - Accelio Present Output Designer 5.4
Features Demonstrated:	- Primary bookmarks in a PDF file. - Secondary bookmarks in a PDF file.

Overview

This sample consists of a simple form containing four distinct fields. The data file contains eight separate records.

By default, the data file will produce a PDF file containing eight separate pages. The selective use of the bookmark file will produce the same PDF with a separate pane containing bookmarks. This screenshot of the sample output shows a PDF file with bookmarks.



The left pane displays the available bookmarks for this PDF. You may need to enable the display of bookmarks in Adobe® Acrobat® Reader by clicking **Window > Show Bookmarks**. Selecting a date from the left pane displays the corresponding page within the document.

Note that the index has been sorted according to the specification in the bookmark file, and that pages within the file are created according to the original order in the data file.



ACCELIO.

Sample Data File

```
^reformat trunc
^symbolset WINLATIN1
^field trans_date
2000-01-1
^field description
Description for item #1
^field trans_type
TYPE1
^field trans_amount
11.00
^page 1
^field trans_date
2000-01-2
^field description
Description for item #2
^field trans_type
TYPE2
^field trans_amount
11.00
^page 1
^field trans_date
2000-01-3
^field description
Description for item #3
^field trans_type
TYPE3
```

Sample Bookmark File

```
[invoices]
Invoices by Date=0
trans_date=1,A
[type]
Invoices by Item Type=0
trans_type=1,A
[amount]
Invoices by Transaction Amount=0
trans_amount=1,D
```

The example bookmark file includes three distinct sections:

- Invoices sorted, ascending, by date.
- Invoices sorted, ascending, by item type.
- Invoices sorted, descending, by transaction amount.



Sample Files

This sample package contains:

Filename	Description
ap_bookmark.IFD	The template design.
ap_bookmark.mdf	The template targeted for PDF output.
ap_bookmark.dat	A sample data file in DAT format.
ap_bookmark.bmk	A sample bookmark file.
ap_bookmark.pdf	Sample PDF output.
ap_bookmark_doc.pdf	A document describing the sample.

Deploying the Sample

To deploy this sample in your environment:

1. Open the template design **ap_bookmark.IFD** in Output Designer and recompile the template for the appropriate presentment target.
2. Modify the **-z** option in the **^job** command in the data file **ap_bookmark.dat** to:
 - Identify the target output device.
 - Identify the bookmark file using the **-abmk** command.
 - Identify the section for which to generate bookmarks, if desired, using the **-abms** command.

For example,

To bookmark by ...	Use the command line parameter ...
Invoices	-abmk ap_bookmark.bmk -abms invoices
Type	-abmk ap_bookmark.bmk -abms type
Amount	-abmk ap_bookmark.bmk -abms amount



ACCELIO.

3. Place the accompanying files in directories consistent with your implementation:

- Place **ap_bookmark.IFD** in the **Designs** subdirectory for Output Designer.
- Place **ap_bookmark.mdf** in the forms subdirectory accessible to Central.
- Place **ap_bookmark.bmk** in an addressable directory.

Running the Sample

- To run this sample, place **ap_bookmark.dat** in the collector directory scanned by Central.

NOT FINAL

PDF Bookmark Sample

Page 4 of 4