# assignment $4^*$

Cansu Toraman

## ${\bf Preliminary-please\ do\ not\ quote}$

December 18, 2023

#### Abstract

Some abstract here.

<sup>\*</sup>Cansu Toraman, University of Bonn. Email: cansu[dot]toraman[at]uni-bonn[dot]de.

### 1 Introduction

If you are using this template, please cite this item from the references: von Gaudecker (2023).

The data set for the example project is taken from https://www.stem.org.uk/resources/elibrary/resource/28452/large-datasets-stats4schools. It contains data on smoking habits in the UK, with 1691 observations and 12 variables. We consider only 4 of the 12 features for the prediction of the variable smoking: marital\_status, highest\_qualification, gender and age. We model the dependence using a Logistic model. All numerical features are included linearly, while categorical features are expanded into dummy variables. Figures below illustrate the model predictions over the lifetime. You will find one figure and one estimation summary table for each installed programming language.




Figure 1: *Python:* Model predictions of the smoking probability over the lifetime. Each colored line represents a case where marital status is fixed to one of the values present in the data set.

#### References

Gaudecker, Hans-Martin von (2023). "Templates for Reproducible Research Projects in Economics". https://doi.org/10.5281/zenodo.7780520.

-	Dep. Variable: smoke num		erical	No. Observations:		: 16	1691	
	Model: Logit			Df Residuals:		16	1677	
	Method: MLE			Df Model:		1	13	
	Date: Mon, 18 Dec		2023	Pseudo R-squ.:		0.08683		
	<b>Time:</b> 21:31:33		Log-Likelihood:			-866.58		
	converged:			LL-Null:	-948.98			
	Covariance Type:	nonrobust		LLR p-value:		2.103e-28		
			$\mathbf{coef}$	$\operatorname{std}$ err	${f z}$	$P> \mathbf{z} $	[0.025]	0.975]
Intercept			0.3872	0.363	1.068	0.286	-0.324	1.098
${ m marital\_status}[{ m T.Married}]$			-0.9404	0.196	-4.806	0.000	-1.324	-0.557
$marital\_status[T.Separated]$			-0.3234	0.318	-1.019	0.308	-0.946	0.299
${ m marital\_status}[{ m T.Single}]$		-0.4332	0.216	-2.008	0.045	-0.856	-0.010	
${ m marital\_status}[{ m T.Widowed}]$		-0.3441	0.262	-1.312	0.189	-0.858	0.170	
${ m qualification} [{ m T.Degree}]$			-0.1773	0.309	-0.574	0.566	-0.783	0.428
qualification[T.GCSE/CSE]		0.8614	0.330	2.609	0.009	0.214	1.508	
qualification[T.GCSE/O Level]			0.8233	0.283	2.909	0.004	0.269	1.378
qualification[T.Higher/Sub Degree]			0.4487	0.340	1.318	0.187	-0.218	1.116
qualification[T.No Qualification]		0.9490	0.288	3.297	0.001	0.385	1.513	
qualification[T.ONC/BTEC]		0.5820	0.362	1.607	0.108	-0.128	1.292	
qualification[T.Other/Sub Degree]			0.8425	0.339	2.485	0.013	0.178	1.507
gender[T.Male]			0.1731	0.122	1.417	0.157	-0.066	0.413
age			-0.0342	0.005	-7.179	0.000	-0.044	-0.025

Table 1: Python: Estimation results of the linear Logistic regression.