(AUTONOMOUS) Shamshabad - 501 218, Hyderabad.

Date WEEK -8 Page No. 34 Exp. No. -Mim: Design book Store System APP. is ! var express = orequire ('express'); vous app = oregime ('express') (); app. set ('views', -- dirname + '/views'); app. Set ('view engine', 'ejs'); app. use (express. Static ('public')); appiget ('1', function (rea, res) { ores. render ("client"); 4); app, listen (5000, function () 3 console log ('istening on *;5000'); 3); Style. css: padding : 0; margin: 0; text-decoration: none; list-style: none; box-Sizing: border-box; 3 body & font-family: "Lato", Sans-serif; text-align: center;

Page No. 35	Date
rage No. 55	Exp. No.
h1, h2, h3, h4, h5, h6 {	
font-family: "Lato", sans-serif;	
Ž.	
/* Login / registration */	
· identification - 6th {	
padding: 5px;	
· form-group {	
Padding - bottom: lopx;	
text-align; reft;	
Width: 500 pr;	
}	
(* Nav bout */	
· navbasi {	
display; blex;	
fustify-content: flex-end;	
align-items: flex-Start;	
3	
· navbour- §	
fustify-content: blex-end;	
3	
· nav-link ?	
tont-weight : bold;	
font-size: 1 rem;	
tent-transform; uppercase;	

(AUTONOMOUS)

Shamshabad - 501 218, Hyderabad.

```
Date
Page No. 36
                                               Exp. No.
now allia ?
  font-Size: 17px;
  Padding; Tpx 13px;
  border-radius; 5px;
/* Remore oreinge border abound hamburges menu */
· nowborr - toggler: focus {
  outline : none;
1x search bout */
· Search - input ?
 Width: 100%;
 height: 40px;
 bonder-style; hidden;
 border - radius; ypx;
  padding: 16px;
# close - search &
 height; 50px,
 width : 50px;
 margin-left: 440px;
 margin-top; 5px;
· modal - footes 2
  bonder: 0;
```

(AUTONOMOUS)

Shamshabad - 501 218, Hyderabad.

D 11 07		Date
Page No. 3쿠		Exp. No.
/*** LO	90 ***/	
· nav - bra	The same of the sa	
desplay		
3		
. logo - ima	rge 2	
N A	idth: 80px;	
max - he	eight: 60px;	
3		
/*** FOO-	TER XXX/	
footer {		
display:	flex;	
justify-	content: Hex-end;	
· V	tems: Hex-start;	
	bottom; 25 px;	
margin .	10	
padding	; 35 px;	
	1343040;	
	ight: bold;	
	ite: 1 rem;	
2	ansform: upper case;	
· social-ic	en {	
font-sp	re: 20px;	
margin.	, 20px 8px;	
cursos:	pointer;	
3		


(AUTONOMOUS)

Shamshabad - 501 218, Hyderabad.

D N 0.6		Date
Page No. 38		Exp. No.
/** * N	IEDIA QUERIES ***/	
	all and (max-width: 752px)?	
	-toggler ?	
	n; fined;	
3		
· nav- ite	em 2	
margn); lopa 0;	
line -h	eight: 10 pre;	
onav-li	2.0	
	size: 18 px;	
3		
· logo - ?	mage {	
	width: 145 pa;	
min - h	elgent: 25 px;	
3 margn	o-origet: 50pz;	
	Container {	
	: 80%.	
	1-top: 10px;	2
margin	-bottom: 8px,	
margin	n-origent: 90px;	
1		
# Seauch -1	0001 9	
Width	: 100%;	
height:	40 px;	
justify	-content: blex-end;	
margin	:0;	
3		

Shamshabau - 301 210, Hyderabau.	
D	Date
Page No. 39	Exp. No.
Validate : js:	
11 SEARCH BAR	
const form Search = document, get Element By Id Search");	("my Form Id
function Search Validate () {	
let emor Search = 0;	
form Search. class List. remove ("is-valid");	
let input search = document. forms ["my Form	o Search "] ("
11 password	iearch"];
if (input search: value length < 3)?	
input Search. crass List. add ("es iwalid");	
document. get Flement By Id ("error Search"). tes	et content =
"Please insert at least 3 characters ");	
error search ++;	
}	
if (error search >0) {	
, outurn false;	
else {	
oreturn there;	
}	
3	
form Search. add Event Listener ("blur", (event)	= > {
Console log (event);	L
if (event target value != '') event target c	larstist.
demove (eig - invalid ");	
1, true);	

Shamshabad - 501 218, Hyderabad.	
D 11 (10)	Date
Page No. 40	Exp. No.
11 LOGIN	
const form Login = document. get Element By	Id ("my form
login");	
function login validate () {	
let emor Message Login = 0;	
form login. class list vieno re ("is-"invalid	1);
let input Email login = document. forms [" my form Login"
Tidefault form -emo	il"];
let input password login = document. bom	The second secon
l'Email ("default form pas	s"];
it (input Fnaîl logm. value = = " ")?	
input Email Login. Class list. add ("is -inval	id");
document. get Element By 2d ("error Email Login). teset content
= "Please Enter your email");	
erlor Message login + +;	
I elle if (! validas - email (input Email Login	r. Value)) {
imput Email login. class list, add ("is -inval	id");
document. get Element By Id ("error Email Login	").text-content
= "Invalid email";	
error Message Logins + +;	
3	
11 password	
if (inputpassword togins. Value = = "") ?	
imput password Login , class list , add ("is-	invalid ");



NEW THIS MONTH









Shanishabad - 301 210, Hyderabad.	
	Date
Page No. 4	Exp. No.
document get Flement By Id ("errox password to text content = "plane enter your password"; error Mersage login + +; } if (error Message login >0)? veturn False; erre & veturn Terre; } yourmlogin .add Event listener ("blur", (even console. log (event); it (event. target. Value!="') event. target. (" "is -invalid"); }, ture);	z) => {