Lab Recitation

Q 1. Debug Camperbot's Profile Page

Camperbot is trying to build a profile page. They asked a friend to look over their code and they said it has some errors.

Your job is to fix all of Camperbot's errors so they can continue building their profile page. Complete the items in the user stories below and click "Run the Tests" to see if you fixed all the errors.

User Stories:

1. Camperbot is trying to use a `heading2` element, but that element does not exist. Fix those tags so it uses a correct second-level heading element.
2. Camperbot is trying to add two paragraphs with `pp`, but those don't exist either. Fix them so they use correct paragraph tags.
3. Camperbot is using an `h3` element for the `Background and Interests` subheading but it has a syntax error. Spot the issue and resolve it.

Tests

1. You should have exactly one `h1` element on the page.

2. You should not remove the `<h1>Hello from Camperbot!</h1>` element from the page.

3. You should have exactly one `h2` element on the page.

4. You should have an `h2` element with the text `About`. Here's an example: `<h2>Text here</h2>`

5. You should have a paragraph element with the text `My name is Camperbot and I love learning new things.` Here's an example: `<p>Text here</p>`

6. You should have a paragraph element with the text `I enjoy solving puzzles.` Here's an example: `<p>Text here</p>`

7. You should have exactly two paragraph elements on the page.

8. You should have exactly one `h3` element on the page.

9. You should have an `h3` element with the text `Background and Interests`. Here's an example: `<h3>Text here</h3>`

10. You should have exactly five total elements on the page.

```
<h1>Hello from Camperbot!</h1>

<heading2>About</heading2>

<pp>My name is Camperbot and I love learning new things.</pp>

<h3>Background and Interests<h3/>
<pp>I enjoy solving puzzles.</pp>
```

Q 2. Debug a Pet Adoption Page

Sally, a pet adoption store owner, has built her first web page but there are some issues.

Your job is to fix all of the errors so Sally can continue building her page.

Objective: Fulfill the user stories below and get all the tests to pass to complete the lab.

User Stories:

1. Sally wants to use an image of some cats but it is not displaying correctly. You will need to fix the following in the `img` element:

- Replace the `href` attribute with the correct attribute for the image source.
- Replace the `att` attribute with the correct attribute representing short, descriptive text for images.

- Remove the `</img>` closing tag because `img` elements are void elements and don't have closing tags.

2. Sally wants to use some links to direct users to the dog and cat pages. But the links are not working correctly. You will need to fix the following in the `a` elements:

- Replace both `src` attributes with the correct attributes used to specify URLs.

Tests
1. Your `img` element should have a `src` attribute instead of the `href` attribute.
2. Your `img` element should have an `alt` attribute instead of the non-existent `att` attribute.
3. Your `img` element should not have a `</img>` closing tag.
4. Your `a` element with the text `Visit cats page` needs to have an `href` attribute instead of a `src` attribute.
5. Your `a` element with the text `Visit dogs page` needs to have an `href` attribute instead of a `src` attribute.

```
<h1>Welcome XYZ Pet Adoption!</h1>
<p>Consider adopting a pet today. We have cats, dogs,
rabbits and more.</p>

<h2>See our cats!</h2>
<img href="some cat photo link " att="Two tabby kittens
sleeping together on a couch."></img>

<h2>Adopt a cat!</h2>
<a src="/cats">Visit cats page</a>

<h2>Adopt a dog!</h2>
<a src="/dogs">Visit dogs page</a>
```

Q 3. Chocolate Chip Cookies

Welcome to the ultimate guide for making mini chocolate chip cookies! These bite-sized treats are perfect for satisfying your sweet tooth without overindulging. Follow this simple recipe to create delicious, crispy-on-the-outside, chewy-on-the-inside mini chocolate chip cookies that everyone will love.

Ingredients

- 1 cup all-purpose flour
- 1/2 teaspoon baking soda
- 1/4 cup unsalted butter, softened
- 1/4 cup granulated sugar
- 1/2 teaspoon vanilla extract
- 1/2 cup mini chocolate chips

Instructions

1. Preheat your oven to 350°F (175°C) and line a baking sheet with parchment paper.
2. In a bowl, whisk together the flour and baking soda.
3. In another bowl, beat the butter, sugar, and vanilla extract until creamy.

4. Gradually add the dry ingredients to the wet mixture, then fold in the mini chocolate chips.
5. Drop small spoonfuls of dough onto the baking sheet.
6. Bake for 8-10 minutes, then let cool before enjoying!

Build a Recipe Page

Build an app that is functionally similar to this example project. Try not to copy the example project, give it your own personal style.

Objective: Fulfill the user stories below and get all the tests to pass to complete the lab.

User Stories:

1. You should have a `!DOCTYPE html` declaration.
2. You should have an `html` element with `lang` set to `en`.
3. You should have a `head` element containing a `title` element with the name of your recipe, and a `meta` element with a `charset` attribute set to `UTF-8`.
4. You should have a `body` element.
5. You should have an `h1` element with the name of your recipe.
6. You should have a `p` element that introduces the recipe below the `h1`.
7. You should have one `h2` element with the text `Ingredients` for the ingredients section.
8. You should have an unordered list (`ul` element) with at least four list items (`li` elements) that lists your ingredients below the first `h2` element.
9. You should have a second `h2` element with the text `Instructions` for the instructions section.
10. You should have an ordered list (`ol` element) with at least four list items that lists the recipe steps in order, below the second `h2`.
11. You should have one `img` element with a `src` attribute set to a valid image, you can and an `alt` attribute describing the image.

Tests

- 1. Your recipe page should have a `!DOCTYPE html` declaration.
- 2. You should have an `html` element with `lang` set to `en`.
- 3. You should have a `head` element within the `html` element.
- 4. You should have `title` element within your `head` element.
- 5. Your `title` element should have your recipe title.
- 6. You should have a `meta` element within your `head` element.
- 7. Your `meta` element should have its `charset` attribute set to `UTF-8`.
- 8. You should have a `body` element within your `html` element.
- 9. You should have an `h1` element with the name of your recipe.
- 10. You should only have one `h1` element.
- 11. You should have a `p` element below your `h1` element.
- 12. Your first `p` element should describe your recipe.
- 13. Your first `h2` element should have the text `Ingredients`.
- 14. You should have an unordered list element below your first `h2` element.
- 15. You should have at least four list item elements in your unordered list with the ingredients.
- 16. Your second `h2` element should have the text `Instructions`.
- 17. You should have an ordered list element below your second `h2` element.
- 18. You should have at least four list item elements in your ordered list with the instructions.
- 19. You should have at least one `img` element.
- 20. All your `img` elements should have a valid `src` attribute and value.
- 21. All your `img` elements should have an `alt` attribute to describe the image.

Q. 4. Build a Bookstore page

you will build a bookstore page by creating book cards that display information about different books. You'll practice organizing content using `div` elements, classes, and IDs.

Start your bookstore page by creating the HTML boilerplate.

Add the `<!DOCTYPE html>` declaration and `html` and `head` elements.

Q.

XYZ Bookstore

Browse our collection of amazing books!

Sally's SciFi Adventure

This is an epic story of Sally and her dog Rex as they navigate through other worlds.

Buy Now

Dave's Cooking Adventure

This is the story of Dave as he learns to cook everything from pancakes to pasta, one recipe at a time.

Buy Now

Review your selections and continue to checkout.

View Cart Checkout

Q 5. Build a Travel Agency Page

Discover Italy

Art, folklore, food, nature, and more. Choose among our wide selection of guided tours and excursions, and live an unforgettable experience exploring Italy.

Packages

We offer an extensive range of holiday solutions to accommodate the needs of all our clients. From daily excursions in the most beautiful cities, to thorough tours of hidden villages and medieval towns to discover Italy's lesser-known sides.

- Group Travels
- Private Tours

Top Itineraries:

Rome and Center Italy

Nature and National Parks

South Italy and Islands

Q 5. Build a Travel Agency Page

Build an app that is functionally similar to this example project. Try not to copy the example project, give it your own personal style.

Objective: Fulfill the user stories below and get all the tests to pass to complete the lab.

User Stories:

1. You should have a `DOCTYPE` declaration.
2. You should have an `html` element with `lang` set to `en`.
3. You should have a `head` element containing a `meta` void element with `charset` set to `utf-8` and a `title` with the text `Travel Agency Page`.
4. You should have a `meta` tag in your `head` element that contains a short description of your website for SEO.
5. You should have an `h1` element to present your travel destinations.
6. You should have a paragraph below the `h1` element introducing the travel opportunities.
7. You should have an `h2` element with the text `Packages`.
8. You should have a `p` element introducing briefly the various packages.
9. You should have an unordered list element with two list items. The two list items should have the text `Group Travels` and `Private Tours`, respectively. The text of each list item should be enclosed by an anchor element.
10. You should have an `h2` element with the text `Top Itineraries`.
11. You should have at least three `figure` elements, each containing an anchor element and a `figcaption` element.
12. The three anchor elements should have an `img` element with an appropriate `alt` attribute and a `src` attribute set to a valid image as their content. You can use `https://cdn.freecodecamp.org/curriculum/labs/colosseo.jpg`, `https://cdn.freecodecamp.org/curriculum/labs/alps.jpg`, and `https://cdn.freecodecamp.org/curriculum/labs/sea.jpg` if you would like.
13. All your five anchor elements should have an `href` attribute with the value of `https://www.....` and a `target` attribute with the value of `_blank`.

Tests

- 1. Your travel agency page should have a `!DOCTYPE html` declaration.
- 2. You should have an `html` element with `lang` set to `en`.
- 3. You should have a `head` element within the `html` element.
- 4. You should have two `meta` elements within your `head` element.
- 5. One `meta` element should have a `name` attribute with value of `description` and a non-empty `content` attribute.
- 6. One `meta` element should have its `charset` attribute set to `UTF-8`.
- 7. You should have `title` element within your `head` element.
- 8. Your `title` element should have your travel agency name.
- 9. You should have a `body` element within your `html` element.
- 10. You should have an `h1` element to present your travel destinations.
- 11. You should only have one `h1` element.
- 12. You should have a `p` element below the `h1` element.
- 13. Your first `p` element should introduce the travel opportunities.
- 14. Your first `h2` element should have the text `Packages`.
- 15. You should have a `p` element below your first `h2` element.
- 16. Your second `p` element should introduce briefly the various packages.
- 17. You should have an unordered list element below your second `p` element.
- 18. You should have two items in your unordered list.
- 19. Both your list items should contain an anchor element.
- 20. The anchor element of your first list item should wrap the text `Group Travels`.
- 21. The anchor element of your second list item should wrap the text `Private Tours`.
- 22. You should have an `h2` element after your unordered list.
- 23. Your second `h2` element should have the text `Top Itineraries`.
- 24. You should have at least three `figure` elements.
- 25. Each `figure` element should contain an anchor element as its first child.
- 26. Each `figure` element should contain a `figcaption` element as its second child.
- 27. Each `figcaption` should contain some text.
- 28. Each of the `a` elements that are children of your `figure` elements should contain an image.
- 29. Each `img` element should have a valid `src` attribute.
- 30. Each `img` element should have an `alt` attribute with an appropriate value.

- 31. Each `a` element should have an `href` attribute with the value of `https://www.` Don't forget the links in the list items.
- 32. Each `a` element should have a `target` attribute with the value of `_blank`. Don't forget the links in the list items.

Q.6. Build a Survey Form

Build an app that is functionally similar to this example project. Try not to copy the example project, give it your own personal style.

Objective: Fulfill the user stories below and get all the tests to pass to complete the lab.

User Stories:

1. You should have a page title in an `h1` element with an `id` of `title`.
2. You should have a short explanation in a `p` element with an `id` of `description`.
3. You should have a `form` element with an `id` of `survey-form`.
4. Inside the form element you should have a required `input` field to enter your name that has an `id` of `name` and a `type` of `text`.
5. Inside the form element you should have a required `input` field to enter your email that has an `id` of `email`.
6. If you enter an email that is not formatted correctly, you should see an HTML5 validation error.
7. Inside the form element you should have an `input` field to enter a number that has an `id` of `number`.
8. The number input should not accept non-numbers, either by preventing you from typing them or by showing an HTML5 validation error (depending on your browser).
9. If you enter numbers outside the range of the number input, which are defined by the `min` and `max` attributes, you should see an HTML5 validation error.
10. For the name, email, and number input fields, you should have corresponding `label` elements in the form, that describe the purpose of each field with the following ids: `name-label`, `email-label`, and `number-label`.
11. For the name, email, and number input fields, you should have a placeholder text that gives a description or instructions for each field.

12. Inside the form element, you should have a `select` dropdown element with an `id` of `dropdown` and at least two options to choose from.
13. Inside the form element, you can select an option from a group of at least two radio buttons that are grouped using the `name` attribute.
14. Inside the form element, you can select several fields from a series of checkboxes, each of which must have a `value` attribute.
15. Inside the form element, you should have a `textarea` for additional comments.
16. Inside the form element, you should have a button with `id` of `submit` to submit all the inputs.

Tests

- 1. You should have an `h1` element with an `id` of `title`.
- 2. Your `#title` should not be empty.
- 3. You should have a `p` element with an `id` of `description`.
- 4. Your `#description` should not be empty.
- 5. You should have a `form` element with an `id` of `survey-form`.
- 6. You should have an `input` element with an `id` of `name`.
- 7. Your `#name` should have a `type` of `text`.
- 8. Your `#name` should require input.
- 9. Your `#name` should be a descendant of `#survey-form`.
- 10. You should have an `input` element with an `id` of `email`.
- 11. Your `#email` should have a `type` of `email`.
- 12. Your `#email` should require input.
- 13. Your `#email` should be a descendant of `#survey-form`.
- 14. You should have an `input` element with an `id` of `number`.
- 15. Your `#number` should be a descendant of `#survey-form`.
- 16. Your `#number` should have a `type` of `number`.
- 17. Your `#number` should have a `min` attribute with a numeric value.
- 18. Your `#number` should have a `max` attribute with a numeric value.
- 19. You should have a `label` element with an `id` of `name-label`.
- 20. You should have a `label` element with an `id` of `email-label`.
- 21. You should have a `label` element with an `id` of `number-label`.
- 22. Your `#name-label` should contain text that describes the input.
- 23. Your `#email-label` should contain text that describes the input.
- 24. Your `#number-label` should contain text that describes the input.
- 25. Your `#name-label` should be a descendant of `#survey-form`.
- 26. Your `#email-label` should be a descendant of `#survey-form`.
- 27. Your `#number-label` should be a descendant of `#survey-form`.

- 28. Your `#name` should have a `placeholder` attribute and value.
- 29. Your `#email` should have a `placeholder` attribute and value.
- 30. Your `#number` should have a `placeholder` attribute and value.
- 31. You should have a `select` field with an `id` of `dropdown`.
- 32. Your `#dropdown` should have at least two selectable (not disabled) `option` elements.
- 33. Your `#dropdown` should be a descendant of `#survey-form`.
- 34. You should have at least two `input` elements with a `type` of `radio` (radio buttons).
- 35. You should have at least two radio buttons that are descendants of `#survey-form`.
- 36. All your radio buttons should have a `value` attribute and value.
- 37. All your radio buttons should have a `name` attribute and value.
- 38. Every radio button group should have at least 2 radio buttons.
- 39. You should have at least two `input` elements with a `type` of `checkbox` (checkboxes) that are descendants of `#survey-form`.
- 40. All your checkboxes inside `#survey-form` should have a `value` attribute and value.
- 41. You should have at least one `textarea` element that is a descendant of `#survey-form`.
- 42. You should have an `input` or `button` element with an `id` of `submit`.
- 43. Your `#submit` should have a `type` of `submit`.
- 44. Your `#submit` should be a descendant of `#survey-form`.