Exp-3 Recitation

1. Design a Pricing Plans Layout Page

exp-3_1.html > ...

```html
<!--1-->

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>Pricing Plans</title>
    <!-- UPDATED CSS FILE NAME -->
    <link rel="stylesheet" href="esp-3.css">
</head>
<body>

    <h1>Pricing Plans</h1>

    <div class="pricing-container">

        <div class="pricing-card basic-plan">
            <h2>Basic</h2>
            <p>$9/month</p>
        </div>

        <div class="pricing-card pro-plan">
            <h2>Pro</h2>
            <p>$19/month</p>
        </div>

        <div class="pricing-card premium-plan">
            <h2>Premium</h2>
            <p>$29/month</p>
        </div>

    </div>

</body>
</html>
```

Pricing Plans

Basic

$9/month

Pro

$19/month

Premium

$29/month

2. Build a Page of Playing Cards

exp-3_2.HTML > html > body > main#playing-cards > div.card

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>Playing Cards</title>
    <link rel="stylesheet" href="esp-3.css">
</head>
<body>
    <main id="playing-cards">

        <div class="card">
            <div class="left">A♠</div>
            <div class="middle">
                <div>♠</div>
                <div>♠</div>
            </div>
            <div class="right">A♠</div>
        </div>

        <div class="card">
            <div class="left">K♥</div>
            <div class="middle">
                <div>♥</div>
                <div>♥</div>
            </div>
            <div class="right">K♥</div>
        </div>

        <div class="card">
            <div class="left">Q♦</div>
            <div class="middle">
                <div>♦</div>
                <div>♦</div>
            </div>
            <div class="right">Q♦</div>
        </div>
    </main>
</body>
</html>
```



3. Build a Technical Documentation Page

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>Technical Documentation</title>
    <link rel="stylesheet" href="esp-3.css">
</head>
<body>

<nav id="navbar">
    <header>Web Development Basics</header>
    <a class="nav-link" href="#HTML">HTML</a>
    <a class="nav-link" href="#CSS">CSS</a>
```

```
    <a class="nav-link" href="#JavaScript">JavaScript</a>
    <a class="nav-link" href="#Flexbox">Flexbox</a>
    <a class="nav-link" href="#Grid">Grid</a>
</nav>

<main id="main-doc">

    <section class="main-section" id="HTML">
        <header>HTML</header>
        <p>HTML stands for HyperText Markup Language.</p>
        <p>It is used to structure web pages.</p>
        <code>&lt;h1&gt;Hello&lt;/h1&gt;</code>
        <ul>
            <li>Headings</li>
            <li>Paragraphs</li>
        </ul>
    </section>

    <section class="main-section" id="CSS">
        <header>CSS</header>
        <p>CSS styles web pages.</p>
        <p>It controls layout and design.</p>
        <code>color: red;</code>
        <ul>
            <li>Selectors</li>
            <li>Properties</li>
        </ul>
    </section>

    <section class="main-section" id="JavaScript">
        <header>JavaScript</header>
        <p>JavaScript adds interactivity.</p>
        <p>It runs in the browser.</p>
        <code>alert("Hello");</code>
        <ul>
            <li>Variables</li>
            <li>Functions</li>
        </ul>
    </section>

    <section class="main-section" id="Flexbox">
        <header>Flexbox</header>
        <p>Flexbox is used for layout.</p>
        <p>It arranges items in rows or columns.</p>
        <code>display: flex;</code>
        <ul>
            <li>justify-content</li>
            <li>align-items</li>
```

```
        </ul>
    </section>

    <section class="main-section" id="Grid">
        <header>Grid</header>
        <p>Grid is a two-dimensional layout system.</p>
        <p>It uses rows and columns.</p>
        <code>display: grid;</code>
        <ul>
            <li>grid-template-columns</li>
            <li>grid-template-rows</li>
        </ul>
    </section>

</main>

</body>
</html>

```



4. A Newspaper Layout

exp-3_4.html > html > body > main.newspaper-layout

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>Newspaper Layout</title>
    <link rel="stylesheet" href="esp-3.css">
</head>
<body>
<main class="newspaper-layout">
    <header class="title">
        <h1>The Daily Times</h1>
    </header>
    <article class="feature-article">
        <h2>Main Headline</h2>
        <p>This is the main featured news article of the newspaper.</p>
    </article>
    <figure class="cover-image">
        <img src="C:\Users\pksj4\OneDrive\Documents\College\news.jpg" alt="News Image">
    </figure>
    <article class="secondary-article">
        <h2>Secondary News</h2>
        <p>This section contains additional important news.</p>
    </article>
    <article class="small-article1">
        <h3>News 1</h3>
        <p>Ajit Pawar Died in Plane Crash.</p>
    </article>
    <article class="small-article2">
        <h3>News 2</h3>
        <p>Public holiday.</p>
    </article>
    <article class="small-article3">
        <h3>News 3</h3>
        <p>SFIT got highest placement in entire mumbai.</p>
    </article>
</main>
</body>
</html>
```



5. Build a Product Landing Page

exp-3_5.html > html > body > section#features

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>Product Landing Page</title>
    <link rel="stylesheet" href="esp-3.css">
</head>
<body>
<header id="header">
    <img
        id="header-img"
        src="C:\Users\pksj4\OneDrive\Documents\College\yt.jpg"
        alt="YouTube Logo"
    >
    <nav id="nav-bar">
        <a class="nav-link" href="#features">Features</a>
        <a class="nav-link" href="#video-section">Video</a>
        <a class="nav-link" href="#contact">Contact</a>
    </nav>
</header>
<section id="features">
    <h2>Product Features</h2>
    <p>Our product is fast, reliable, and easy to use.</p>
</section>
<section id="video-section">
    <h2>Product Demo</h2>
    <iframe
        id="video"
        src="https://www.youtube.com/embed/kH1XlwHQv9o?si=zSZhsoeWSvgGn24Q"
        allowfullscreen>
    </iframe>
</section>
<section id="contact">
    <h2>Stay Updated</h2>
    <form
        id="form"
        action="https://www.freecodecamp.org/email-submit"
    >
        <input
            type="email"
            id="email"
            name="email"
            placeholder="Enter your email"
            required
        >
        <input
            type="submit"
            id="submit"
            value="Submit"
        >
    </form>
</section>
</body>
</html>
```