Rec-8

Ex-1

```
src > JS App.js > default
import { useState } from "react";

function App() {
  const [message, setMessage] = useState("Hello Student");

  return (
    <div>
      <h2>{message}</h2>
      <button onClick={() => setMessage("Welcome to React State")}>
        Change Message
      </button>
    </div>
  );
}

export default App;
```

Hello Student

Change Message

Welcome to React State

Change Message

Ex-2

```
src > JS counter.js > default
import { useState } from "react";

function App() {
  const [count, setCount] = useState(0);

  return (
    <div>
      <h2>Counter: {count}</h2>
      <button onClick={() => setCount(count + 1)}>Increase</button>
      <button onClick={() => setCount(count - 1)}>Decrease</button>
    </div>
  );
}

export default App;
```

Counter: 0

Increase Decrease

Counter: 1

Increase Decrease

Ex-3

src > JS Text.js > default

```
import { useState } from "react";

function App() {
  const [text, setText] = useState("");

  return (
    <div>
      <input
        type="text"
        placeholder="Enter name"
        value={text}
        onChange={(e) => setText(e.target.value)}
      />
      <h3>You entered: {text}</h3>
    </div>
  );
}

export default App;
```

Prashant Jha

You entered: Prashant Jha

Ex-4

src > JS State.js > default

```
import { useState } from "react";

function App() {
  const [name, setName] = useState("");
  const [city, setCity] = useState("");

  return (
    <div>
      <input
        type="text"
        placeholder="Enter Name"
        value={name}
        onChange={(e) => setName(e.target.value)}
      />

      <input
        type="text"
        placeholder="Enter City"
        value={city}
        onChange={(e) => setCity(e.target.value)}
      />

      <h3>Name: {name}</h3>
      <h3>City: {city}</h3>
    </div>
  );
}

export default App;
```

Prashant Jha	Mumbai

Name: Prashant Jha

City: Mumbai

Ex-5

src > JS StateObject.js > default

```javascript
import { useState } from "react";

function App() {
  const [user, setUser] = useState({
    name: "",
    city: ""
  });

  const handleChange = (e) => {
    setUser({
      ...user,
      [e.target.name]: e.target.value
    });
  };

  return (
    <div>
      <input
        type="text"
        name="name"
        placeholder="Enter Name"
        value={user.name}
        onChange={handleChange}
      />

      <input
        type="text"
        name="city"
        placeholder="Enter City"
        value={user.city}
        onChange={handleChange}
      />

      <h3>Name: {user.name}</h3>
      <h3>City: {user.city}</h3>
    </div>
  );
}
```

Prashant Jha	Mumbai

Name: Prashant Jha

City: Mumbai

Ex-6

```
> JS Email.js > default
import { useState } from "react";

function App() {
  const [email, setEmail] = useState("");
  const [message, setMessage] = useState("");

  const validateEmail = () => {
    if (email === "") {
      setMessage("Email cannot be empty");
    } else if (!email.includes("@")) {
      setMessage("Invalid email format");
    } else {
      setMessage("Email is valid ✅");
    }
  };

  return (
    <div>
      <input
        type="text"
        placeholder="Enter Email"
        value={email}
        onChange={(e) => setEmail(e.target.value)}
      />

      <button onClick={validateEmail}>Validate</button>

      <h3>{message}</h3>
    </div>
  );
}

export default App;
```

csv Validate

Invalid email format

pj442006@gmail.com Validate

Email is valid ✅